AD-A096 962 UNCLASSIF IED 1 < 5

DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAAI DIX TAB UNANOUNCED JUSTIFICATION  BY DISTRIBUTION STATEMENT  APPROVED TO JUSTIFICATION  DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAAI DIX TAB UNANOUNCED JUSTIFICATION  BY DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAAI DIX TAB UNANOUNCED JUSTIFICATION  BY DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAAI DIX TAB UNANOUNCED JUSTIFICATION  D  D  D  D  D  D  D  D  D  D  D  D  D			PHOTOGR	APH THIS SHE	AD-E850030
DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAMI DTIC TAB UNANNOUNCED JUSTIFICATION  BY DISTRIBUTION / AVAILABILITY CODES DIST AVAIL AND/OR SPECIAL  DISTRIBUTION STAMP   8 1 3 23 028  DATE RECEIVED IN DITIC	) 96962 CACCESSION NUMBER		SAFE	TAC/D	5-81/020
DISTRIBUTION STATEMENT  ACCESSION FOR NTIS GRAAI DTIC TAB UNANNOUNCED JUSTIFICATION  BY DISTRIBUTION / AVAILABILITY CODES DIST AVAIL AND/OR SPECIAL  DISTRIBUTION STAMP   8 1 3 23 028  DATE RECEIVED IN DITIC		· · · · · · · · · · · · · · · · · · ·			26 061. 73
ACCESSION FOR NTIS GRAMI DTIC TAB UNANNOUNCED JUSTIFICATION  BY DISTRIBUTION / AVAILABILITY CODES DIST AVAIL AND/OR SPECIAL  DISTRIBUTION STAMP   8 1 3 23 028  DATE RECEIVED IN DTIC	AD ,		Approve	ed for public r	elease;
NTIS GRAAI DTIC TAB UNANNOUNCED JUSTIFICATION  BY DISTRIBUTION / AVAILABILITY CODES DIST AVAIL AND/OR SPECIAL  DISTRIBUTION STAMP   8 1 3 23 028  DATE RECEIVED IN DTIC			DIS	RIBUTION STA	TEMENT
DISTRIBUTION STAMP  8 1 3 23 028  DATE RECEIVED IN DTIC	NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION  BY DISTRIBUTION / AVAILABILITY CODE				SELECTE MAR 30 1981
8 1 3 23 028  DATE RECEIVED IN DTIC	DIST AVAIL A	ND/OR SPECIAL			DATE ACCESSIONED
8 1 3 23 028  DATE RECEIVED IN DTIC					
DATE RECEIVED IN DTIC	DISTRIBUT	ION STAMP		<del></del>	
		8 1			
PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-DDA-2				-	
	I	HOTOGRAPI	I THIS SHE	ET AND RETU	IKN TO DTIC-DDA-Z

LINCI ASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION	PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
I. REPORT NUMBER	2. GOVT ACCESSION NO.	
USAFETAC/DS-81/020		
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
Revised Uniform Summary of Surface Observations (RUSSWO)-	Weather	Final rept.
U-TAPAO RTNAS, THAILAND		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(#)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS USAFETAC/OL-A Air Force Environmental Technical A Scott AFB IL 62225	ppl. Center	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
USAFETAC/CBD		12. REPORT DATE
Air Weather Service (MAC)		26 Oct, 1973
Scott AFB IL 62225		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS/II different	t from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED
		150. DEC_ASSIFICATION DOWNGRADING
16. DISTRIBUTION STATEMENT (of thes Report)	<del></del>	
17. DISTRIBUTION STATEMENT (of the abstract entered i	in Block 20, il different fro	m Report)
18. SUPPLEMENTARY NOTES		
*RUSSWO Continue on reverse side if necessary and Daily temperat	d identity by block number,	spheric pressure
Snowfall Extreme snow d		reme surface winds
Climatology Sea-level pres		chrometeric summary
Surface Winds Extreme temper Relative Humidity *Climatological	rature Ceil Idata	ling versus visibility (over)
This report is a six-part statistic U-TAPAO RIMAS, IHALLAND It contains the following parts: (A (B) Precipitation, Snowfall and Sno (C) Surface winds; (D) Ceiling vers Summaries (daily maximum and minimum temperatures, psychrometric summary dry-bulb temperature, means and statistics of the summary dry-bulb temperature.	N) Weather Condition Depth (daily a sus Visibility; Sum temperatures,	tions; Atmospheric Phenomena; amounts and extreme values); Sky Cover; (E) Psybrometric extreme maximum and minimum apperature depression versus

DD 1 JAN 73 1473

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (Men Pela Errored)

UNCLASSIFIED		
SECURITY CLASSIFICATION OF	THIS PAGE(When	Data Enters

- 19. Percentage frenquency of distribution tables
  Dry-bulb temperature versus wet-bulb temperature
  Cumulative percentage frequency of distribution tables
- 20. and dew point temperatures and relative humidity); and (F) Pressure Summary (means, standard, deviations, and observation counts of station pressure and sea-level pressure). Data in this report are presented in tabular form, in most cases in percentage frequency of occurance or cumulative percentage frequency of occuring tables.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

ulia ha

DS-81/020

AD A 0 96 9 6 2

ADE 850 AS C C // / / 7

DATA PROCESSING BRANCH

USAFETAC

Air Weather Service (MAC)

REVISED UNIFORM SUMMARY OF
SURFACE WEATHER OBSERVATIONS

U-TAPAO RTNAS THAILAND
N 12 41 E 101 01 ELEV 69 FT VIRU WMO#

PARTS A-F
POR FROM HOURLY OBS: JUL 66-JUL 72
POR FROM DAILY OBS: JUL 66-JUL 72

OCT 26 1973

FEDERAL BUILDING

ASHEVILLE, N. C.

----

DISTRIBUTION STATEMENT A

Approved for public released
Distribution Unlimited

### Review and Approval Statement

This report is approved for public release. There is no objection to unlimited distribution of this report to the public at large, or by DTIC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

WAYNE E. MCCOLLOM, Chief Technical Information Section USAFETAC/TST

FOR THE COMMANDER

AWS Scientific and Technical Information Officer (STINFO)

DATA FROCEDSING DIVISION UNAFFIAC OL-1
AIR WHATHER SERVICE (MAC)

# REVISED UNIFORM SUMMARY OF SURFACE WEATHER OBSERVATIONS

#### HOURLY OBSERVATIONS

Esurly observations are defined as those record or record-special observations recorded at scheduled hourly intervals.

#### DAILY OBSERVATIONS

Taily observations are selected from all data recorded on reporting forms and combined into Summary of the Day observations. (Selected from record-special, local, summary of the day, remarks, etc.)

#### DESCRIPTION OF SUMMARIES

Preceding each section is a brief description of the data comprising each part of the Revised Uniform Summary of Surface Weather Observations and the manner of presentation. Tabulations are prepared from hourly and daily observations recorded by stations operated by the U.S. Services and some foreign stations using similar reporting practices.

Unless otherwise noted the following summaries are included for this station:

PART A WEATHER CONDITIONS

ATMOSPHERIC PHENOMENA

PART B PRECIPITATION

SNOWFALL

SNOW DEPTH

PARTC SURFACE WINDS

PART D CEILING VERSUS VISIBILITY

SKYCOVER

PART & DAILY MAX, MIN, & MEAN TEMP

EXTREME MAX & MIN TEMP

PSYCHROMETRIC-DRY VS WET BULB

MEAN & STD DEV .

(DRY BULB, WET BULB, & DEW POINT)

RELATIVE HUMIDITY

PART F STATION PRESSURE

SEA LEVEL PRESSURE

#### STANDARD 3-HOUR GROUPS

All summaries requiring diurnal variations are summarized in eight 3-hour periods corresponding to the following sets of hourly observations: 0000-0200, 0300-0500, 0500-0500, 0900-1100, 1200-1400, 1500-1700, 1800-2000, 2100-2300 hours local standard time.

#### MISSING HOUR GROUPS,

Summary sheets are omitted when stations maintaining limited observing schedules did not report certain three-hour periods for any particular mouth during the available period of record. Such missing sheets are listed below, and are applicable to all summaries prepared from hourly observations.

W. COSY	APRIL	JULY	OCTORER
YEAV	YAY	AUGUST	KOVEVBER
MARCE	JUNE	SEPTEMBER	DECEMBER

LATA IN DESCRIPTABULATIONS FOR THE PERIOD FROM JANUARY 1971 AND LATER MANUE NOT RECEIVED THE SAME, COMPRE-HENSIVE MANUAL AND COMPUTER QUALITY EDITING PROCESURES DURING PROCESSING AT OL A (DATA PROCESSING BRANCH) AS DID THE COSSERVATIONS FOR EARLIER PERIODS INCLUDED IN THE STUDIES.

SUSFECT CASES OR WESTI MABLE VALUES MAY NOTICE IN THE 1971 AND LATER DATA, AND APPEAR IN THE TABULATIONS AS A FINCENTAGE FREWERDY OF ".D", WHICH USUALLY INDICATES ONLY ONE COMPARENCE. THE EXTREME VALUES MAY OR MAY NOT BE COMPLETELY VALID, BUT THE USER SHOULD NOT DEDAR MAD THEM EXTENDED. CBV170S EMPORS OR IMPOSSIBLE COMMITTIONS HAVE BEEN LINED THROUGH IN BLACK LYK.

								1
								1
								;
. i .					ماند د اس نسود م			!
<u> </u>					·		<del></del>	<del></del>
				<del></del>				
<del></del>	-			<del></del>				<del></del>
		<del></del>	<del></del> -				<del></del>	<del> </del>
- <del></del>		· · · · · · · · · · · · · · · · · · ·	•				<del></del>	
		<del></del>			<del></del> _	· · · · · · · · · · · · · · · · · · ·		
	THE PERIOD	OF PROOPS JAN 71	_ TIT 72 TOP 1	OUTPLY ORGEDUA	TONG IN TUTG	CIMMADY ADE	PROM	
		OF RECORD JAN 71						
		OF RECORD JAN 71						
	GWC DATA W							
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.		LINED THROUGH				
	GWC DATA W	HICH IS UNEDITED.						
	GWC DATA W	HICH IS UNEDITED.		LINED THROUGH				

OCS	•		N Latitu	,	ongitude E 101 J1	STATION FLEW (FT	VTBU	WMO H	MBER
		ON A	ND IN	STRU	MENTA	ATION H	ISTOF	Y	
	GEOGRAPHICAL LOCATION & NAME	TYPE OF STATION	AT THIS EC	CATION	LATITUDE	LONGITUDE	<del></del>	4	OBS PER DAY
⊎-Tapao	RTNAS, Thailand	rtnas	Jul 66	Cct 69	N 12 41	E 101 01	69	Aneroid 51 ft	7/66 14 8/66 to 10/69 24
Same		Same	Nov- 69	Jul 72	Same	Same .	Same	Same	24
DATE	SURFACE WIND	EQUIPMENT		7505.05	T	REMARKS. ADDITIO	MAI FONIPMENT	OR REASON FOR	CHANGE
CHANGE	LOCATION				CROUND	nemana, Applin		ON NERSON 101	· · · · ·
	complex. 6 Located on top of MMQ-2 Vi		1	1	15 Ft 25 Ft				
25 Jul 66 to 28 Feb 67	Located between N-S Taxiwa	y and d Rnwy.		ge None	13 Ft				
1 Mar 67 to Dec 67	of Rnwy 560 ft W of center				(2)13 Ft				
Mar 68 to Feb 69 Mar 69 to Not 69	No change		(2)T-75	1 RO-2 1 RO-36	No chae				
	DATE OF THE PROPERTY OF THE PR	STATION LOCATION  CEOGRAPHICAL LOCATION & NAME  "U-Tapao RTNAS, Thailand  Same  Same  Same  Same  Surface wint  Location  1-12Ju166 Located in temporary communication  complex.  13-24Ju166 Located on top of MMQ-2 V  Flight line near Ramp.  25 Ju1 66 Rocated between N-3 Taxiwa  Rnwy, centrally located mi  28 Feb 67  1 Mar 67  Located 2000 ft in from ea of Rnwy 560 ft W of center  per 67  Mar 68 to  No change	STATION LOCATION A  CEOCRAPHICAL LOCATION A NAME  U-Tapao RTNAS, Thailand  RTNAS  Same  Same  Same  Same  Surface wind Equipment  Located in temporary communication complex.  1-12Jul66 Located in top of MMQ-2 Van on Flight line near Ramp.  25 Jul 66 Located between N-3 Taxiway and Rnwy, centrally located mid Rnwy. 28 Feb 67  1 Mar 67  Located 2000 ft in from each end of Rnwy 560 ft w of centerline. Feb 69  No change	STATION LOCATION AND IN  CEOCRAPHICAL LOCATION ANABE  STATION LOCATION AND IN  CEOCRAPHICAL LOCATION ANABE  STATION LOCATION AND IN  CEOCRAPHICAL LOCATION ANABE  STATION THOSE  STATION FROM  TO BE COCCRAPHICAL LOCATION AND COUPLING INFORMATION  STATE  STATION THOSE  AN INSECTION FROM  FROM  TYPE OF THE COUPLING INFORMATION  TYPE OF TRANSMITTE  LOCATION TYPE OF TRANSMITTE  LOCATED IN COMPLEX.  13-24-Jul 66 Located in temporary communication and Complex.  13-24-Jul 66 Located on top of MMQ-2 Van on Flight line near Ramp.  25 Jul 66 Located on top of MMQ-2 Van on Flight line near Ramp.  25 Jul 66 Located between N-3 Taxiway and Rnwy, centrally located mid Rnwy.  28 Feb 67  Located 2000 ft in from each end of Rnwy 560 ft W of centerline.  No change  (2)T-420 (2)T-75	STATION LOCATION AND INSTRU    COCCRAPHICAL LOCATION 1 NAME	STATION LOCATION AND INSTRUMENTA   STATION LOCATION AND INSTRUMENTA   CECCRAPHICAL LOCATION AND   TYPE   AT THIS LOCATION   LATHIUDE	STATION LOCATION AND INSTRUMENTATION H   CEOCRAPHICAL LOCATION SIMPLE   STATION LOCATION AND INSTRUMENTATION H   CEOCRAPHICAL LOCATION SHARE   STATION   TO	STATION LOCATION AND INSTRUMENTATION HISTOF   ATTHIS LOCATION   COCCURRENCE LOCATION AND   COCCURRENCE LOCATION AND   COCCURRENCE LOCATION AND   COCCURRENCE LOCATION AND   COCCURRENCE LOCATION   COCCURRENCE LOCATION   COCCURRENCE   COCCUR	STATION LOCATION AND INSTRUMENTATION HISTORY

.

مي در

and agree to the second of the

UM BER	DA	TE			SURFACE	WIND EQUIPMENT INF				
OF OCATION	CHA	TE F NGE		LOCATION			TYPE OF TRANSMITTER	TYPE OF RECORDER	HT ABOVE GROUND	REMARKS, ADDITIONAL EQUIPMENT. OR REASON FOR CHANGE
7	Nov Jul	69 to		No change			AN/GN:G-20 ( <sup>2</sup> )		13 Ft (2)	
	_									
										•
								· vc		
							•			
١										
			İ						•	
- {										
										•
}										,
- {							  -			

MAC-6 APR, 22 00-4076

A

DATA PROCESSING DIVISION ETAC/USAF AIR WEATHER SERVICE (MAC) ASHEVILLE, NORTH CAROLINA

### PART A

### WEATHER CONDITIONS

This surmary is a percentage frequency occurrence of various atmospheric phenomena and obstructions to vision, derived from hourly observations, and is presented in two tables as follows:

- 1. By month and annual, all hours and years combined.
- 2. By month, all years combined, by standard 3-hour groups.

Occurrences of the various phenomena included in each category on the forms are listed below:

Thunderstorms - All reported occurrences of thunderstorm, tornado, and waterspout.

Eain and/or drizzle - All liquid precipitation, falling to the ground, not freezing.

Freezing rain and/or freezing drizzle (glaze) - Precipitation falling in liquid form, but freezing on contact with an unheated surface.

Snow and/or sleet - Included are snow, sleet, snow pellets (soft hail), snow grains, and ice crystals.

Hail . Occurrences of hail and small hail are included.

Percentage of observations with precipitation - Included in this category are the observations when one or more of the above phenomena occurred. Since more than one type of precipitation may be reported in the same observation, the sums of the individual categories may exceed the total columns.

Fog - Included are fog, ice fog, and ground fog.

Smoke and/or haze - Occurrences of smoke, haze, or combinations of smoke and haze are included.

Blowing snow - Occurrences of blowing snow (also drifting snow when reported from non-WEAN sources.)

Dust and/or sand - Included are blowing dust, blowing sand, and dust.

Blowing spray - This item if reported, is not shown in a separate category on this form but is included in the computation Percentage of Observations with Obstructions to Vision, below.

Percentage of observations with obstructions to vision - Included in this category are the observations when the or more of the above obstructions to vision occurred. Since more than one type of obstruction may be reported in the same observation, the sums of the individual categories may exceed the percentage total columns. Also, although precipitation may reduce visibility, it is not considered an obstruction to vision for purposes of this summary; therefore, the percentage total of obstructions to vision need not reflect the total observations with reduced visibility.

SATA PRICESSING FRANCH

SAF ETAC AIR SEATSER SERVICE/MAC

### **WEATHER CONDITIONS**

4102 -

"-TAPA AB IMATLASIS

ALL

STATION

STATION NAME

MONTH

# PERCENTAGE PREDUENCY OF UCCURRENCE OF WEATHER COMMITTIONS FROM HUBBLY DESERVATIONS

MONTH	HOURS (L.S.T.)	THUNDER. STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND: OR HAZE	BLOWING SNOW	DUST AND OR SAND	5 OF OBS	TOTAL NO. OF OBS.
10	Al L	. 1	1.				1.0	• 1	1.5			1,4	4175
	-	• 1	ż, s				2.5	<b>,</b> 4	1.7			1.0	3783
٠,		, 4	1.3				1.9	• 2	3.0			3.0	4614
. :	,	1,1	۲, ٦			•0	3,0		• 3		-	.7	4110
		7.0	7,4				7,4	. 1				.1	4288
ų		, ,	5.4				5,4						4016
3.4		. ,	7,4				6.4		• 0			• ^	4653
. 11.		. "	7.5				7,5						4365
550		1.~	7,4				9,4	• 2				. 7	4271
'( <b>T</b>		1.5	0.2				9,2	. 7	•0			, 7	4419
- V		.,	7.4				2.4		• 0			•-	4272
.+ <b>G</b>		. 2	1.9				1.9		, 3			, 7	430%
TOTALS		. 7	4.4			•"	4.8	• 1	.6	_ <del></del>		٠,٠	J0825

1210 WS FORM 0-10-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

PATA PROCESSTOO PRAKEN USAN ETAC AIR HEATREN KENTGERMAC

## WEATHER CONDITIONS

4105	-TAPLE AS CHATEAS	o7=72	, 4 ,
STATION	STATION NAME	YEARS	MONTH

# PRINCE TAGE FRENCHER OF BEATHER COULTING SIEDEN SEATHER BASERVATIONS

MONTH	HOURS L.S.T.	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS	TOTAL NO. OF OBS.
j	0-07		1,				1.0		1.5			1.7	<b>20</b> 9
	^ ,i <b>-</b> () *		1.				1,9		1.7			1.7	519
	· 540		•				. 4	• 1	?•'			2.1	521
	1.7-11	• *	1.			*	1.3		1.			1.1	531
	12-14		1.5				1,7		• 6			• 4	522
	15-17		1.7				1.2		• 5			• 4	>21
	1 8,-20								1.7			1.7	521
	/1-2		•				, 2		2.3			2,1	531
							-						
TOTALS			1.0				1,0		1.5			1.1	417>

1210 WS FORM 0.10-5 (OL.-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

TATA PROCESSING PRANCE .SAF ETHE SIR PEATLER ESSIGNACE

### WEATHER CONDITIONS

MONTH

STATION STATION NAME YEARS

PRICE TAGE FRE LUCYCY OF DECORRENCE DE GEATHER CONTITUES SERVATIONS

♥ONTH	HOURS	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS	TOTAL NC. OF OBS.
:	. O=0;		,,,				1.7		1 • 1			1.1	475
	5-4-3		٠,٠				3,0	• 3	• 9			1.1	467
	! <b>-</b> U 1	• /	7 • 4				3.4	2.	6.5			4.1	465
	-11		4.4				4.4	• 4	1.7			2.1	47 7
	12-15	. 2	,				3.0		. 4			. 4	473
	: >-17	• 1	₹•3		i		2.8		, 4			. 4	471
	10-27		1, 5				1,5		1,3			1,7	472
	21-21		• '•		1		. 4		1.3			1.7	471
TOTALS		• 1	2,5				2.9	. 4	1.7			1.8	3780

1210 WS FORM 0-10-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

TATA PRINCISSTED TRANSPORTATION FATAL

### **WEATHER CONDITIONS**

1".	CHALL CAR TO ATLANCE	07=72	. 12 h
STATION	STATION NAME	YEARS	MONTH

# FRACEHTAGE PREQUENCY OF DOCURRENCE OF WEATHER COMPOSITIONS FROM HULKLY URSERVATIONS

WENTH	HOURS L.S.T.	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
	· ()=07	• '	1.7				1,7	. 7	1.7			1.7	577
	?∪=د ′	. 7	>,3				2.2	• ^	1.9			1.9	537
	<b>6−</b> 0.		1.				1,3	•:	7.3			7.3	<b>52</b> 0
	`i]	• 1					2.3		4.0			4.7	526
	14-14	• (1	n •				4.7		2 . 8			2.5	52 ::
	. 2=11		• 4				, 1		1.7			1.7	532
	10-20	. 2	L.				1.0		2.3			2.3	<b>51</b> 9
	1-4		1,5				1.5		1.9			1 • d	529
l						- <del></del>							
TOTALS		• 4	1,0				1.9	• 3	3,0			3.0	4216

1210 WS FORM 0-10-5 (OL+1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

TATA PROGESSION TRANCE SAF ETAT THE ECT OF THE TOTAL C

### WEATHER CONDITIONS

MONTH

STATION STATION NAME YEARS

PRINCE STAGE FREE BY CY OF GROWNERGE OF WEATHER COMPUTATIONS

MONTH	HOURS LISIT.	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	наль	% OF OBS WITH PRECIP,	F 0G	SMOKE AND CR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS	TOTAL NO. OF FBS.
ρ.	0-07	• "	1.4				1,4						515
	13-05	• '					3.5		. ?	: :	r	• ,	512
	16-07	1."	4,7				4.7		1.6			1.4	>11
	, 4-11	7.,	4.5				4,5		. >			. ,	512
	12-14	7.7	4.3			• ?	4,5		. ?			• 2	512
	15-17	. 4	2.1				7.1	-	, 2			. 7	515
	16-60	. 2	7.1				2.1						515
	21-23	.7	1.5				1.5						517
						· 							
											=====		
TOTALS		1.1	3.0	,		• າ	3.0		. 3		l		4110

1210 WS FORM 0-10-5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

-

ATA BROAKSST SRAJOH 1801 ETA 18 EATH C SERVICEZ AC

### **WEATHER CONDITIONS**

 ΦΙΩ :
 ΦΤ μ + Ω
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 Δ :
 <th

PERCENTAGE FAILURE OF THE OCCUPATIONS OF PRATHER OF FILE OF PLY OFSERVATIONS

w thin	#1 <b>2</b> 4	THENDER TORWS	RAIN AND OR OR ZZ. F	FREEZ NO. PAIN & TR DR ZZJE	SNOW AND OR NOTE	HAI.	TOF OBS WITH PRECIP.	FOG	SMCKE AND OR HAZE	BLOWING SNOW	DUST AND GR SAND	OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
· · · · · ·	. ( = 1)?	1.7	• 1				0.1						53
•	۹ ن≃ر	•	0,9	• •			9,9			† † !			> 1
•	(6-94	1 4	11.4	• - • !			11.4	• 0				.4	535
	) <b>-</b> 1 1	3, 4,	11.1			· · · · · · · · · · · · · · · · · · ·	11.1						533
	1 <-14	1.5	., 7				٠.9						514
	10-17	•4	١, ۶				2,7						516
1	10-67	, 7	۴, ۹	1			4,5		<u> </u>				517
· •	71-67	2.4	5.4	H		•	6.3	-					510
	•			•	-								
·				• 1	. =	•							
TOTALS	:- === . : :	•	7.4	•			7,4	• 1			L	,1	4288

1210 WS FORM 0:10.5 (OL. 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 84

managan, company

TATA PROGESSIO

ISAL ETAL

TIR EAT HE LESTER WE

### WEATHER CONDITIONS

4102

-TATA AN THATLAND

07-72

STATION

MONTH

PRACENTAGE FREQUE CY OF OCCURRENCE OF WEATHER COMMITTIONS FROM HE ALY DRSPRVATIONS

TOTALS		. 3	7,4				5,4						4010
		<b>.</b>											
		<b>——</b>											
		· 	٠	•									<del>-</del>
	/1-63	• •	* • 7 •	; • · <del>-</del>			5,7						500
- 4	10-40		`	· · · · - •			5.6						49
	.J=17	T	<b>′•</b> • 2				4,2						49
	`c=14	, ,	/ •				2 . A						49
	V=11		4 , ,		!		4,2						490
· •	u=0∂	• ^	7				5,7						51.
•	. 4-35	. 4	^ • <b>7</b>	† • • • •	- ·· †		6.7						501
,	10-07		4,5				н, 5						504
MONTH	HOURS ISIT	THUNDER STORMS	RAIN AND OR CRIZZLE	FREEZING. PAIN & OR DRIZZLE	SNOW ! AND OR SLEET !	HAIL	OBS WITH	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	TOF OBS	TOTAL NO. OF OBS.

1210 WS FORM 0.10.5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

CATA PROCESSING PRANCH USAF ETHE AIR FEAT FR NEFFVICE/MAC

### **WEATHER CONDITIONS**

9102

J-TAVA AR TRATLALA

56-72

. .

STATION

STATION NAME

YEARS

MON ? H

# PERCENTAGE FREQUENCY OF LICCURRENCE OF MEATHER COMMUTITIONS FROM HOMBLY DRSERVATIONS

MONTH	HOURS L.S.T.	THUNDER STORMS	AND OR	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	F(G	SMOKE AND OR HAZE	BLOWING SNOW	AND UR	OF OBS	TOTAL NO. Of OBS.
	0-03	. 4	7,5				7,						
, · <del> </del>	y=05	. 4	2.0				9,0					•	<b>&gt;</b> 44
,	FU=(+	. 2	7,3				7,3					•	*1v
	(4-11		7.0				5.0					•	921
,	12-14	. 2	3,4				3,4		. 2			• 7	625
	15-17	. 4	4 , 4				4 , 8					<b>,</b>	524
	13-20	. ?	. 2				6.2					†	<b>54</b> 6
	1-63	. 4	7,6	1			7,8					• • • ·	257
		<del> </del>		• - · <del></del>								• •	·
			•	•								• :	•
				•							I		,
													•
TOTALS	·	, ,	^,4	,			6.4		•0	_:_::=:::		•	4653

1210 WS FORM 0.10.5 /OL 1: PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY  $\bf 64$ 

AT, PR (1557) - 44/10 - 15/10 | Franklin (17)

### **WEATHER CONDITIONS**

10.0	ፈተል ያ ነ ለቀ ፣ ይተ <u>ይ</u> ልሩን	06-71		• ••••
STATION	STATION NAME		YEARS	MONTH

# FERTE TRUE PRESURTON OF SCOURFENCE OF WEATHER CONCITTO'S PROFESSIONAL BUY DRSERVATIONS

v, NTH	HOLES S.T.	THE NOTER HAS	RAIN AND OR ORIZZLE	FREEZING RAIN & CR DR:77LE	SNOW AND OR SCEET	HAI.	1 OF OBS WITH! PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	* OF OBS WITH OBST TO VISION	TOTAL NO. OF OBS.
	ر ں۔ن	•	1.		·	•	15.0						542
	>=u^	•	10.5	•	Ţ		14.5						545
•	o-v	• •		, ,	•		° • 1						544
,	-11			• •	•		١, ٦			1			551
•		-	4,3	•	•	. =	4,5						55/
•	• 		, , ç	. ,	1		2.9						547
•		•					4.2		† <del>-</del>				542
	! -	•	7.4	•	•		7.5		1	1			<b>536</b>
	•	•	•	• •	•					† !			
	•	•	•	. ,	,	•	†		1		<del>-</del> ·		
•	•	•	•	+ =· - +			<del> </del>		1			1	
	•		•	•	4		+ - <del> +</del>		1				
	•	٠ , ١					* <del></del> + 7,5		<del>†</del>	<del> </del>	P=-	‡····	4365

1210 MS. FORM: 0.10.5. OL. 3. PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64.

MATA PRICESSIEM MRANCH 1548 ETAŬ ALRINEATHER MENVICEZMAC

### WEATHER CONDITIONS

4102×	-TAMA AU ESATLANT	06≠71	314
STATION	STATION NAME	YEARS	MONTH

PERCENTAGE FREQUENCY OF UCCORRENCE OF WEATHER CHARITIONS FOR SOME RLY URSERVATIONS

MONTH	HOURS	THUNDER: STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS	TOTAL NG. OF OBS.
, r ,.	00-02	1,0	12.7				12.7						<b>527</b>
r- <u>-</u>	3-04	2.2	15,5				15,5						534
	16-0	٤.	0.3				9,8	• *-				, ,	531
	-9-11	. 2	٨.٨				6.0	. 4				, 4	534
	12-14	1.9	11.4				11.4	• 2				, 2	537
	13-17	. 4	3,2				3,2						521
	16-20	. 4	1.4				6,4						532
	21-23	, 7	10,6				10.4						<b>937</b>
											! 		
TOTALS		1.0	9.4				9,4	۶.				. 2	4271

1210 WS FORM 0-10-5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY  ${\bf 64}$ 

CATA PROCESSED SKALLE SAF ETEN SER EATTEN FOOTGEN OF

### WEATHER CONDITIONS

4102

-TATA AB THATLAND

*(* ]

STATION

STATION NAME

MONTH

# FENCE TAGE FRE SUL CY OF GCCORRENCE OF WEATHER COMMITTEES FROM FOR REY OPSERVATIONS

MONTH	HOURS S.T.	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	TOF OBST	TOTAL NO. OF OBS.
r t	(0-02	• .4	19.1				10.1						<b>55</b> 7
	1-05	1.1	12.4				12.6	• 2					354
	' 6-0:	, "	9.2				7.2	. 4	. 2			• 4	557
	7-11	. 4	7				6.7	. 4				. 4	<b>55</b> 0
	i2-14	3.1	• '				8,5	• 3				. 7	555
	15-17	4.5	φ,				9,8						550
	15-46	2.0	3.4				9,4						551
	21-23	٠٠	7,5				7.5						550
									<del></del>		<del></del>		<del></del> _
TOTALS	<del></del>	1.5	9,2		<del></del> _		3,2	• 5	• 0			. ?	4419

1210 WS FORM 0-10-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

CATA PROMESSING SHARCH ASAF ETAL SATISM SERVICE/MAC

### WEATHER CONDITIONS

41C26

MENALTH OF TARRANCE

MONTH

STATION

PERCE TAGE PREJUENCY OF OCCURRENCE OF WEATHER CONDITIONS FROM HOURLY DRSERVATIONS

MCNTH	HOURS L.S.T.	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	COF OBS WITH PRECIP,	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS	TOTAL NO. OF OBS.
	110=02		2,2				3.2						573
	13-65		2.1				2.1						575
	عن⊷ن ه		1,7				1,7		• 2			. 7	930
	09-11		2,7				2,7						571
	12-14	• 1	2.1				2.1						52%
	13-17	, ri	2,4				2.4						543
	10-20	• 4	2,5				2,5						526
	/1-27	. 4	2,4				2,3						52 n
			 	!									
			<del></del> .										
-													<del></del>
TOTALS	<del></del>	, 3	2.4			<del></del>	2,4		•0			.^	4222

1210 WS FORM 0.10.5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

MATA PROGRESTY RACOUNTS ARE ETA MATERIAL ENGINEERS OF STREET

### **WEATHER CONDITIONS**

STATION -TATA A. Lallan ١ (. MONTH STATION NAME

FIREL TOWARD AND AUTOMATIC STRUCTURE OF A PATHER CONTESTING FROM A REPORT OF STRUCTURE

MONTH		THUNDER STORMS	RAIN AND OR DRIZZLE		SNOW AND OP SLEET	HAIL	© OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND CR SAND	TOF OBS I	TOTAL NC. OF OBS.
1	10-02	• 7	1.6				1,9		, 5			•	54.
	≥ل⇒ز ′	. :	2.5	! !	_		2.6		.6			4.	537
	(-U4	. 2	7.5				2,3		• 0			• 7	771
	. = 11		1,7	<del></del>			1.5		. 2			• 21	536
	12-14	• 4	1.3				1,9					<del></del>	536
	15-17		1.7				1.7						330
	;20		1.1				1,1						346
	?1-23	, ,	١,,				1.5						24.,
													·
													<del>-</del>
TOTALS		. 2	1.9				1.9		• 3			• •	

1210 WS FORM 0.10.5 (OL+1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE JULY 64

### PART A

### ATMOSPHERIC PHENOMENA

This curtary is a presentation of the percentage of days with occurrences of various atmospheric phenomena. This e data are obtained from all recorded information on the reporting forms and combined into a daily exceptation.

The descriptions of the phenomena in the Weather Conditions Summary above also apply for the categories of the categories to the categories. However, it should be noted that in this summary the columns headed if OF OBS WITH PRECIP" and "§ OF OBS WITH OBST TO VISION" show the percentage of days rather than percentage of observations. Since more than one type of precipitation or more than one type of obstruction may occur in the same daily observation, the sum of the values in the individual columns may not equal the total columns.

This presentation is by month with annual totals, and is prepared with all years combined.

A day with rain and/or drizzle was not separately reported in WBAN data prior to January 1949. Therefore percentages in this column are restricted to the period January 1949 and later.

k day with dust and/or sand was punched and included in this summary only when visibility was less than 5/8 mile.

Weather conditions

The second secon

1687

41-1 ON

magazine by the best

16 - 7

YEARS

· LL

 $\epsilon$  to Today we have the solution of the PREPLO confidence in the result of the results of

STATION NAME

•
7575
ŧ
•
m

2 •

MONTH	HOURS -LST-	THUNDER STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
· · · · · ·	. Lux	7.7	11.				11.4	2.7	7.7			t. , <i>j</i>	tr.
		1.	1.00				17.9	q <sub>e</sub> .	12.9			14.1	177
		`*	16.				14.5	• ;	12.4			12.4	1 5
		e E• Z	2.44				200.4	• "	3.3			<b>1</b> € 17	1
		75.	44.1				44.1	1				1.6	1. "
		۴.)	⊅ i • y	,			51.7			,			1 - 1
		•	35.4			-	55,4						1 - 40
}		1 5	57 <sub>4</sub> s			•	>7.4						1,,
, _		49.0	<b>&gt;</b> • • 5				9	1.4				1.1	<b>1</b> : "
í, T		· · · • ·	6				· 1.2	1.5	• 5			2.2	1
		****	73.3				23.3		• ^		•	•	1 (
-		3.1	18.0	•	,	•	10.4		2.7		•	2.7	, ,
TOTALS		11.4	34.4	,			3: 4	1.	3.5			4.^	21.7

USAF ETAC  $\frac{46990}{1916-64}$  0.10.5 (OU.1), previous ethitons of this form are obsolete

. . . . . -

, and a supplemental to

\*

DATA PROCESSING DIVISION BRAC/USAP ALA WEATHER SERVICE (MAC) ACHEVILLE, NORTH CAROLINA

### PART B PRECIPITATION, SNOWFALL & SNOW DEPTH

This portion of the Uniform Summary presents in two sets of tables, the dealy amounts and extreme values of the following:

PRECIPITATION SNOWFALL\*

SNOW DEPTH

DERIVED FROM DAILY OBSERVATIONS
DERIVED FROM DAILY OBSERVATIONS
DERIVED FROM DAILY OBSERVATIONS

- 1. The first table for each of the above presents the <u>percentage frequency of various daily amounts</u>, by month and annual, all years combined. The percentage of days with measurable amounts is also computed monthly and annually. Also shown for the precipitation and snowfall tables, are the monthly mean amounts, annual mean amounts (sum of monthly mean amounts), and the extreme monthly amounts (greatest and least). The latter statistics above are not presented for the snow depth summary since they would have limited use and may be misleading.
- 2. The second set of tables for each of the above presents the extreme daily amounts by individual year and month for the entire period of record available. Also provided are the means and standard deviations for each month and annual (all months). The extremes for a month are not printed nor used in computations if one or more observations are missing.

NOTE: Snow depth was recorded and punched at various hours during the period available from U. S. operated stations. The periods and hours used in the snow depth summary vary by service and period as follows:

Air Force Stations

From beginning of record thru 1945

Jan 46-May 57

Jun 57-present

Snow depth at 1230 GCT

Snow depth at 1200 GCT

U. S. Navy and Weather

Bireau Stations

Jul 52-May 57

Jun 57-present

Snow depth at 0030 GCT

Snow depth at 1230 GCT

\* Hail was included in snowfall occurrence in the summary of the day observation prior to Jan 1956, but has been removed from this summary.

ATA PROPERTY SERVICES OF CAR

### **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF (FROM DAILY OBSERVATIONS)

STATION

						AM	OUNTS (II	(CHES						PERCENT		MONTHLY AMOUNTS			
PRECIP	NONE	TRACE	01	.02 .05	-06-10	11 .25	26 50	.51-1.00	1.01-2.50	2.51-5.00	5.01-10.00	,10 01 20 00	OVER 20 00		NO.		(INCHES)		
SNOWFALL	NONE	TRACE	01-04	0.5-1.4	1.5-2 4	2 5.3 4	3 5-4 4	4 5-6 4	6.5.10.4	10.5-15.4	15.5-25 4	25.5-50.4	OVER 50.4	MEASUR.	OF OBS.	MEAN	GRÉATEST	LEAST	
SNOW. DEPTH	NONE	TRACE	1 ,	2	3	4.6	7.12	13-24	25 36	37.48	49-60	61-120	OVER 120	AMTS	<del></del>	ļ		ļ	
MAL	97 ed	•	1.4	•	· • 4	' • 1	1	. • f				İ	ļ	• 1	) 4	• 4-7	1 -13	.00	
FEB	71.1	, ,	. 1	2.4	1. • 4	, 7		•	3.0						141	. 3 <b>. ≥</b> 2		. 4 :	
MAR	4:.1	• 1	۲ <b>۰</b> ۵	1.4	1 1	1.1	1.1	1.	1	• 5	4		1	11.3	1	1.1)	. 0.21	(i hat)	
APR	50,4		!	3 <b>.</b> i	<b>7.</b> 9	1.0	ا . د	<b>.</b>	2.7		<u> </u>	ļ		2.0	1	2.43		• '	
MAY	47.1	1.1	5 <b>.</b> .	* • ×	اد • •		/	1.7	9.0	. 7		İ		40.3	3 - 1	9.7	10,22	1.7	
NUL	3444	,	0.7	11.01	4	ا و ا	/	4,4	1					¥*•0	1 ′	1.74	7	• 97	
JUL	3 • 3	r • 1	7.1	2.1	7.9	7.3	· • • •	• 9	1.1					29.	1.33	2,99	1.7	1.2	
AUG	31, 1	- * - 1	ક, ધ		5.4	٨, ٦	6.0	٠, ١	3.7					,	135	3.76	44	. 5.	
SEP	31.1	11.1	4.4	7.1		11.7	~ ).	: • t	o <b>, 7</b>	1.1				•	1.,17	7.53	11.73	4.0	
ост	31.4	11.	र्व • व	6.4	7.5	11.3	: • 1	1 ?	7.0	1.1				·, 7 • i'	1, 6	44	14,20	1.12	
NOV	7 - 1	1/ ,	i, h	4.4	2.1		< • □	2.0	1.7	1.1				t: •7	J 11. ^	2.50	3.44	.7	
DEC	95.4	/ <b>.</b>	1.1	4.7	د.	. 5	i e t	1.6				•	1	~ <u>.</u> }	1 45	2,54	15,21	TH AC	
ANNUAL	50.1	į ·•		3.4	4.0	7.0	5.,,	6 g č		• "	,			٠, ز	2138	47.04	X	X	

1210 WS FORM 0.15-5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING PRANCH USAF ETAC AIR WEATHER SERVICE/MAC

### **EXTREME VALUES**

PRECIPITATION FROM DAILY OBSERVATIONS

41028

2

CILLIANT BE THELLAND

66-72

YEARS

24 POUR AMOUNTS IN INCHES

MONTH YEAR	JAN	FEB	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV.	DEC	ALL MONTHS
67 67 71. 72	.06 .47 1.32 .96 .39	2.23 2.60	TRACE •01 2.95 1.27 1.18 •43	2.09 .32 .35 .67.	2.57 2.69 .84 4.19 4.18 .84	.57 1.91 .62 .75 1.30 2.00	.52 .69 2.11 .75 .59	.89 .27 .76 .64 1.20 1.35	2.27 1.47 1.38 1.84 2.56 3.02	2.80 3.03 1.33 1.08 1.25 2.05	1.70 .50 .52 2.67 1.41	TRACE .68 TRACE 10.53 TRACE	3.08 2.69 3.67 10.53 4.18
	•		•	•	•	•		- •		•			
*	•	•	·	•	,	•	•		•		,		•
-	•		•	•	•	•	•	•	•	•-	• • •		
	*		•	•	•	•	•	•	•		+-	· · <del>+</del>	
-	•		•	•	•	•	•	•	•		•	4 -	
-	•		ŕ	•		ė	٠	•	•	•		+	
	•		•	•		•	•				•	7	-
,,	•		•	•	•	• •	•	4	<b>‡</b> -	•		. 4	
-				+	•	•		i i					
**				1	•		•					. <u>.</u>	_
-				- +	• •		•		. 4				
MEAN " 5 D TOTAL OBS."	.52' .501 186	1.47 .781 141	.97 1.114 186	.56 .672 180	2.55 1.498 186	1.19	.86 .621 186	.88 .422 155	2.79 .643	1,93 ,853	1.48	1,89° 4,239°	4.83 3.237 2132

USAF ETAC (10)PM 0-88-5 (OU)

DATA PRUCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

### **EXTREME VALUES**

PRECIPITATION FROM DAILY OBSERVATIONS

41027 STATION U-TAPAN AB THATLANO STATION NAME

66-72

YEARS

24 HOUR AMOUNTS IN INCHES /BASED ON LESS THAN FULL MONTHS/

MONTH	JAN	FEB	MAR	APR	MAY	NUL	JUL	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
65							0	. H9					PRECIP
7> "	•	20 20	)										PRECIP
													-
·				•	•	•	•	•		•	•		•
				•	•	*	•	•	•	•	•	•	-
					•	•	•			•	•	•	
*				•	•	•	•	•		•	•	•	-
P						•		•		•	•	•	4
-			•					•			•	•	•
**			•	•			-	•	•	•	•	•	•
-													*
•				-			•	•	•	•		•	•
•		,	•							•	•	•	-
											4		•
-											•	•	
			1					•	1				#
MEAN	,	•			•								
OTAL OBS		•	•	•	•	•	,	•	•	•	•	•	-

USAF ETAC FORM 0-88-5 (OLI)

•) (ATA RELEVANDO - 8 ALTO - 15 ATA RELEVANDO - 15

STATION

### **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF F G I I

AMOUNTS (INCHES) MONTHLY AMOUNTS PERCENT TOTAL NO OF PRECIP 085 GREATEST LEAST NONE <u>.</u>1 100.1 1. 4 JAN • Cl 1.4 •4 FEB 100.1 100% 1 . ·u •4 MAR 190.1 APR 1.50 . 4 MAY 100.4 1.4 • 4 100.0 1 0 • 0 • d JUN 100.9 100 JUL AUG 10.1 155 . 0 1 ... SEP 100.1 . 4 OCT 100.4 1,561 .4 • 4 NOV 106.4 1.0 . 17 • d DEC 100.0 1:0 • 4 2132 • U ANNUAL 100 ...

YEARS

1210 WS JUL 84 0-15-5 (OLI) PREVIOUS EDITIONS OF THIS FORM ARE O

DATA PROCESSING SHANCH USAF ETAC AIR HEATHER SERVICE/MAC

### **EXTREME VALUES**

SHOWFALL IFROM DAILY OBSERVATIONS:

4102P STATION

2

U-TAPAC AS THAILAND

66-72

YEARS

24 HOUR AMOUNTS IN INCHES

MONTH YEAR	JAN	FEB	MAR	APR.	MAY	JUN	JUL	AUG	SEP	OCT.	NOV.	DEC.	ALL MONTHS
67 67 67 70 71 72	0	• Q. • Q. • Q. • Q. • Q.	• Q • Q • Q • Q	• Q. • Q. • Q. • Q. • Q.	.0.	.0	• 0. • 0. • 0. • 0. • 0.	• 0. • 0. • 0. • 0.	00000	0 0 0 0 0 0	•0 •0 •0	• 0 • 0 • 0 • 0 • 0	•0 •0 •0 •0
•	•	•	٠	•	٠	•		•		•		-	
	•	٠	٠	•		•		•					
-			•						•		•		
-										-		# .	-
	٠		•			•							
-													
-	•		,			•			; +			-	
					,							- · 4	
					•								
						+	+			i			
						1							
-		•		•	•	. 1	•			***	•	•	
MEAN	.000 186	.00 .000 141	.000 186	.000 180	.000 .000 186	.00 .000 180	,000 186	.00 .000 153	.000	.000 186	.000 180	.000 186	.000 2132

USAF ETAC FORM 0-88-5 (OLI)

DATA PRUCESSING BRANCH USAF ETAC AIR JEATHER SERVICE/MAC

### EXTREME VALUES

SNEWFALL
FROM DAILY OBSERVATIONS

4102h STATION

U-TAPAL AS THATLAND STATION NAME

66-72

YEAR5

24 HOUR AMOUNTS IN INCHES /BASED UN LESS THAN FULL MONTHS/

MONTH	JAN	FEB	MAR	APR	MAY	JUN.	JUL	AUG.	SEP	OCT.	NOV	DEC	ALL MONTHS
36							9	. 8	0				BAYS
12		28 0											SNUFALL
			•			•	•	•	•	•			•
	-												•
_													
-	•	•	•		•	•	•	•	•	•			-
-							•		•				
-	•				•	•	•	•	•		•		•
*	-	•			•	,	•	•	•	•			*
-											• •	_	<u>.</u>
**	•		•		•	•·· ·	•	. •		•			+
		•				-	•	•	1 1	•			+
					•			<u> </u>	<u>.</u>	•			<u>.</u>
										i			
	•		•		•		÷ :::::	+		+			÷ · ·
MEAN	i	i. i	1		<del> </del>	ļ: : ·		+		4. HE	4 1.a	,	-b
S D					•		•	•	•				<u>u</u> .
OTAL OBS.					+	•	•		•				

USAF ETAC FORM 0-88-5 (OLI)

### **DAILY AMOUNTS**

PERCENTAGE FREQUENCY OF (FROM DAILY OBSERVATIONS)

STATION STATION STATION NAME

		AMOUNTS (INCHES)															MONTHLY AMOUNTS		
PRECIP	NONE	TRACE		2	• •	. 6 .	25	20 %·	5 QC	2.50	2 5 5 50	. 5 5 5 5	. 5 20 60	. OVER 20 00	PERCENT OF DAYS WITH			INCHES	
inowfall	NONE	TRACE		4 65	4	5 2 4		3 1 4 4	4564	65 0 4	10.5.54	25.4	25 5 5/ 4			OF OB5	wt an	GRATES!	.EA5"
SHOW DEPTH	NONE	FRACE				3		, , ,	3 74	25 36	37 48	49 60	6 20	OVER 20	AMTS			Jera-t)	
JAN	100										-								
FES	10 .1							•	•		•			•					
MAR	100.1																		
APR	101.1															•			
MAY	100.1																		
	10																		
וטנ	150.															•			
AUG	10%													_		1	•		
SEP	100,	<b>-</b>														L			
ост	192.0															1			
NOV	107.4		+		. = +														
DEC	100.0															•			
ANNUAL	100.4		•				<del></del>		•			• <del>-</del>		<b>4</b> 2 1			•		

1210 WS FORM 0-15-5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSING PRANCH USAF ETAC AIR DEATHER SERVICE/HAC

# EXTREME VALUES

SILLY DEPTH

41028

CHATTAN BA THATE

66-72

DATLY SAME BERTH IN INCHES

er version of the second of t	A 5-	** #	V & W	APW	VAY	···	iet	Au <sub>i</sub> c,	SEP	OCT	NOV	DEC	ALL MONTHS
8.		\ \ \ \ (	0 0	3 3 0 0	0000	0000	9. 0 0	0000	0 0 0	0 0 0 0	0 0 0	0 0 0 0	0 0 0
7.1	Ç.	ų.	<b>0</b> 0	0	o o	0	0	0	U	0	0	C.	0
												·	1 i
													i !
													;
													:
													i
sel.ge a a構:	1000	.000 1•1	.000	.000 180	.000 186	.000 180	.000	.000 186	.000 180	.000 18c	.000	.000	.000 2163

DATA PRICE SSING FRANCH USAF ETAL AIR EAT ER SERVICEZ AC

# EXTREME VALUES

THOM DEPTH

GATAPA" AL FHATLAND 4102 h

46=72

FAFS.

VAILY SOON BERTH IN INCHES MASKED IN LESS THAN HULL MEDITHS!

MCINTH" JAN	FER MAR	APR M	Ar IN	BH	AU'_	SEP	OCT	NOV	DEC ALL MONTHS
Ci			•	30					SO: OPTH
7	;; ≯							•	"SMO UP1+ _0AYS
						-			
									-
								, .	<u></u>
									-
									-
									-
									_
							•		
								•	-
									-
									-
									N
ME AN					i .	•			
									-
TOTAL OBS						-	-		

SAFETAL NO ARE COL

PATA PROCESSING DIVISION PTAC/USAF AIR WEATHER SPRVICE (MAC) ACHEVILLE, NORTH CAROLINA

#### PART C

#### SURFACE WINDS

Presented in this part are various tabulations of surface winds as follows:

1. Extract Values - Peak Custs: Derived from daily observations and presented by individual year and month for the entire period of record available. Speedgrare presented in knots, while directions are given in 16 compass points from the beginning of record through 1968, and in tens of degrees starting in January When 90% or more of the daily observations of peak gust wind data are available for a month, the extreme is selected and printed. These values are then used to compute means and standard deviations for the entire period. Every menth of a year must have valid observations present before the ALL MONTHS value is selected for that year. Means and standard deviations are computed when four or more values are present for any column. A supplementary list of Feak Gusts by year-month with < 90% observations reported is also provided.

NOTE: According to Circular N specifications, "peak gust data are recorded only at stations with continuous instantaneous wind-speed recorders."

2. Fiverinte rescentage frequency tabulations: Derived from hourly observations, these tabulations are a percentage frequency of wind directions to 16 compass points and calm by wind speeds (knots) in increments of Percentages are shown by both direction and speed, and in addition the mean wind speed for each direction.

A separate category is provided on the form for variable winds, which are reported in some data sources. In these data where light and variable winds are reported with no directions but with speeds given, the speeds will be appropriate groups opposite the column headed VARBL.

- a. Three tables are prepared for all surface winds included, and for all years combined as follows:
  - (1) Annual all hours combined
  - (2) By munth ell hours combined
  - (3) By onth by stendard 3-hour groups
- 1. A epocite cound trade is also presented for surface winds meeting the following ceiling and visibility of the following ceiling (a) through 1400 feet inclusive with visibility equal to or sever term 1/2 offer, and/or visibility 1/2 through 2-1/2 miles inclusive with ceiling equal to or other terms (a) feet.

C

# EXTREME VALUES

STATION STATION NAME YEARS

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUN.		AUG.	SEP.	OCT.	NOV.	N PECE A	ALL MONTHS
					· · · · ·			18 3				4	1.1
1		异位元	1-1-2	1, 1	<del></del>	<del> </del>		11 1/ 3 1 12 14	<u> </u>	-			. <u> </u>
[					11/	1		gr - 34 ∤277 201					
		<u>" : - : </u>	<del></del>	1 /	1:4/	<del> </del>		1			1: 24 M		
					. ,	• '							
1			•-	•	•	•	•	+					
1												†	
•		•		•	•		•						
į												1	
1		•	•			•	•	*					
				· · ·				i	L				
	,		•	•	•			4					
ì								1			'	ı	
ì					<b>.</b> .			i					
į											1		
•		•	•	•	•		•	+					
i													
•	•	•	•	• · ·	•	<b>.</b>	•	ļ			+		
İ												J	
•	•	•	•	•	•	·	·	<del> </del>			•		
i								İ .					
· - · · · · · · · · · · · · · · · · · ·		• .	•	•	•								
1			_						1	_			
1					/							1	
				*****		+	!	<u>                                     </u>			i		
												1	
MEAN	•		1 7,	-	1 11.				17.0	77.	- 7.7		<del></del>
\$. D.		•	•			4.7	•		1.414			2.33	•
TOTAL OBS		1 12			1.7	( )	1	177	<u>i</u> (1	7 :	11-7	17	1.

1210 WS FORM 0-88-5 (Det 50)

•

# **EXTREME VALUES**

FROM DAILY OBSERVATIONS

STATION NAME YEARS

MONTH YEAR	JAN	FEB	MAR.	APR.	MAY	JUN.	JUL.	AUG.	SEP.	ост.	NOV.	DEC	ALL MONTHS
							,						
	- •	* .			•				· · · · · · · · · · · · · · · · · · ·	!	<del>                                     </del>		
									· · · · · · · · · · · · · · · · · · ·		i	•	
	•		• • •	·									
			•		<u>-</u>					<del></del>	<del></del>	•	
	· · ·				<del> </del>				!		<del></del>		
	•				<del> </del>					·	t	•	
									· •		ļ	•	
-					<del></del>					· · · · · · · · · · · · · · · · · · ·			
1							-				·		
					!	·				· 	<u> </u>	•	<u>.                                    </u>
	· ·							ļ !	+			·	
				· · · · · · · · · · · · · · · · · · ·	 <del> </del>				•	·	+	·	<u> </u>
										<u> </u>		<b></b>	
			·							: 	! !		
					=					! !	1	I	
MEAN S. D.													
TOTAL OBS.											İ		

1210 WS FORM 0-88-5 (Det 50)

61, 18 3/18515 - 36 3/1 - 1447954 - 116 - 144795 - 16 916 / 30

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	-TAPAL AS IMBILANI	66≖72	4 L L
STATION	STATION NAME	YEARS	MONTH
		ALL OFFITHER	6 L L
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.9	3.5	3.2	• 9	.0							9.7	5.
NNE	. 4	, 4	• 6	. 3	.0							1.7	6.
NE	. 3	. 4		• 6	.0							1.41	6.
ENE	. 3	. 4	. 4	. 1	.0							1,3	- 6
E	. 4	. 4	اغو	. 1	. 0							1.!	5,
ESE	1	, 3	. 3	• 1	.0							• *	<u>6</u> ,
SE	. 3	. 6	. 9	. 2	.0	• 0					1;	2.7	6
SSE	. 5	2.4	3.7	1.2	.0	• 0				-	ii	7.5	7
s	. 5	3.3	ā,1	3.7	• u							15.	Ď,
ssw	. 4	1.7	2.9	1.1	• 0							6.1	7
sw	. 6	2 . 2	3.1	9	.0							£ 9 S	7
wsw	8		۷,0	. 5	• 0							0.3	7
w	9	1.3	1.0	. 2	.0	. 0						3.4	- 5
WNW	. 5	. 5	. 0	. 1								1.7	É
NW	. 0		. 9	. 2	. 0							7.5	5
NNW	1.8	3.2	211	. 3	.0							7.5	. 5
VARBL	2.0	3.5	4.9	2.0	. 0	• 0					- 0 (1)	12.0	7
CALM	><	><	><	><	><	> <	> <	><	> <			11.7	2
	12.5	27,8	35.9	12.4	, 2	•0	>				<del></del>	- 100.0	

TOTAL NUMBER OF OBSERVATIONS

50751

USAFETAC FORM 0:8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRODUCT SET OF CHEEP OF

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAMAS AS THAILASS	67=72	خافق
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	۵۱ <b>۱.</b>
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 47	48 - 55	≥56	%	MEAN WIND SPEED
N	2.4	4.0	4,5	3.0	, 3		<del> </del>	<u> </u>	1			14.7	7.
NNE		, 6	1.1	, ó	• C							2,5	8.
NE	. 3	. 3	1.0	. 4								2.2	7.
ENE	. 3	. 4	. 0	• ?								1.5	7.
E	. 2	. 3	الا .	. 2								• 3	6.
ESE	. 1	. 2	. 5	, 2								1.1	7.
SE	, 3	. 4	1.3	. 2								2.3	7.
SSE	, tx	1.7	5,5	, 5								6.4	7,
S	. 5	3,7	0.7	1.2								17.3	7.
ssw	اخ و	1.4	1.0	. 1					I			2.0	6.
sw	, 4	1.1	٥	. 1								2.2	6.
wsw	. 7	1.0	. 5	. 0								7,3	4.
w	. 7	, >	. 2									1.4	4 .
WNW	. 4	, 0	. 5									1,7	6.
NW	1.1	1.5	. 6	. 3								4,0	5.
NNW	2,9	5 . d	4.2	. 8								13.7	5.
VARBL	1.4	3.0	4,3	1.7	.0							11.7	7.
CALM		><	><	><	$\geq <$	$\geq$		$\geq <$	$\geq <$	><	><	16.6	
	13.3	20.1	31.7	9.9	. 4							100.0	5,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{form}}{\text{JUL-64}}$  0-8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE INSOLETE

ATA PARCESSING RANGA TACZUSAN TIE BATHER SERVICEZ 40

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

K1052	BETAMAS AB THATLAND	67=72		FFB
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		al L
		CLAS\$		HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1,9	2,4	1.9	. 2	. 0							A 3	5,
NNE	<u> </u>		- 4	1								1.0	5
NE			3	1								. 7	_ 6
ENE		. 4	3									1.1	7
E	. 3	. 3	_ 2									1.2	7
ESE	. 2		4	1								1.0	6
SE	. 5	. 0	1.2		. 0							2,5	6,
SSE	1.0	4.1	2.9	1.6	. 1							12.6	7
5	1.1	6.2	15.5	7.3	. 1							30.1	8
ssw		2.0	3.0									6.7	7
sw	. 6	1.3	. 6									2.8	5
wsw	. 6	. 7	د	٥								1.7	5
w	<b>د.</b>	2										1.1	4
WNW			1									. 7	4
NW	100	1.0	2									2.5	3
NNW	2.2	2.7	1.4	1								6.4	4
VARBL	2.5	4.7	4.1	2.1	. 1							13.6	6
CALM	$\geq \leq$	$\geq <$	$\geq <$	><	><	$\geq \leq$	><	><			><	7.7	
	14.6	28.0	36.1	13.1	. 2							100,0	6

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL 64}}$  0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PRINCESSIN HANCE STACHUSAN AIR CEATHER MERVICEFFIAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102%	U-TAPAT AB THATLAHD	67 <b>-7</b> 2	. ₽ R
STATION	STATION HAME	YEARS	MONTH
		ALL WEATHER	4 <b>L</b>
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.1	1.5	1.4	.4								4.4	6.1
NNE	, 2	. 2	• 1	. 4								. 5	6.6
NE	2		. 2	. 1	.0							. 7	8.0
ENE	2 و	, 2	. 2	۶,								. 8	7.4
E	. 2	. 3	ع و	. 2								1.7	6,3
ESE	.0		و .	. ()								. 6	7,2
SE	. 2	• 6		. 5		.0						2.4	7,8
SSE	د و ا	3.6			.0							16.0	8,7
S	ب و	6.5		13,6	• 1							41.3	9.4
SSW	, 4	2,3	3,4	1.1								7.2	7.7
SW	. 3	-,9		1				L				2.1	6,
W5W	, 3	6	5	. 1						ļ		1.5	5,
w	9.4		1							:		• *	4.0
WNW		1	- 4	0								• 7	4,0
NW	۶, ۲	4	2	. 0								1.1	4.4
NNW	1.4	1.2		. 4								3.5	5,
VARBL	1.6	2.7	3,4	1.9					Ļ		*		
CALM	$\geq <$	$\geq \leq$	> <	$\geq \leq$	$\geq \leq$	$\times$	$\times$	$\geq \leq$	$\geq \leq$	><	$\times$	5 ,-1	<i>.</i>
	8.0	21.0	41.0	22.9	. 2	•0			]			- 100.7	7,1

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSING PRANCH ETACYUSAF AIR YEATHER SEVVICEVIAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	U-TAPAN AB THAILAND	67=72	<u> </u>
STATION	STATION NAME	YEARS	MONTH
	ALL *	EATHER	ALL
		LASS	HOURS (L.S.T.)
	CON	NOITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.1	1.5	6.2	5.	• 0							5.0	6.
NNE	. 2	1	. 3	. 1								, 7	5.
NE	. 3	3	. 5									1,2	5,
ENE	. 4	. 3	. 4	- 1								1.2	6.
E	. 3	. 5	. 4	.0	.0							1.7	5.
ESE	. 3	. 7	.7	. 3								2.0	7.
SE	. 3	1.9	2.0	. 0								4. A	7.
SSE	. 7	5.4	9.7	4.4	, 0							20,3	8,
S	â	>.7	16.6	5.7	.0							31.3	8,
SSW	. 3	1.0	2.5	. 7								5.1	7.
sw	. 3	. 2	.7	• 0								1.6	6.
wsw	. 5	. 3	.5	.0								1.3	5.
w	. 3	. 2	. 2									.7	4.
WNW	.1	. 1	. 2	• 0								. 5	5,
NW	. 6	. 1	. 1	.0								P	3,
NNW	1.0	. 9	. 8	. 1	.0							2.8	5.
VARBL	2.1	2.7	4.9	1.0					1			10.0	6.
CALM	><	><	><	><	> <	> <	$\supset <$			$\searrow$	><	R 3	
	9.0	22.7	42.6	16.5	. 1	<del></del>			T			100.0	7,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROTESSING GRANCE FIACHUSAT GIR GEATHER REGISTORY

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41024	U-TAPAT AB THATLAND	67=72		<b>∧ Y</b>
STATION	BYANION MANE	YRAI	AS	MONTH
	AL	L WEATHER		all
		CLA\$\$		HOURS (L.S.T.)
		CONDITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 9	. 4	. 1	• 0				<b> </b>	ļ			1.7	3.9
NNE	. 2	. 2		. 0								. 4	4.2
NE	9 2	ز ,	.0									. 5	4.4
ENE	, 3	. 3	. 2	. Ü		1						• 7	5.2
E	. 8	8.	, 2	. 1								2.0	4,4
ESE	. 3	- 7	, 4	, 2								1.6	6.3
SE	. 6	2.3	2.1	. 3	. 0							6 • C	7.0
SSE	. 8	4.2	7,4	2,3	, 1							14.5	7.9
S	. 4	4.4	12,9	5,4	1							23.7	8.7
55W	. 0	2.6	4.7	1.6								9.1	8.0
sw	Ö	3.4	2.7	. 6	.0							7.5	6.5
wsw	. 7	1.9	1.5	. 4								4,5	6,8
w	. 7	. 8	خ و									2.0	4.9
WNW	3		1	Ů								, 9	4.6
NW	اجما	. 3		0				L				1.0	4.3
NNW	8	10	_ 2									1.7	4.2
VARBL	2.7	4,4	3,9	. 3							<b>P+)</b>	- 11.1	L 6.0
CALM	><	$\geq \leq$	$\geq \leq$	><	> <	><	$\geq \leq$	$\geq <$	><	><	><	10.50	
	11.9	28.0	37.4	12.0	, 2							- 100.0	6.4

TOTAL NUMBER OF OBSERVATIONS

4256

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8.5 (OL·1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROCESSING MANCH FTALLUSAF AIR BEATHER SERVICE/MAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPA" AR THAILAND	67=72	Jett
STATION	STATION HAME	YEAR	MONTH
		ALL WEATHER	466
		CLASS	HQUES (L.S.T.)
		CONDITION	<del></del>

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	.9	.7	• 1									1.7	3.6
NNE		. ()										. ?	3,3
NE	1	. 0										<b>1</b>	2,3
ENE	. 2	. 2		. 01								. 5	3,9
E	.7	. 4	. 1								L	1,2	3,3
ESE	. 1			. 0								. 4	4,7
SE	. 2		3	- 1							L	₽ R	6.5
358	. 2	1.4	1.6	. 2		.0			L			3.4	7,2
S	5	2.0	6.3	2.9				Ĺ				17.5	8.6
ssw	. 4	3.2	5.0	1.9								10.6	8.1
sw	1.1	5.2	6.3	1.9	0						İ	14.5	7,3
wsw	1.9	4.3	5.9	2.0	. 0							14.1	7,2 5,1
w	1.9	2.3	1.6		. 0							6,4	5,7
WNW	5	. 3	2	2							Ĺ	1.2	5,5
NW	5	. 4	3	1								1.7	5,2
NNW	6		2	0								1.3	4,3
VARBL	1.9	6.2	8.5	1.9	0						L	18.6	7,2
CALM	$\geq \leq$	><	><	><	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	11.1	
	11.9	26.0	36.3	11.9	2	٥						100.0	6,3

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

4015

HATA PROCESSING - KANCH ATR FEATHER SERVICE/MAC

> VARBL CALM

CHALLAND AB THALLAND

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

66-77

	_					EATHER LASS							1 (L. B. F. )
	-				CON	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 7	. 4	.1									1.3	3,0
NNE	. 3	.0	.0									. 3	3.
NE	.0	0	.0									1	5.0
ENE	. 1	. 1										. 2	3,
E	. 2	. 2	.0									. 4	3,
ESE	.0	. 1										, 1	4.6
SE	. 1	, 3	, 2									. 6	5,2
SSE	. 1	.6	. 9	• 0								1.7	6.6
S	. 3	2.0	4.3	1.7								A . 4	8,3
SSW	. 4	2.2	5.0	2.7	0							10.4	8.7
SW	1.2	5,4	9.9	2.4								18.R	7.6
wsw	1.7	4,8	8.0	3.0								17.5	7,7
w	1,5	3.2	2.9	1.0	0	.0						8.6	6,6
WNW	. 3	. 6	. 5	.0								1.5	5,6
NW	. 3	. 4	. 4		٥							1,2	6,3
NNW	. 7	. 5	. 4	. 0	- 0			1				1.7	5.0

TOTAL NUMBER OF OBSERVATIONS 4652

100.0

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

TATA PRICESSING SANCH FT2CVUSAT TAR EATHER SERVICEV AC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

410ZE	GATAPAL AB STATON HANE YEARS	BONTH
	ALL MEATHER	HOURS (LST)
	CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 · 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	, 9	.7	. 2									1.7	4.1
NNE	. 3	. 2		. 0									4.7
NE	. 3	. 1										1	2.0
ENE	. 3		_ • 0									4	3,2
ŧ	3	. 2										. 4	3,5
ESE	. 1	. 2		, Q								4	4,7
SE	. 2	• •		.0								1.0	5,3
SSE	. 7	1.2	1.4	. 0	. 0							3,3	6.0
5	. 5	1.8	4.7	2.7							Ĺ;	7,7	8,6
ssw		4.6	5.1	2.5								10.0	B , 4
sw	7	4.8	3.7	2.9								17.1	7,9
wsw	1.3	4.2	d . 4	2.8	1							16.9	7,9
w	1.0	ک و ک	2.6	3				L				7.3	6,1
WNW	ع م	9		1								1.1	6.1
NW	3		- 4	1								1,1	6,4
NNW	8	. 3	2					L				1,9	4.1
VARBL	2.3	3.5	5.7	2.4	.0							14.2	7,3
CALM		><	><	><	$\geq \leq$		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	11.6	
	11.2	24.9	37.9	14.1	. 2							100.0	6,6

USAFETAC  $\frac{\text{FORM}}{\text{JUE-64}}$  0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLUTE.

WNW NW NNW VARBL CALM

STATION STATION

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

60-71

	-		·			E & Trope				ALL
	-									
SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27 28	. 33 34 - 40	41 - 47 48 - 55	≥56 %	MEAN WIND SPEED
N	2.4	9.0	.7	• 1	!					4.
NNE	C	.4	• 1						1.1	3.
NE		٧ . ٧	. 2							. ,
ENE	. 6		• 0	. (			i i		1.0	
E		.0	.0						1.4	3.
ESE	, ,	. 4	. 2	• (					, 7	5.
SE		3 ,3	, 4	• (					1.6	
SSE		1.7	2.1	, 4	Ĺ				4,3	6.
S		2.2	4.0	1.1					7,7	
ssw		1.9	3,3	, ,					4,7	7,
sw	• 5	1							10.7	7.
	1			7	1	,	1	1	7 7	

TOTAL NUMBER OF OBSERVATIONS 4271

100.0

USAFETAC | FORM | 0.8-5 (OL-1) PREVIOUS COTTIONS OF THIS FORM ARE OBSOLETE

SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

2

7940 1 JA

SPEED KNTS MEAN WIND SPEED "· • £. NE ENE E ESE 5£ SSE 5 ssw 5W wsw 4.4 VARBL CALM

TOTAL NUMBER OF OBSERVATIONS

. ...

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

2

	•		6 + m 1 1		A.
\$74.7 mg		STATION NAME	•	7E485	MONTH
			1 × 1		:
			CLASS		HOURS (L S.T.)
			THE TICK		

SPEEL RMTS (rift			• 10	1 la	17 21 22	27 28	33 34	40 41	47	18 - 55	≥ 56	•,	MEAN WIND SPEED
N			٠,٠,٠	· / •	• :							21.5	6.0
NNE		4.1	1 .	,							·	4.0	7.6
NE	, ,			, .								3	7.7
INE	, •	• •	i •			,	•	•	•	-•		3.7	4
ŧ	<b>4</b> £,	. 1	, ,	•	-			•	•	•	•	1.4	7.
151	1			,		•	•	•	•		·	• **	7.1
SE	4 4.	,	, ,		• .	•		•	•			1.5	6.5
556		. 1	4.0					•	•	•		3 T	7.4
•					•			•	•	•	•	5 T	6.1
55.00		• 6						•	•	•		. 7	6.3
5 <b>(A</b>			. 1						•	•	•	• ^i	5,0
wsw	4.4	• 15	, ,					*	•		•	1.1	5.0
₩		• • •		•		•	•	•	•	•	•	1.6	4,1
WHW .		•	4.1	# ÷.				•	•		•	ু কুৰা	6.
NW "	1.4	1.0	h t *	• 7.		•	•	•	•	•	•	4.7	6.0
NNW "	٠,٠			9	• •		•	•	•	•	•	13.3	3,0
VARRE	,	٠, ٤	3.6	3,2	• •	•	•	•	•	•	•	11.4	<b>5</b> 7
ALM	-			- 1 -		. •		_	_ +	-		7	
*	+	. +	. +	+	·· •	. +			_ <del>_</del>			-	
	فعدل	14.1	10.0	1.3								160.7	6.

TOTAL NUMBER OF OBSERVATIONS

4222

TO PROCESS TO BE WIGHT OF WIND

PERCENTAGE FREQUENCY OF WIND

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.3	3.99	7.3	6.0	.0							21,2	6.5
NNE	اخم	1.0	انمذ	1.9	<u> </u>			:	•			4,2	Я (
NE	اده	12	1.	-41	:				<b>.</b>			2,1	A . 1
ENE	اکھ		. 9.					<u> </u>		; :			7,1
E	3	. 2	3.					·	i •			1 3	5,4
ESE			. 4:				<u> </u>	i	; •				٨, ١
SE	3	اده	1.0	. e£.				· •	i			1.0	7,5
SSE		الاعلان	2.0!				 		i •			7,4	7,
S		2	3.1.	4								5,2	7,
SSW		4	خو					i	· — -			1.2	6.0
sw		أغم	. 1.						•=			1.1	6,1
wsw	الغيف	1.0	4					_	· · · · ·	i		1.7	5,
w	. 4		. 4						•	: .		1.5	5,9
WNW		1.2					!			ļ		3,1	4,6
NW	العقا	4.2	3.6									7.4	6.
NNW	6.9	6.9	7.8	1.9				l				21.1	6,
VARBL	1.2	2.5	1.6	lel			!	<u>.</u>	Ĺ	<u>.</u>		<u> </u>	7.
CALM	1.4		~		المستريد	``>×^^	î>< '			><1	~~	10.	
* == 1	† - · · · · · · · · · · · · · · · · · ·	( '=. = <del>-</del>	1	r		السحدانة	<b>*</b>	<b>*</b> >>	† ::	1 7			
i	11.4	32.0	35.4	2.3			1		l	L 1		100. ∩	6.

TOTAL NUMBER OF OBSERVATIONS

\_ \_\_<u>4.31./2</u>

- USAFETAC FOR A 07.5 KOLLINDO, INC. FOR FORE WE WE WINDOW

TINGENT POSTS OF STORY OF

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

415°	JETALA DE LATERIA	67 <b>-</b> 72	<sub>2</sub> <b>∧</b> (+
STATION	STATION NAME	YEARS	MONTH
	<i>‡</i> :	LL STATES	46 <b>10-0</b> 200
		CLASS	HOURS (L.S.T.)
	<del></del>	CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	90	MEAN WIND SPEED
N	5.3	6.1	0,5	1.1		<del> </del>						17.	6.
NNE	1.2	, t	5.1										5.4
NE	. 6												7.
ENE	• /*	• 4				<u>.</u>		L				· .	7.
E		• 2		• 6									3.
ESE								i <del></del>					
SE	. 4		<u> </u>				·	<u> </u>	:			<u>•</u>	5.
SSE	1.0	<u> </u>	106	i			ļ					3.	<u>5.</u>
S	• 1	4 6 3	2.0			L						7,1	5.0
ssw	• 4	1 • •	, 0			ļ. — — · ·	·		, .				
sw		• 60						· 	•				4 .
wsw	<u>  • • •   </u>	• ••											3.
w									·				7.
WNW	<u> </u>					+	ļ.———	<b></b>				<u></u> <u>- 2</u> <u>- 4</u>	2.0
NW	+ <u>_ • •</u>	3,3	. 6			ļ			,				. 4
NNW	5.5	12,4	7.3	6		<del> </del>						<u>(단)</u>	. <u>5</u>
VARBL	102	- 2		2	L ———	<u> </u>		<u> </u>	<b>.</b>				. 3.21
CALM		$\geq \leq$	$> \leq$	$\geq \leq$	$> \leq$	$\geq \leq$	$\geq \leq$				-	27.1	
	10.9	31.4	19.0					1		•		" tcc.~	1.

TOTAL NUMBER OF OBSERVATIONS

5 p

USAFETAC TORM 0 8.5 (OL 1) PRESCRIS ELECTIONS OF THE ARE IN THE

TATA PREFSOLO BANCO ETAC/USAR AIR EAT BY SE VICE/PAR

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

_ ; <b>→ T</b> <u>A</u>	VA AB	I A I L					<u>= / .:                                  </u>	· · ·	YEARS				ONTH
					ALL A	For Tante or							,=いち <u>い</u> の
					501	NDITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	5,0		9,4	ا و ز						-		64.5	5.4
NNE	. 13	.6	1.0	. 4						1		2,3	6.3
NE	.0	.6	4					Ì		i		1.5	4.5
ENE													
E							i				İ		
ESE								i		i .			
SE	• 4		. 2									4.	5,3
SSE		• 2	3						l			1.3	7,4
S		1.0	فعلا							<u> </u>	!	2,7	7.1
ssw	. 4	1.0	2			ļ		ļ				1,7	4,9
sw						ļ		ļ	<u> </u>	L	L	1.1	4.8
wsw							L	L			l- ·l	1.0	3,2 2,0 3,3
w		:		;				<del> </del>		ļ	<u>'</u>		5.0
WNW	4	اع ف				ļ			ļ	Ļ	i	• 5	3,3
NW	3.3	2.2	لاملا				Ļ	ļ			ļ ļ	7,7	3,9
NNW	3.0	11.4	1				ļ	ļ			 	25.6	5,8
VARBL	- 3		<b></b>	L	·				Ļ	ļ J		1.2	4 . 5
CALM	><	><	><	><	$\sim$	><	><	><	> <	><		26.4	
	<b>≠</b>	<		r	<u> </u>	¥	<b>/</b>	r	<del>*</del> · · · `	₩	K		

TOTAL NUMBER OF OBSERVATIONS

519

USAFETAC  $\frac{\text{FORM}}{\text{JUL}/\text{A4}} = 0.8.5$  (OL.1) PREVIOUS 60 tiens of ties form are obscille

ATT PROTESTIC SAME.

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	#FALA AN INTILA	57 <b>= 1</b> 2		300		
STATION	STATION NAME		YEARS	MONTH		
		ALL ALATHEL		ეგმ <b>ს⇔</b> პშ <b>ე</b> მ		
		CLASS		HOURS (L.S.Y.)		
		СОИБІТЮН				

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	5,3	12.5	7.7	4.0	. 2					:	1	28.2	7.0
NNE		1.13	. 4	. ?								1,5	6.6
NE	أفرر		. 3					Ī			<del>-</del>	1.3	7,3
ENE	- 4	• '31								<del></del>		1.7	5.2
E		. 2									i ,	. 7	4.0
ESE		, 2							,		1	. 7	6.0
SE		• 5	. 2				:					.6	4.3
SSE	,	, 4	<b>9</b> 1/									1.7	6.7
s	9.6		. 6					1		,		1.3	5,9
SSW		. 2	. 2					1				. 4	5.3
sw						1							
wsw	. 2								-		1	. 2	3,0
w	-					1		i			1		
WNW	1	. 4						T			,	. 4	4.0
NW	1.5	1.7	1.5						i			4.8	4.3
NNW	0.9	16.7		2,9					<u> </u>			32.1	6,2
VARBL	.2	1.2	. 2			<del>                                     </del>						2.1	7.7
CALM		><			$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	><	24.2	
	13.2	29.9	24.0	8.4	. 2							100.0	4.0

TOTAL NUMBER OF OBSERVATIONS 156

USAFETAC DIG 64 0.8.5 (OL.1) PREZE US EDITIONS OF THIS FORM ARE CASCALETE

1414 PR 1043571. - KANCH 114670535 34 - 143 th 45 - 45 TA3 - FLA

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4172	)= T A	A A	P T-ATE	A KLT	67=72							MONTH			
	ALL STAFE													_090	(G=110C
						co	HOITION			<u>.</u>		_			
												_			
	SPEED	, ,		7 10	11 16	17 21	22 27	20 22	34 40	43	47	49 EE	> 64		MEAN

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.9	2.1	4.3	4.7	.6					1		13.7	7.5
NNE	Ł			1.3								₹,6	3.5
NE	. 9	1.1	3.6	2.1								7.0	P, #
ENE	<u>, t</u>	, 9	2.8	1.1								5.6	8.0
E	. 61	В	. 9	, t)								·) a	7.1
ESE		. 9	1.3									2,3	6.5
SE		( ,	2.1									3.0	7,1
SSE	. 6	1.5	6.6	نح و								4.9	6.7
S	2	3.6	7.7	. 2								11.7	7.3
SSW	. 4	. ბ	, 4								İ	1.5	5.1
sw	. 2											. 2	3.0
wsw												, 4	6.0
w			. 4				-		_			. 4	8.0
WNW		• 2										. 4	7.5
NW	. (4	- 1		. 6								1.7	6.0
NNW	. 5	6.3	8.5	1.1								6.8	7,7
VARBL	4.5	7.5	7.5	4.7	, 4					```		24.7	7.4
CALM		> <	$\geq \leq$	$\geq \langle$	$\geq$	$\geq \leq$	$\geq$	$\geq \leq$	$\geq$		><	A • 9	
	11.7	23.7	38.2	16.4	, 9							100.0	7,1

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0.8.5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

HATA PROCESSI'S TRANCH FIACHUSA! NIR EATHER NESVICER NC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAPAT AS THATLAND	67 <b>-7</b> 2		ų Ai∓
SYATION	STATION NAME		YEARS	BONTH
		ALL NEATHER		1200-1400
		CLASS		HOURS (L S T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	.0	. 2	1.3	3.5	1.1					ı		7.1	17.
NNE	. 2	. 0	, ti	1.5	. 4							3,4	To.
NE	1	. 2	. 4	. 4									11,
ENE		. 2	1.3	. 4						1		1.7	, n
f		ė ė	, 8	. 2								1.4	Τ,
ESE		. 2	1.3	, t-			-					7.3	٦,
SE	, 2	. 2	4.6	1.0								5.0	٦,
SSE	. 2	2.1	11.5	2.5								16.3	₹,
5	, 6	4.2	16.1	>.2								24.1	В,
ssw	. 2	1.4	, B	. 6								2.5	7,
sw		, d	. 6	. 2					1			1.5	7,
wsw	. 2		. 4									. 6	6
w	. 4											. 4	3,
WNW		. 2	. 2	. 4								• *	٦,
NW		. 4	. 4	. 2								1.0	Я,
NNW	. 2	. 4		. 4								. 1	Α,
VARBL	1.0	0.2	11.9	5.6								24.9	₽,
CALM		><	><	><	> <	> <	><	> <	><	><		7.1	
-	3.6	17.4	52.3	23.0	1,5				·			100.0	8.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CATA PRIMILISTA CRANCH FTGC/USAC GIR EATHER SE-VICE/CAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	U=7/	Δ Δ Δ A B	T + A 1 L	CIND NAME			67	-72	<del></del>	TEARS -				J A 14
						ALL W	EATHER						HOURS	0-1700
		_				CON	DITION							
	SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
	N		.,	1.2	3.1	.2			<u> </u>			<del></del>	4.4	11.7
	NNE	T		. 6	. 4									11.0
	NE		. 0	. 0									1.7	11.0
	ENE		. 2	. 4	, 4				-				1.0	9.4
	E		. 4	. 2	. 4								1.0	
	ESE		. 2	1.0	1.0						···-		2,1	8.6 9.5 9.1 8.3 8.3 8.2 8.0 7.2
	SE		. 4	3.5	Ä							· · · · · ·	7.4	9.1
	SSE	. 4	1.01	8.4	1.2								11.9	H 3
	S	. 8	4,8	17.3	3.0								26.5	8.3
	ssw	. 2	6	3.6	. 4								4 . 1	8.2
	sw		1.7	3.8	. 6								6.1	8.0
	wsw		1.7	3.9	. 2								4.7	7.2
	w		4	1.3									1.9	6,9
	WNW	- 4	1.3	2.9	1.2								5,7	8.6 10.2 11.3
	NW		- 4	1.0	1.5								2,7	10.2
	NNW	1		. 4	- 4								19	11.3

TOTAL NUMBER OF OBSERVATIONS 521

100.0

USAFETAC  $\frac{\text{FORM}}{\text{JUL 64}}$  0.8.5 (OL:1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROMESSING HAME + ETACYUSAN AIR EATHR GET VILEY MC

2

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<b>41</b> 020	CHALLAND BA CATATAU	51-72	347
STATION	STATION NAME	YEARS	MONTH
		ALL AFATHER	1800-2000
		CLASS	HOURS (L.S.T.)
		CONDITION	
	~		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 4	. 1	2.1	1.3						1		4.4	ð.
NNE	. 2	1.4	1.7	. 6								3,5	7.
NE	i	. 4	1.7									1.	7.
ENE	. 2	. 4										1.7	5.
E	.4		. 2							1		. 4	4.
ESE	.6	, 4	. 2					1				1.7	4.
SE	. 8	1.0	. 6						1	1		7.3	5.
SSE	1.7	خ . ز	4.1	• K				1	1			8.1	6,
5	1,5				!			1	-			13.2	6.
ssw	1.4	3.6	1,5					1	1			6.1	5.
sw	1.7	4.4	. 8				T	1	1	+		5.7	4.
wsw	3, 8	5.0										3.6	4.
w	3.1	2.4				T	1		·			4.1	3.
WNW	1.7	2.1	<u>u</u>				<b>†</b>		1			4.4	4.
NW	. 0	1,7	1.5	5		<del> </del>			†			4.0	6,
NNW	- 4	2.1	. 8			<u> </u>			1	·		4.7	5.
VARBL	2.1	3.4	1.9	. 2								9.4	5.
CALM		$\geq \leq$			$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	$\times$	12,7	
	20.2	41.3	21.9	3.6			I	Ţ	[			100.0	4.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSCILETE

TATA PRIDESSION HANGE TAGNUSAS AIR EAT OF SE VICENTAGE

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

ALL REATHER 2100=2300

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3,2	6.6	3.4	1.1						!		14.3	5,
NNE	. 6	, B	2.3	. 4								4.0	7
NE		1.3										1,7	•
ENE	. 4	. 6								1		1.1	3
Ε	. 4	. 2									. —		
ESE	.4									1		. 4	1
SE	. 6	. 4	. 4									1.1	4
SSE	. 9	2.4										4,2	5
5	1.1	4.7	3.8	. 0								10,2	4
ssw	. 9	2.1	.6								_	3.6	4
SW	. 4	9							[			1.3	4
wsw	. 6	. 0										1.1	4
w	. 6	. 4										9	3
WNW	Ų	0										1.3	3
NW	1.7	4.0	. 4								į	4.7	4
NNW	4.3	7.0	2.6									12.9	4
VARBL	₹.1	1.9	٠٤									4.5	3
CALM		$\geq <$		$\geq \leq$	$\geq \leq$			$\geq <$		><	><1	30.7	
	19.0	33.1	15.1	2.1								100.0	,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC | FORM | 0.8.5 (OL-1) PRIVE BIS EDITIONS OF THIS FORM ARE OBSOLETE

ATA PRICESSTS - KASES ITACTUSOF TIP - EAT OF SECUTOR AC

2

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

. <b>- †</b> A	FA 46	I A I L				47	<b>-7</b> 2		*EARS -	~ -			F 15 ONTH
	_	\$181108			ALL *	F4Trif n						0000	0200 (LET.)
	_				con	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	2.1	2.9	2.9	12		<del></del>						8.2	5.6
NNE	. 6	. 2				·	<del></del>					1.5	5,3
NE		. 4				† · ·	• • • • • • • •	•	*		1	F	3,8
ENE	. 2	. 4		· i		:	•	1	1		1 0	. 6	3.7
	. 4					•		+	1	•		. 6	3,7
ESE				· · · · · · · · · · · · ·			*	•		•			
SE	. 4	. 2	. 4	i		· · · · · · · · · · · · · · · · · · ·	:					1.1	5.6
SSE	1.7	2.9							İ			۳ در	5.0
5	2.1	9.5		4.4					I		:	30.7	5,0 7,2 5,9 4,1
\$\$W	1.1	4.4	2.5	4.5		Ī		: . – .	1	:		F . 6	5,9
5W	1.9	1.2	0	1			·					3.8	4.1
WSW				j .		<u>.</u>	•		·			1.5	3.4
w	0			,		ļ	i 			ļ.	l	A A	2.5
WNW		. 4				·		! •	ļ				4,3
NW	2.3					ļ	ļ	<b>!</b>	i +	·	ļ i i	3.2	?.
NNW	3.4	4.12	1.2				1	ļ		+ ·-	ļ <del>-</del> -	7.3	4,6
VARBL	2.2	لأمقا	و.				Ļ	و	 	<u> </u>	ار	5,3	4,6
												14.7	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM DR.5 OULT, end, output and decore remarks the

ATA PRICESSIDE CRANCH TACZUSAN MIR ENTERN SERVICEZING

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102"	G-TARA - AB THAILAND	5 <b>7=7</b> 2	4 m E
STATION	STATION MAME	YEARS	MONTH
		ALL WEATHER	∩3 <b>00=0</b> 500
	<del></del>	CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	4,7	0.2	4,3	. 4								15.6	5.
NNE	9	. 0	. 4				L					1.7	4.
NE	i	, 4	14									, າ	7.
ENE												. 7	4.
E				2.4								. ?	12.
ESE												ii	
SE		2.2	. 4			I	L					. 6	8, 5,
SSE	. 9	2.3	1.7	. 2								5.1	5.
\$	2.3	7.5	11.1	1.5		<u> </u>			<u></u>			22,4	6,
ssw	1.9	2.3	4.7	,6			<u></u>					9.6	6.
5W	1,7	2.3	9			L						4.9	4.
WSW	, 9	, 4										1.3	3, 5,
w	2	0										1.1	
WNW	_6							l				.6	2.
NW	2,3	2.1	, 4									4.0	3,
NNW	4,3	4.7	3.8									12.8	4.
VARBL	2,8	1.5	, 9	. 2								5,7	4,
CALM		><	><	><	> <			><	><	><	><	17.6	
	.3.5	31.0	29.2	3.2								100.0	4.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{100-54}$  0.8.5 (OL 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRINCESSIEN TRANCH FTACZUSAF AIR EAT-ER NEWVICEZEAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	JATALA AB THAILAND	67=72	110
STATION	STATION HAME	YEARS	MONTH
	all.	JE ATHER	0080=0900
		CLASS	HOURS (L.S.T.)
	C	DIDITION	

SPEED (KNTS) DIR.	1-3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	2.2	5,8	4,5	ن			1					16.2	5.3
NNE	. 2	. ti										1,3	6.3
NE		. 4		4.2							1	. 4	3 • ⊡
ENE	. 4	. 4	, 4									1.3	5,7
ε		. 2									1	. 4	10,3
ESE													
SE	4	. 2	. 2								i	1.7	4,3
SSE	. 4	4.1	2.0	. 2								7.3	6.1
S	1.1	7,8		1.5								14.7	6,7
ssw	1.3	1.7	3.1)	. 4								6,5	6.5
sw	9	1.3										2.7	3.8
W5W	. 4	• 3							I			۸,	3,0
w	. 4											. 4	5.0
WNW	Ç	. 4										1.3	3,0
NW	3.4	3.0	. 4									6.3	3.7
NNW	6.9	0.0	2.6								{	18.1	4,3
VARBL	3.2	1.9		. 2								5.4	3.7
CALM	><	><	><		><		$\geq \leq$	$\geq \leq$	><	><	><	13.0	
	23.0	36.6	20.0	3.9								100.0	4,5

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PRIVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROTESSES ORANGO FINEZOTAS STROERATORROSESVICEZONE

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102-	CHTAPA AN THAILAM,	<b>57≈7</b> 2		F 5
STATION	STATION NAME		YEARS	MONTH
		ALL SEATHER		- 9 C-1190
		CLAS\$		HOURS (LST)
		COMBITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	**	MEAN WIND SPEED
N	1,5	1.0	1.7	. 2								4.4	2-7
NNE	. 2	. 4	1.5	. 6		Į	i					7.7	7,7
NE	• 2	. 6	1.7	. 4			Ĺ		İ	1		3.1	4.0
ENE		• 01	2.1	1.3					1			4.	9,7
E	, 0	1.3	.6	1.3					j			4 -	7.3
ESE	. 6	. 6	في إ				·		<u> </u>			2,5	5.7
SE	9.2	• 25	1.5						i	1		7,5	7,7
SSE	ان و	5.6	5.1	1.0		<u> </u>	! +	••	•			17.5	7,8
<b>S</b>	. 4	4.2	12.0					:				23.2	9,7
ssw	<u> </u>	, 6	3.1	, 6					•	1		6.4	ग.6
sw		• 5	, 4			ļ					1	1.7	
wsw	, 4			li		ļ		<u> </u>			ļ	<u>. 6</u> 1	3.3
w	. 2	, 4		<u>.</u>			ļ					<u>.</u> 6	4.3
WNW		• /.								ļ	<del></del>		3,0
NW	ن ع	, 4							<u> </u>	ļ	l	1.7	2,3
NNW	, 2	, B	1.0				ļ			i +		2.1	6.3
VARBL	7,1	10.0	8,4	2,5		<u></u>				<u> </u>	1	2 R . ^	<u> ₹•₽</u>
CALM		><	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><			4.1	
	13.0	26.6	42.3	13.4		L						100.0	6.9

TOTAL NUMBER OF OBSERVATIONS 478

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE URS LETTE

SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

JOHC TON

1=17

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

10071

100

SPEED KNTS DIR	1 3	4 6	7 10	11 16	17 21	22 27	28	33	34	40	41	47	48	55	≥ 56		٥,	MEAN WIND SPEED
N		15.														- <del></del> -	•	٠,
NNE		•																_
NE		1 4.	. 4														± °.	<u>'•</u>
ENE		1															1 • 1	5.
₹		16.	£ 4.	<b>1</b> € .													•	3.
ESE		t _i.	1.2															7,
SE		£ 2.	4 a V	1.00		_									,		•	<u> </u>
SSE		1	11.2	4.7.	٠2.												1.	5
5	. 2	1.2	21.4	15.2.	1 <sup>2</sup> .												3 .	17.
55W		£ 6.	1.5.	±4.														9.
sw	. aš.	ek.	<b>.</b> 4.														<b>.</b> .	~ ?•
wsw		24															• .	4 0
w .		a 6.					• -										15.	4.•
WNW													_				<u> </u>	- 2,
NW .	. a≩.	a.L.	£Ž.						:							-	±^	. <u>5.</u>
NNW		4 %	a £.				1				•						• .	6.
VARBL	سلمما المساسية	u e di	9.2	7	4		_						-				25.	
CALM		×			<b>.</b> · ∏			<b>-</b>			100	٠	-		# * .		• "	
1	r +	-	+	Ψ.	*	- '	7		<b>-</b>	٦	ſ	~	Ţ	4	•	Ħ		=: -:
	4.3	15.7	51.0	29.44:	. 8		Ĺ		L.					1			100.1	Э,

TOTAL NUMBER OF OBSERVATIONS

41

 $-0.5 \text{AFFIA} = \frac{e^{-e_{A}}}{e^{-e_{A}}} \left( (e^{-\frac{e_{A}}{2}} - e^{-e_{A}})^{\frac{1}{2}} + e_{A} \right) + (e^{-e_{A}} - e^{-e_{A}})^{\frac{1}{2}} + (e^{-e_{A}} - e^{e_{A}})^{\frac{1}{2}} + (e^{-e_{A}} - e^{-e_{A}})^{\frac{1}{2}} + (e^{-e_$ 

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	TALL AT LATE	67-72 YEARS	MONTH
		Objective Tref 5	13"(,-1700 HOURS (LST.)
		CONDITION	

SPEED (KNTS) DIR	1 · 3	4 6	7 - 10	11 - 16	17 - 21	22 - 27	28 · 33	34 - 40	41 - 47	48 - 55	≥ 56	•	MEAN WIND SPEED
N		٠٤,		• 4.								• 1	7.
NNE			•						-				
NE		•								•			
ENE		•	•	•			•	•	•	•	•	• •	
€ "		ء ذ	. 4			•	•			•		• 7	7.
ESE		41	. 4	.: 1 ≤			•	•	•	•	• • •	1.1	7.
SE	. 5	4	1.5	<u>. Z</u>		•		•				7	6.
SSE		1.7	7 4	4.0	- 2	† ····	•	• · ·	•			" [7 <u>*</u> 5	7.
5	- 4	2.1		1 . 7		<u> </u>	•	•	•	• -		4	10.
ssw	12	• • •	3,0	2.0		·		:	:	!	•	7 7	3.
5W	15.	<u> </u>				•	•	•	i	•	• •	1.3	- <del>R</del>
wsw			<u>l3</u>   ≟∎⊍	<b>1</b> .		+		•	•	· ·- ·-		7.1	- 5
w		. 4		1 €.				• • • • • •	<u>.</u>	+		·	5.
WNW		14	4			<u>-</u>	<del> </del>	:	•	•		· · · · ! • !.	9,
			2.			· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del> </del>		·	<u> </u>		6
NW	<del> </del>	- 16			· ·	<del> </del>		<del> </del>				<del>ارد : ا</del>	12.
NNW "				- 44		<u>-</u>		<del> </del>					
VARBL	• 9	202	بالإست	2.2	. —	\	<u> </u>	<del> </del>				61.4	я.
CALM	$\geq \leq \downarrow$	$\geq \downarrow$		,><(	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\downarrow><$	><	><	!><	• 4	
	2.3	13.4	49.9	33.6	. 2					, , , , , , , , ,		100.0	7,

TOTAL NUMBER OF OBSERVATIONS 471

USAFETAC FORM 0.8.5 (Ot.1) PRIVING OF THIS FORM AND BOOLET

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

11 - 10 1

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27 28 - 3	3 34 40	- 41 - 47	48 - 55	≥ 56	۰,	MEAN WIND SPEED
N		• 4	9.62		2.6							11.
NNE											, ,	1.
NE				!							• '·	4.
ENE	. 2											3.
. · · ·	<u> </u>	15		26	<u>i</u> -							7,
ESE				<u> </u>		·					<u>• ′</u> .	<i>H</i> •
SE	1.1	1.9	- 4								اموت	5,
SSE	<u> </u>	- 4.1	14.6	<u></u>							. <u>1</u>	7
s		6.4	7.4	. <u>5. 1</u>			‡	;				<u> 6</u>
ssw		200	3.2	•			· -	•			<del> </del>	
sw						;					4.7	5 .
wsw		300						·			. <u>5.7</u>	4
. W	1	1.9	. 4	- 1		i			•		. <u>4 . 1</u>	4
MMM	- 4		2	لقم				. <del>[</del>	• • • • •		<u>1 • "</u>	
NW									·			5
NNW	- 9		1.1					<u> </u>				6.
VARBL		ومغي	4.4	لائِه				J	<u> </u>	<u>.</u>	. 11,7	
CALM		$\geq \leq \downarrow$	$\geq \leq \downarrow$	ا کی ا	$\sim \leq \downarrow$	$> \downarrow >$	$\searrow$	$\downarrow><$	!><<	!>< .	. 1	
-	12.1	53.4	41.4		. 0					•	1,00.0	13

TOTAL NUMBER OF OBSERVATIONS

4.7

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS FORTURES OF THIS FORM ARE OBSOCIO

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	- 1 A	A An	1.414					-77						
			STATION	HAME					,	EARS				HTMO
							5 2 T 11 "							U#23UN
						c	LASS						HOURS	(L.S.T.)
			<b>_</b>											
						c <b>o</b> •	DITION							
									<u>-</u> -					
SPE	ED	1					i		T					MEAN
(KN	ITS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	WIND
	4	1.5	1.7	4.0			:		i				5.0	4.5
N!	NE :	1								Γ				2.5
N	E.	• 0			į		· · · ·	•					•	2.5
EN	۱E :	. 4	. 4					•					• 6.	3.5
1	E	1.0							i				7 . 7	3.7
E	SE !!	1.0	. 4						!		–		1.1	2.7
S	E	13		1.00									1,7	5.3
55	5E	4.		0,7							· · ·		15.4	3.0
•	s	<u>                                      </u>	1(.1	10,4	. 7			i			•		33.5	7.9
\$5	w	4.3	6.3	2.1	. 4			1	1		,		A . 3	5,7
S'	**	10	. 4	• 6				i				•	1.3	3,7
w		• 6	2.4	.1.14									1.7	3,2
v			• 2	1			!	<del></del>	T	i				3.0
W	••						1	Ţ	<u> </u>		·- · · · · · ·		1,7	3,4
N	- ++	1.4	لافقار .	- 4			·	<del> </del>					2.7	3.6
N N	IW	4.5	4.3		• 4						+		2 7 3 7	4.5
VAI	- +	( )	3.4	4				1	<u> </u>				5.7	4.2
CA	- +							<b>*</b> ~~~	†<- <u>-</u>				11.3	
, LA	LIME II			J-77-12				1	1/		-			

TOTAL NUMBER OF OBSERVATIONS

477

USAFETAC FORM 0.8.5 (OU.1) PROVINCE THE COST OF THE FORM ARE NOT BY

AT FOLLOWS KARE TOLOUSE TREET BY TREETER C

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41025	- A A A AN THAT A TO	4.7 <b>.</b> 7.	' N
STATION	STATION HAME	YEARS	MONTH
		ALL REATES	(0000-0200 HOURS (LS T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	90	MEAN WIND SPEED
N	1.1	1.3	ان ۽ د	• 4			·					F . 51	Ċ,
NNE	. 4	• 6					!	i				, F.	4.
NE	<	• 4	• 4									1.1	5,
ENE	, 4	. 4	٤ .	. Č								1.1	5,
Ε	. 2	. 4	. 4							1		• 7	5.
ESE		, 4	, 4	• 2								• 7	Ĕ.
SE	. 24	. (1	• 0									1 . 5	4.
SSE	, 4	3,4	0		_							2 3	7.
5	. 6	111.3	30.0	11.6								44.7	P,
ssw	ے و	3.0	4.2	, 4				1		i		F . 34	7,
sw	<b>,</b> (4	1. 4	. 0					i				2.3	5 ,
wsw	. 4	. 14	4		_					1	T T	1.3	5,
w				i									
WNW	. 2		. 2	i								• 4	4,
NW	1.9	. 4	. 4									2.7	3,
NNW	1,5	1,9	1.3	, 4	_							5.1	5,
VARBL	, 4	1.3	e ex	. 4						1		3 . 4	5
CALM		><	$\geq \leq$	$\geq \leq$			$\geq \leq$					7 . F	
	10.1	27.7	39.3	15.0	. 2					1		100.0	۴,

TOTAL NUMBER OF OBSERVATIONS

521

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS LINES OF HES FORM ARE 18, SEET

#3 ( PR 10 85 ) ( 1860) ( 2360) ( 1860

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	TATAL AS THE STATE OF A STATE OF THE STATE O	67•72	MONTH
		ALL VENTHI:	/ うりかい () 等() 作 HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	£ . 4	€ • <u>1</u> 5	5.2	, 1					·	Ī		9.1	۴.
NNE		. 2								1		1.1	_ 6 <b>.</b>
NE												. 2	7,
ENE	اعو		5.	i								. 4	6.
E	, 4		. 2									- 4	4,
ESE	. 2	. 2										. 4	3,
SE	9 4	, 4	. 4							!		1.1	4.
SSE	7	6,8	3.4	. 4								7,1	٥.
s		9,9	15.5	4,5								34.5	H.
ssw	1.1	4,7	4.1	1.1								11.0	6
sw	. 2	1	. 6									2.0	5 ,
wsw	1.5	, 1	. 4						_			7.4	3,
w	4	į	. 4									. 7	4,
WNW		.6	. 2									.7	4,
NW	1.1	1.1	. 4								-	2.6	3,
NNW	4,4	3.1	1.3	. 9								51 . 4	5.
VARBL	3.2	1.3	1.1	. 6								6.1	4,
CALM		$\geq \leq$	$\geq <$	> <	$\geq \leq$		$\geq \leq$	><	$\geq <$			11.0	
	14.5	24.2	31.4	13.4								100.0	, o

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8.5 (OL-1) PREVIOUS FORM NS OF this FORM ARE OBSIDER

ATA PROFESSE TRANCE TACKUSAL ZIE EAT EN SERVICEZ C

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	-TATAL AN IVAILAND	6 <b>7-</b> 72	\$ K
STATION	STATION HAME	YEARS	HONTH
		LL ataTrific	0600-0800
		CLASS	HOURS (L.S.T.)
		COMDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	4.7	5.7	3.5	1,3						:		11.4	٤.
NNE	ΰ	• 0		. 4								1.7	5.
NE .	<u> </u>		. 4	ه د								1.7	6.
ENE	4	. 4	.2									1.0	4.
E	, 4	• 13									ii	i • î	3.
ESE			. 2									• 4	7,
SE	2	9.6	, 4									• '	5.
SSE	. 6	() و ز	<b>ز , د</b>	1.7	,2							11.7	7.
s	1,0	7.7	12.9	6.6						L		28.1	3.
ssw	1.0	2.3	3,9				<u> </u>	<u> </u>		ļ		7,7	6.
sw	1.0	1.2	1.2					L				3,3	5.
wsw		g /4	. 2	1				<u> </u>				• 6	5,
_ w		. 👱 4		-				<u> </u>				1.7	3,
WNW	0	9.6	ے و									1.0	3.
NW	. 8	• (2)	16				L					1,5	4.
NNW	3,7	7.1	2,5	ن و د								R , T	5.
VARBL	1.3	1.7	1.3	. 0			L	L	L			٣.2	6,
CALM		><		$\geq <$	$\geq <$	><			><	><	><	14.1	
5 The second 1	15.5	27.9	30.4	11.6	. 2							100.0	5.

TOTAL NUMBER OF OBSERVATIONS

51

TATA PROLESSIN SHARES STACZUSAS AIR EATSHR RESVICEZOAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAPAN AN THAILAND	67-12		6K
STATION	STATION HAME		YEARS	HONTH
		ALL ALATHER		0906=1100
		CLASS		HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 6	1.4	ياء	4			-					2,4	6,
NNE		ع و										1.2	10.
NE	. 2	9 2	. 4	1.0		1			1			1,7	10.
ENE	. 2	• 4	, 6	1.3								7.5	9.
E	. (4	• 0	. 4	16								1 , 17	6,
ESE		. 2	, 2									. 4	6.
SE		1.6	1.9	. 4		• ?						3.4	8.
SSE	. 6	3 . 13	3.0	5.0								1 ^	8.
S	. 61	4.4		10.9								36.7	9,
ssw			1.7	1.3								3 , 5:	9.
sw		, 0										• ^	5,
wsw			. 2									-	5,
w		9.6										9 2	6,
WNW		. 2								i		, ,	6,
NW	. 4	. 2									1	. 4	3,
NNW	- 2	, 6	. 2	. 4								1.3	7,
VARBL	د د	5.7	5.1	ذ و								21.5	7.
CALM		><	><	><	> <				><		><1	7, 3	
	6.7	21.9	43.8	25.1								100.5	Б,

TOTAL NUMBER OF OBSERVATIONS 521

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS FORTUNES OF THIS FORM ARE DISSOLUTE

CATA PROGESS OF TRACES OF CATACOMS A CONTRACTOR CONTRAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	PATAFA: AR THATLAND	67 <b>=</b> 72	٨٠
STATION	STATION NAME	YEARS	HTHOM
	,	all weather	1200-1400
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N		, 4		. 4			<del></del>	İ				1.^	8.
NNE												Ī	
NE	. 4											• 3	2.
ENE	. 2	. 2		. 4			1				!	• 6	8,
E	.2	.2	. 2	. 4	·							1.0	7,
ESE		.2	.0	. 2						!		1.0	3.
SE	. 2	. 4	1.7	1.7								4.7	9,
SSE	. 2	1.3	11,1	7.4								22.^	10.
5		1.7	25.3	19.7								46.7	10.
ssw		• 2	1.3	8							i i	2 . 3	10.
sw		. 2	. 4							1		• 6	7.
wsw			. 4									. 2	. 3
w		. 4										, 7	4.
WNW			ě								ļ	. 7	9,
NW			. 4									9 4	3
NNW		. 2										. 4	4.
VARBL	1.1	2.7	9.0	5.0								18.4	θ.
CALM		><	><	$\geq \leq$	$\geq$							• *	
	2.7	7.9	50.4									100.0	9,

TOTAL NUMBER OF OBSERVATIONS

522

TATA PROTESTS TO NAMES OF THE PROPERTY OF THE PROTEST OF THE PROTE

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	A Air	A A L A	NAME			67	<del>-</del> 7/		EARS				.,∀
			·		ALL "	FATHE O	<del></del>					1 3 C (	)=1700 ((\$.t.)
					CON	DITION	~						
SPEED (KNTS)	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 . 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	%	MEAN WIND
DIR.		1.0	, , ,	,	1,7 - 2,7		20 - 30	34 - 40	41 - 47	40.33		•	SPEED
N		• 6										. 7	4.0
NNE										<u></u>			<u>_</u> _
NE													
ENE													
E		. 4										, 4	5.0
ESE		. 4	. 4									_ <u>,</u>	6.4 9.2
SE		. 4	1.1	٧								2,4	9,2
SSE			10.0	7.3								17.2	10,3
s		;	29.4	25.4								51.5	11.0 10.1 8.3 7.2 4.7
ssw		• 5	200	3.2			·		<u> </u>			6.4	10,1
sw			1.7	- 4								2.4	8,3
wsw			اقم	2						ļ		1.7	7,2
w	2		2				<u> </u>			ļ		<u> </u>	4.7
WNW			ات .									• ^	9,3
NW												4	6.7
		- 4					·						9,0
CALM	- 4		5.3	4.3		·				ارا		11.3	<u>9•</u> •

TOTAL NUMBER OF OBSERVATIONS

437

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE ORSOITTE

CAT ( PRO CATE ) KO C C TOCKUSAD TROEBUSE ( POLICY ) C

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

11 1 1 c	JATAHA: An 1 AILADA	67=72		۸.,۰
STATION	STATION NAME		YEARS	MONTH
		ALL AFATSUK		1900-2000
		CLASS		HOURS (L S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N		• 2	, 4									•	3,1
NNE	1	- '	2	<del></del>									7.
NE		• 6		- · · · ·		1		!				. 7	4 .
ENE				<del>-</del>								•	
€	!	. 2		. 2		i					•		۶.
ESE		. 4	. 2									• ^	6,
SE		1.2	1.4	. 6								7.1	7.
SSE		3.9	10.7	4.5							<b>-</b>	15.8	۹,
S	. 61		22.1	14.7				•				44,3	9.
ssw	. 2	2.3	5.6	8				•			•-	7.1	7.
sw	4		1.0	. 2								1.7	6.
wsw	. 4	1.0	1.0									4.1	6.
w	1.3	1.0	۷									2.5	4.
WNW	.0		. 2	. 2								1.7	4.
NW			. 2										10.
NNW	4		. 6									1,0	Ć.
VARBL	.4	4.3				1						· 6.2	4.
CALM		$\geq \langle$			> <		> <	><	$\geq$	$\geq \leq$	><	1.7	
	4.8	24.2	47.3	21.9								100.0	Э.

TOTAL NUMBER OF OBSERVATIONS

13 EAT ( 1 16 VICE A 400 A

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

DIR.  N NNE NE ENE E SSE SSE SSE SSW SW WWW NW	<u> </u>	. 6 7			FATHER LASS						21^0=	= 2 3 i.s.t.
(KNTS) DIR.  N NNE NE ENE ESSE SSE SSE SSW WWW WNW NW	<u> </u>	. 6 7		cos	EDITION				_			
(KNTS) DIR.  N NNE NE ENE ESE SSE SSW SW WNW WNW	<u> </u>	. 6 7										
(KNTS) DIR.  N NNE NE ENE E SSE SSE SSW SW WSW WNW NW	<u> </u>	. 6 7								- <del></del>		
NNE NE ENE ESE SE SSE SSW SW WWW NW		+	- 10   11 - 16	5 17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEA WIN SPE
NE		1.4	. 6								7,2	_ (
ENE E ESE SE SSE S SSW WSW WSW WNW	:	• 4	. 2								4	
E			. 6	2								1
ESE			. 2							ţ		
SE	<b>a</b> 6	- 1	. 0	ξ	L						1 , 7	
\$5E \$ \$5W \$W \$W WSW WNW			. 4								. 4	
\$		<u> </u>	1.7								2.1	
SSW SW WSW W				Ö							22,6	
SW WSW W		29 2	21.3 9								40.2	
WSW W WNW	4	302	3.2	9	L- ·-						7,8	
W WNW NW	<u> </u>	. 5	, tj		ļ						1,7	
WNW NW	4		2		ļ							
NW		}			1						, R	
· · — +-		6									1,1	
										,	• 0	
NNW	- 45	- 6	2	- 4							2.1	
VARBL	- 4	413		· <u>}</u>					<u></u>	<del> </del>	5.83 7.84	
CALM	4.3	✓   <	$< \mid > $		><	$\geq <$	><	> <	$><$ $\downarrow$	$><_{\circ}$	7.34	
	4.3							لمرسدست مسج	* Y	<del> </del>		

TOTAL NUMBER OF OBSERVATIONS 5 4 7

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS EDITIONS OF THIS FORM AND OBS: 0.9.

- 475 P40 (2.50) - 6000 - 10,7054 - 14 - 1670 (4.016721017) (0.0

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	ETALA.	AD TOTAL LATE	67=72	YEARS	а Ре.
			ALL MEATHER		1000=0200 HOURS (L S.Y.)

SPEED (KNTS) DIR	1 3	4 - 6	7 - 10	11 - 16	17 · 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	, <u>i</u> a ():	ês.	3 . 1.	16.		-						7,0	S • C
NNE	. <u> </u>		_ 441							•		1.	4,4
NE		16:							1			1.7	7,1
ENE	9 4	16.		•			,	•			-	• ′	2.7
E		•				•		•	:	•	•		4,7
ESE	. <u>1</u> <u>4</u> .	• .	,	•		•	•	•	•	•		. 2	2.0
SE	. 2	<u>. 14</u>	1.0	•		•	•	•	•	•	•	7.7	5,9
SSE	1 - 2	5.0				,	•	•	•	•	•	16.0	7,7
S	i.u	7.4	19.2	240		•	•		•	•		32.6	8.2
55W	. <u> </u>	5.7	4.7	1.5		•	•	•	•			7.7	7,3
SW		Lid	-	# F 21		•			•		•	2.7	5,1
wsw		A 1 21	12	•		•	•		•	•		1.7	2.3
w	اد ا	•	. 2			•	•	•	•		•	* - <del>- 4</del>	4.5
WNW	i . ■	اع و				! -		•		İ		. 6	
NW	t 3 <del>*/</del> };	1.34	• •	•		· · ·	İ		*	·	i I	1.0	
NNW	#- <del>**</del>	1 4	1 4	*		T	t		1			3.6	5,5
VARBL	r - <del>51</del> 5	- 117	A 8 7			<del></del>		+	·	·		4.5	
	- C+	~ <del>~!•</del> <del>1</del>	. ABY	· •	.:	*~~~	t < ->	★<て シャ			<b>∀</b> =: ^	1 75.1	
CALM	1 1		. <								<u> </u>		
	14.0	24.4	41.9	6.3								100.0	6.1

TOTAL NUMBER OF OBSERVATIONS 516

USAFETAC FORM D.8.5 (OL-1) PREVIOUS EDITIONS OF DRS FORM ARE UBSCREET

TATE PROCESSION ACTOR TMODESAL THE AMERICAN PROCESSION

# SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	- TANA AN THAILANN	51=77	18 x
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	_5_00 <b>=0</b> *30
		CLASS	HOURS (LST)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 · 33	34 - 40	41 - 47	48 - 55	≥56	90	MEAN WIND SPEED
N	۵,5	3.4	5,5	.4								11.	6.
NNE	. 4		. 6/	• S								1.0	· 5.
NE	. 4	٤.	. 4									1.0	- 5 •
ENE	, 6											1.6	ž,
E	. 2			-				[			•	• 2	7,
ESE													
SE	<b>ب</b> ز .	1.4	1.0	. 4								3.1	ε.
SSE	1.0	4,3	3,5	1.6								10,0	6,
S	, 6	5.7	10.8	3.7								21.7	7,
SSW	1,4	3.5	4,3	1,0								10.5	6.
SW	1,2	1.11	1.2									ان ت	5.
wsw	. 6	. 4	1,2									7.0	5,
w								Ĭ					
WNW		, 4	_ , 4										
NW	1.4											1.4	2,
NNW	1.0	2.2	4.0									* 3	5
VARBL	3.7	6.1	4.4									7 3	4.
CALM		$\geq \leq$	$\times$	$\geq \langle$	$\geq \leq$				><	``~``		17.4	
	10.0	25.4	32.5	7.4								. tan.d	

TOTAL NUMBER OF OBSERVATIONS

511

USAFETAC FORM 0.8.5 (OL.1) PREZE US TELLONS OF THIS FORM ARE INSTITUTE.

The Participant of VIVIA of Percentage FREQUENCY OF WIND

2

## SURFACE WINDS

# DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

1-12 STATION NAME
STATION NAME CLASS CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	° <sub>6</sub>	MEAN WIND SPEED
N .	الا و د	3.9	> <u>.7</u> .	2 ≤,								11.7	5.7
NNE		2 1	12									1,2	5.7
NE	1.0	• •	<u>.</u> €				1_					<u> </u>	4 . 3
ENE		• **	<u>.</u>						_			2.0	2.0
E	. 4	•	. 4.3									1.	5 <sub>4</sub> C
ESE	. 4	9 4	. L . L .	. કુર્યું				1				3 . 3	7,5
SE	4	1 2 4.	1.9									3 , 1	6.6
\$5E		4 : 2;	9 4 1.					•				9.2	0.3
S	<u>. 1</u> 2	<u>⊬. 2</u>	2 • 2:	2 . 1.		1						10.2	7,4
ssw	. 421	44	3.3	4.2		1	1	Ī	i			4.7	7.1
sw	. 47.	1 2	<u>a 4</u>	بنده								1.5	6,1
wsw	47:	2.3	. 3					•				2.0	<u>5.8</u>
w .	1 - 2	2 4.	. 2			!	į					1.5	3.0
WNW			.4			•	1	į				- 4	5,7
NW .	الامد .	<u>. 4</u>	<u>. 4</u>	49		ļ	i	1				200	5,3
NNW	ال. ز	<u>∠. ∪</u>	2	a.£.		<u>i</u>		i			<b>.</b>	7.2	4.8
VARBL		1.	1.4					1	<u> </u>			6.3	4.1
CALM	-	7	~ [	]  [				<b>T</b> ><.		Į`×<Į	-	100	
	العمد	20.4	31.9	5.1								100.0	5,1

TOTAL NUMBER OF OBSERVATIONS 511

THE WARRY TO SEE THE CONTROL OF THE SECOND STREET SATURATION OF THE SECOND SECO

--- -- ..-- .

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

NNE	-1,	ASA SH	1 ATL					-12						
SPEED			STATION	NAME					,	YEARS				
SPEED		-												
SPEED (KNTS)   1-3   4-6   7-10   11-16   17-21   22-27   28-33   34-40   41-47   48-55   ≥56   50     MEAN (WIND)													HOURE	(( 3.1.)
(KNTS) 1.3 4.6 7.10 11.16 17.21 22.27 28.33 34.40 41.47 48.55 ≥56 % WIND SPEED  N						CON	DITION				- —			
(KNTS)     1.3     4.6     7.10     11.16     17.21     22.27     28.33     34.40     41.47     48.55     ≥56     % WIND SPEED       N <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>														
(KNTS) 1.3 4.6 7.10 11.16 17.21 22.27 28.33 34.40 41.47 48.55 ≥56 % WIND SPEED  N		-												
(KNTS) 1.3 4.6 7.10 11.16 17.21 22.27 28.33 34.40 41.47 48.55 ≥56 % WIND SPEED  N														
(KNTS)     1.3     4.6     7.10     11.16     17.21     22.27     28.33     34.40     41.47     48.55     ≥56     % WIND SPEED       N     .0 <th>SPEED</th> <th>"</th> <th></th> <th></th> <th></th> <th></th> <th>```</th> <th>i</th> <th>i</th> <th></th> <th></th> <th></th> <th></th> <th>MEAN</th>	SPEED	"					```	i	i					MEAN
N		1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٠,	WIND
NNE								·	<del></del>	i				
NE	_ N	; 	• 2		• ( ;	2	i		ļ					G • c
ENE	NNE		· · · ·										•	
ENE	NE	ï i	. 4	. 4	. •∠		!	<u> </u>	İ	!			1.0	7,4
ESE	ENE	,	• 1				I	•		j			1 + 60	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	E	9.4	. 3					— — — —			•		7.0	6.
SE     4,4     3,6     4       SSE     4     3,1     2,1     3,0     2       S     6     6,3     15,0     6,7     2,7     8,6       SSW     2     1,4     1,3     2     7,1       SW     4     1,4     6     2,6     3,6	ESE	. 6					·			-	·		4.7	7."
SSE     4     3.1     7.1     3.6     .2       S     .2     0.3     3.5.0     6.7     2.9.7     8.6       ssw     .2     1.4     1.3     .2     7.1       sw     .4     1.4     1.6     2.5     3.4       sw     .4     1.4     1.6     2.5	SE		5 . 4							1	•		A 31	7,7
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SSE	. 41											18.7	2.4
ssw 14 14 10 12 12 15 70 70 1 2 1 2 1 3 12 1 1 3 12 1 3 12 1 3 12 1 3 12 1 3 12 1 3 12 1 3 12 1 3 12 1 3 12					6.7					1			21.7	
sw .4 1.4 .6				1.3				•	T	:	. ——-		3.6	
		# . # 							•	T .	: .			
	_	1 7					· · · · · · · · ·	†··-	• • • • • • •	t	•			

TOTAL NUMBER OF OBSERVATIONS

USAFETAC TOTAL 0.8.5 (OL 1) PREVIOUS ELECTIONS OF THIS FORM ARE HOUSE

NNW

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED FROM HOURLY OBSERVATIONS)

- STATION 17-16 CLASS

CONDITION

SPEED (KNTS) DIR. MEAN WIND SPEED 4 6 7 - 10 11 - 16 17 - 21 22 - 27 41 - 47 48 - 55 1 - 3 • 0 NNE NE ∎ů. ENE SE SSE 4.0 5 17.00 55W sw wsw w 12 E NW NNW VARBL CALM

TOTAL NUMBER OF OBSERVATIONS

USAFETAC For Carling C

2

LT CANAGE FREQUENCY OF WIND

## SURFACE WINDS

# DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

----



SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•,	MEAN WIND SPEED
N			£ť.	. 1 ~								1.2	
NNE "								•					
NE	•			<u>.</u> 4.				i .					,
ENE		• 4						•				•	3
E	, (						•					- 4	6.
ESE	. 6		. 4:										6.
SE		2.00	ان و ا	1, 1, 1						•		5.3	6.
SSE		6.1	12.4	9.								74.1	J.C.*
s	130	1.	24.7	17.1								43.7	10.
ssw	- 4		<u>1</u>	. 0				1			"	2.0	6.
sw			<u>a</u> 4!										F.
wsw .		• ¢.	ن. ون. و	• 2				Ĭ				1.2	₿.
w		. 4	9 6									• 4	6.
WNW		. 2	• 2									• 4	۴.
NW	2 2					1				1 1		. 2	?,
NNW	2 و	• 1	9.4					İ				1.	5,
VAR8L	<u> </u>	1.	100	٠, 7		1	1			i		I 4 . 1	5.
CALM		$\geq 1$	<u> </u>			$\searrow$		$\geq \leq$	><		$\geq 1$	•	
	3.7	20.0	52.5	32.4							·]	100.1	G.

TOTAL NUMBER OF OBSERVATIONS ....

- DCAHTAC  $\frac{1-8M}{1.1-6M}$  (GES).OLT, (WESTER) (CES), a collision and (E. 104)

The process to the Control of the Co

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION STATION NAME TABLE TO STATION NAME ALL . ATHER

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N		• •	, 4									1,"	6.1
NNE	. 4								i			. 41	5.0
NE	4.21							İ					3,0
ENE	. 6	• 4	, 4				1					1.4	A . 5
Ε	1.0	1.4	. (7)									7.7	4.
ESE	. 2	1.9	. 6	. 4		Ţ						2.3	6.1
SE	.5	3.0	1.9	1.0								7.0	6.8
SSE	51	7.5	23.2	ξ <sub>i</sub> , ξ;		1						34.3	9.4
s	1.4	5.0		6.9								34.6	8,8
SSW		e ti		10		T						2,0	8.4
SW		• 0	16									• '	5.5
wsw												1.7	3.2
w	4	14	. 2								· <u>-</u> ··		4.
WNW	T	. ?							T			, 2	4.0
NW													
NNW	. 4	. 0			_ ,			J				1.7	3 . ;
VARBL	1.0	100										4,7	6.7
CALM		$\geq \leq$		$> \overline{\ }$		$\geq$			$\geq$			4.3	
	1.0		40.8	16.2				<b>-</b>				100.0	7.0

TOTAL NUMBER OF OBSERVATIONS

- USAFE1AC | FERM | 0.8.5 (OL.1), FR. 21, 55 F. 21, 52 F. 31, 52 F. 32 F

TINGENT OF WICE F

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

6104	>■YAPA ' Ab feATLA:4D	·· I=12	10 K
STATION	STATION HAME	YEARS	MONTH
		1 a. Tes F ;:	100=2300 HOURE (L.S.T.)

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	. 6.1	• 1	1.0									7,7	5,5
NNE		, 4										· ·	2.8
NE	. 2	. 6	ر اد و									1.	6,4
ENE	<u>. Ú</u> !		. 4									1.4	4 . 4
E	. 0	• 1	. 4									1.7	4.8
ESE	, 6	. 4	, 4									1 , 4	4.7
SE	. 2	2,3	2.5	1.								5.0	7.4
SSE	1.4	11.5	9.7	3, 6		}				]		24.4	7.2
s	1.2	11.1	10.1	8,5								37.5	8.2
SSW	. 21	1.7	1.4	. 2								2,7	7.1
sw	. 2	• /.	. 4									• 1	5.8
wsw	. 2		, 4									1.2	4,3
w	. 4	·			i							• 2	4 . P
WNW	5.		, 4		!							• ^	6.0
NW	. 2		, 2							[		• 4	4.5
NNW	.6	, 4										1.4	4,3
VARBL	1.4	1.4	. 4									1,1	4,1
CALM		><		$\geq <$					$\geq <$	$\geq$		10.1	
	9.5	30.1	36.7	13.6								100.	6.4

TOTAL NUMBER OF OBSERVATIONS

- USAFETAC  $\frac{\text{From }}{\text{Bit 64}}$  0.8.5 (Oth) sets an entropy of the form are observed.

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

-4100	'-TAHA' AB	THATLAND			67	<b>-</b> 72						۸V
STATION		STATION NAME						EARS		 		MONTH
				ALL	BATHT:						^(	06-02 ic
	_			c	LASS						н	OURS (L.S.T.)
	-											
				CON	MOITION							
ı	<del></del>	<del></del>	·							 		
{	SPEED (KNTS) 1 - 3	4 - 6 7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 40	41 47	10. 11	 56		MEAN

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40 :	41 - 47	48 - 55	≥56	9,6	MEAN WIND SPEED
N	F 3	. 1	. 3									2.5	3.
NNE	, ?							1				7.	3.1
NE		, 4							!			. 61	5.7
ENE	. 5	. 4	. 2									• 0	3,3
E	2.1	• 64		, 6		i	!-· <del>-</del> -					<b>→</b> 3	3.
ESE	. 4	. 2		. 6								. 7	6.1
SE	. 7	1.1	٠.	. 0			i		1	,		7.5	- 5,0
SSE	1.7	3.7	4.7							<u> </u>		12.1	7.0
S	. 41	0.2								·	·	21.5	8.
ssw	. 7	+	4.9	. 0								0.1	5.5
SW	1.3	2 . ()		. 4		i		†			·	12.8	5.
wsw	2,1	٧, ٠	1.1			1						5.6	4.
w	. 0	. 4	. 9					T			<u> </u>	7.4	5,
WNW	. 4	. 2	. 2									. 7	4.5
NW	. 4	. 4										7	3,3
NNW	1.3	. 4	. 6			T		T		†		2.4	3.7
VARBL	2,6	1.9	. 7	. 7								5.4	4 . '
CALM		$\geq \leq$	$\geq \leq$		$\geq \leq$		$\geq \leq$	><	$\geq$	$\geq \leq$		15.5	
	17.4	30.2	د <b>د د</b>	٤.4								100.0	5.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{E(PM)}{RT/64}$  0 8.5 (OL 1) PREZIONS EDITIONS OF THIS FURM ARE THE RETE

HIR FAT EN SE VICEN AC STAC VUSAS STAC PROCESSION MANGE

2

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>	41 A A+1	I - A IL				<u>57</u>	- 7		YEARS				∧ ¥
		_				ALL .	· #THEA							<u>0-050€</u>
						c	LASS						KOURS	(L.S. T. )
		-				COM	NOITION							
	SPEED	<del>-</del>												MEAN
	(KNTS) DIR.	1 - 3	4.6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	WIND SPEED
	N	1.3	2.1		. 2		1						7,7	4,3
	NNE		پ و										4,	4.0
	NE	• ?					-		Ĺ				. ?	3.0
	ENE	. 4	• 6	, 4	, 2		1						• 1	6.4
1	E	1.1	. 1	• 6									2.5	4.9
	ESE	i					1		1			1		
Г	SE	. 7	. 1	. 4									1.7	4.4
	SSE	:	2.0	٧ . د	. 0								7.3	7,4
[	s	1.5	3.0	6.8	3.7						1	J	17.4	8.0
	ssw	. 7	3 . 4	5.8	9.0					1			10.7	7.2
Γ.	5W	1.9	3.6	€ . 8	. 4								10.3	5,8
	wsw	9	2.5	1.7									6.04	5.6
Ţ	w	1.1	1.	. 6								1	3,2	4.2
[	WNW	.6	. /								1		1.7	3,9
	NW	1.3	. 7										2.4	4,2 3,9 3,7 3,9
	NNW	2.6	ق د ا	. 0	. 2								4,7	3.9
	VARBL	4.1	2.1	. 7	. 2						1	1	7.1	3,9
Т	CALM	><	><		><	> <							20.5	
=		<u> </u>	r	·		<b>/</b>	¥>	<del>*</del>	<del></del>		T	F		

TOTAL NUMBER OF OBSERVATIONS

5 4 5

USAFETAC FORM 0.8.5 (CE-1) PRESIDES EDITIONS OF THIS FORM ARE CAUDITE

ATA PRINCESSIA RANCE ATACACSA. ATA FAT FRINCE STCFA CO

CHAJIAH da Abaliano

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

67=77

			STATION	****					,	LARS			-	
							£# terFa							-OROC
						c	LASS						HOURS	(L.S.Y.)
		~				CON	IDITION							
									<u>-</u> -		<del></del> -			
(KN	EED ITS) IR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	% .	MEAN WIND SPEED
1	N	1.9	2.0								:		4 .	
N	NE	. 6			• 4				i				, 7	5,5
	1E	. 0	. 2							i			, 7	3,3
E	NE	. (4	, ta	g 69	. 4								1 • 5	5 • 8
	E	1,3	1.1	• (3									7.0	4,4
E	SE	٥	. ()				İ				<b>.</b>		1.1	4.0
S	E	2	- 4	. 4					ļ 		i		. 7	6.0
5	SE	- 6	2.1	. 7	1,9			·	· •	·	·		5,2	7.6
:	s 🚆	2	3.0	7.7	2,2					·	!	<u></u>	13.7	7.8
\$5	sw	7	3.1	5.1	. 9				! •			L	9.7	7.5
	w \	1,5	4.7	3,4	. 4				<b></b>				9.9	6.0
w	sw	. 7	2.4	9	- 2				ļ		·	#	4.1	5,5
٧	<u> </u>	1.5									<u> </u>		3,2	4.7
w	NW !	- 0	. 7							ļ	ļ		1.5	4.6
N	w	1.2									l		2.1	2.6
N	۱W	1.9	10%	2							<b></b>		3,9	3.7
VA	RBL	4.5	3.4	1.7					L	L	Ļ	-	- 7.8°	6.2
,CA	ım.	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\geq \leq$		$\geq \leq$	$\geq \leq$	><	$\geq \leq$	><	24 0	' 
									1	T	I			

TOTAL NUMBER OF OBSERVATIONS

534

USAFETAC FORM 0.8-5 (OE-1) DREVIOUS EDITIONS OF THIS FORM ARE DRIVETE

ATA, PRO ANDARA (NAME) (TA), PURA (EAT), PROSENTER (NAME)

STATION STATION STATION NAME

2

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

61€72 YEARS

	_				ALL A	ASS ASS							0-11 : (1.5 T.
					CON	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	90	MEA WIN SPEE
N	1.0	, 4	. 2									1 . 5/	
NNE		. 4						ļ 1				<u> </u>	
NE		دة و	. 4				İ		L	i 		1.3	1
ENE		n <b>e</b>	٥٠						<u> </u>	<del></del>		) 3:	
E	. 6	ظعلا	. 4						, 			7,7	
ESE	. 4	-2.1								ļ		2.2	
SE	lal	1.7	1.7	4					<u> </u>				
SSE	!	- 6.7	اف ف	1.7	4		ļ			; <del>, </del>		10.1	
S		3 4	1106	5.7			ļ					7ء کے	
ssw		1.7	3.1	2.3								2.7	
sw	l	6.3	4.2	1.0	2				L			7.6	
wsw	1.0	1.0	3.4	1.0			, 					6.3	
wi	1.0		4					ļ		ļ		1.7	
WNW		4	2									1.0	
NW	L		6						L			1.0	
NNW	1		4				ļ					1	(
VARBL	4.4	لإدلى	لاه قــــــ	لجعلي							< <i>-</i>	21,3	
CALM		><	><	><	><	><		$\geq <$	$\geq <$		$\geq \leq$	4.0	
	11.0	29.5	40.1	13.9	8						nace of the	100.0	•

TOTAL NUMBER OF OBSERVATIONS

52

USAFETAC  $\frac{F^{0.8M}}{JU_1.54}$  0.8.5 (Ot.1) PREVIOUS COLUMNS OF THIS FORM ARE OBSCITE.

ATA PROGESTO FRANCH FILOZOSAR CIR EATH SERVICEZIAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u></u>	AFA An	1 - A 1 L				<u> 67</u>	<del>- 72</del>		(EARS				^ Y
	_	STATION			ALL A	EATHFI.	·					1200	) = 1 4 0 C (LIST)
	-				CON	IDITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1	. 2										. 2	6.0
NNE	1 .4												
NE		1							1				
ENE		T		!			,					·	
E	4	1				<del> </del>		<del>                                     </del>				4 4	2,5
ESE	.2		. 6									7.3	6.0
SE	-# <b></b> -	1.1	2.7			<del>                                     </del>						4.8	8.4
SSE		4.5	٠, ۶	4.4								15.6	8,4 9,5 9,9
s	.2		18.7	11.1	. 4					1	1	37.4	9.9
ssw	. 2		4,2									7.4	9,4
sw		5	1.9					i				3.7	9,3
wsw			2.3	1.7					,			5.2	9.6
w												1.0	7.0
WNW	<u> </u>	, 4										. 4	7.0 5.0
NW		r		·									<del></del>
NNW	#	. 3	- 2	†		l		1	1		· · · · · · · · · · · · · · · · · · ·	1.0	5.6
VARBL	1.5									1		21.4	6,9
CALM			> <		> <		> <		$\sim$		$\sim$	2.5	
	_#>	<u> </u>	$\leftarrow -$	<del></del>	<u> </u>	<del></del>	<del></del>	<del></del>	<del> </del>	<b>*</b>		+	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM DR 64 0 8 5 (OL-1) PREVIOUS HORDONS OF DRS FORM ARE RESIDENTE

2

TTA FOR TESSTA REACT STREET FOR SE VICENCE

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		-					LASS							3-17(
						col	NOITION		·——		<u> </u>			
SPEED (KNTS) DIR.	<del>?</del>	. 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEA WIN SPEE
N			1.7			. ,		,					. (-)	
NNE			24											
NE				!					ļ				,,,, , <u>, , , , , , , , , , , , , , , ,</u>	
ENE		a £.			,				· · · ·				<u> </u>	
E									L	·				
ESE		<u> </u>		9					+	ļ			2.1	
SE		0	2.3		غفلا .		<del></del>		·				<u> 4 • • • • • • • • • • • • • • • • • • </u>	
SSE		41		. 13.0	209		<del></del>	·			! 	·	<u> </u>	!
. 5			209				<del></del>		<del> </del>		· 		<u>31.</u> ^	
sśw	<b>u</b> -	. ▲ ₹.	1.5				ļ	·	<del> </del>	<del>-</del>			7,5	
_ \$W		. <u>. 4</u> ;	1.2				<del></del>	<del> </del>		·			7 0	
wsw	4 -	<b>.</b>					ļ	<del></del>	ļ			·   · · ·	3 6	~ -
W	*	a £.	14		. 44		i		<del></del>					
_WNW_	<del>,</del>		. 4.9		· ·		ţ	<del> </del> -	<del> </del>					
- NW	+			I	• -	· · - —	+	<del> </del>	<del> </del>				. 2	
VARBL	#		26				<del> </del>	·	<del></del>				16.5	
CALM	-	± ± 2 	2• <u>\$</u>	- 9 a V									1.3	
	-		* =.: .=: * <b>: 2</b> : .•	84.6	1 4			Ţ <del></del>				,	100-0	

USAFETAC FORM 0.8.5 OL 1, PROFES CO (INT. N) OF THE FORM ARE BOOTETE

2

TOTAL NUMBER OF OBSERVATIONS 537

Δ10 Εσ. 14.55 to - Ros.Co 116, 205 to 14 - ΕΔ1 Ες - Ε 51672 to C

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	-TALA	Ad TABILAGE	41-11		/ <b>Y</b>
STATION		STATION HAME		YEARS	MONTH
			CLASS		NOURS (L.S.T.)
			CONDITION	* * * ***	
Ī	SPEED				MEAN

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	"i	<b>,</b> (,										•	6.0
NNE												· 5	
NE	. 2	• 2										• 4	4.5
ENE	, t.	, 4	• 4									1.1	4.0
E	. 4	1.5	• 2									1.7	4.7
ESE	# <u>-</u>	. 7	. 9	. 4								2.1	7.7
SE	2.2	0.2	4,7	و و و					!			15.	6.4
SSE	1.3	11.2	12.5	2.4					,			24.5	7,7
5	. 4	5.4	15.4	3.4	. 2							24.7	F . 3
55W	. 6	2.0	4,7	2.6					• • • •		<del>-</del>	10,5	3.2
sw	. 6	1		1.1					Ĭ			4.1	7.4
wsw	I	1.7	, 7	, ¿								2.6	8.2
w	. 7	. /	, 6							!		2.1	5,1
WNW		• 4										• 7	5.0
NW			. 4									• 4	9.5
NNW	. 4											• ^	3,7
VARBL	6	4 . 1	. 7									5.4	5.1
CALM		$\geq \leq$	$\geq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq$	$\geq \leq$		3,6	
	3.1	34.1	42.1	12.0	2							100.0	7.0

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8-5 (OL-1) PREVIOUS FORMORS OF THIS FORM ARE 1811-1915

1

\*\*\*\*\*

- -

-

,

514

- 172 PF - 1,551 - KAPC - - 1277 SATE - - 1257 AC

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u></u>	1 A' AB	1 - A TL A				<u>+7</u>	<del>-72</del> ,		/EARS				; <del>Y</del>
						HATITE.							<u>-2300</u>
					CON	IDITION				<del></del>			
										<del></del> -			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.1				-					-		1.7	2.4
NNE	. 0								· · · · · ·			· · · - <del></del> ·	2, 4
NE	4	, 1,				1						• • •	2,4
ENE	. 4	• 6	. 4			·					. ,	1 1	4.7
E	. 9	1.1				1				· · · · · · · · · · · · · · · · · · ·		7.1	3.5
ESE	. 7		. 4					!				1.5	4.5
SE	. 4	4.0	4.6	ۇ. و. ز						i		7.2	6,9
SSE	2.4	7.3	9.3	10 6								4 ^ a 'l	6.3
S	ان و	7.1	14.0	307				! 				23.4	7 . K
ssw	<u> </u>	2 9 4	3.6	1.1		ļ •		,		i •		7.7	7,5
sw	?	3 . (5)	2.2			i						<u>^ 7</u>	6.0
wsw	<u>. 0</u> 1	100		4			· · — - — —		i •			4.1	7,1
w ;	- 4	<b>.</b>						<u> </u>			•	1.5	5,1
WNW	4			2								1.	5.0
_ NW								L				1.1	5.2
NNW		16						L	_	. ;		• •	7,3
VARBL	للحف الما	<b> !</b> !	ناممال	- 46			L	1		1		4.1	5.0

TOTAL NUMBER OF OBSERVATIONS

2.5

USAFETAC FICAM 0.5.5 (OL.1) PROCESS BOTH 15 OF THIS TIRM ARE SHOULD

ATA PROPERTY OF STREET

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	THE AD	STATION NAME	1.72	YEARS	MONTH
	**		CLASS		100 - 0 2 () () HOURS (LS T)
			CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	1.4	Let.	A'I.					:	·		·	1.3.2	4 , (,
NNE												,	
NE	<b>. £</b> .								··			<b>.t</b> .,	<u>3•7</u>
ENE	4	. <b>1</b> £.			_						"		3,3
E :			4 <del>2</del> ,					<u>.                                     </u>				·	5,3
ESE							—						
SE	ان ۽											1 , 1	4.6
SSE													5.5
S		6.6	2.0	Lau.		•				- 1		2.0	3.1
ssw	1.0		3.6			•						8 . 3	2 9
sw	2.5	1.1	2.0	<u> </u>		•						15.0	5, C
wsw	4 4 0	1.2	0.0			•		• .				14.7	5, 4
w	3.2	4.0	2.4	. 2	. 2	; ·- · · ·		•			**	10,7	5.1
WNW		2		B. b.	1.5	:		*	1 7			1 4	2,6
NW .	1		4		_		1 -	•	; 1			1.41	3,7
NNW	1.4							+				3.0	3,7
VARBL		100				j	j		·			11.	5,6
<del></del>	1. 1.4	ووع			• gg		*<==>	<del>十</del> くこン	<b>★</b> <-/	< <del></del>	J- 1		
CALM		><	$\geq \leq \downarrow$	ا میں زیر س			<u> </u>			-><			
	17.1	30.5	25.2	2.2	. 2		1				i i	100.0	4.4

TOTAL NUMBER OF OBSERVATIONS 5.4

USAFETAC THAM 0.8-5 (OE 1) INC. INSECTION FOR THAT AND APPLIES OF

TALL CONTRACTOR CONTRA

2

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION STATION ARE TEAMS WORTH

STATION STATION ARE

STATION

CLASS

CONDITION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	°e	MEAN WIND SPEED
N	2,2	6.4						!				4.	7,8
NNE			:									• .	
NE	<u>.</u> 2												2.7
ENE	<u> </u>		i									1.6	1.1
E	1.0	£ 1									•	1.	3.1
ESE													
SE	. 4					:						, ,	3 .
SSE							. —— — —	•					
s	. 6	1.4		_# 4		:						7 6	6 • 7
ssw		216					i —					5.0	7,3
sw	1.00	9.7										17.5	5.8
wsw	4.1	2.5	. ₹.4			İ						13.	4.6
w		4,2					1					10.5	4.7
WNW	1.0				_	İ		i				1.1	2.3
NW		100		i .			l	i !			_	2.2	3.9
NNW	1.4		. 2				1					1.4	3.9
VARBL	4.0	_ 1	2.2									12.2	5.1
CALM								$\geq$	$\geq \leq$			24,5	
	22.9	36.5	ل <i>ذ</i> 1	2.2		1					<u> </u>	100,0	3 . 4

TOTAL NUMBER OF OBSERVATIONS

. Usafetac  $\frac{e^{-i\Phi M}}{80.04}$  0.95 (OE 1) pm ,  $|e\rangle_{\rm t}$  ,  $|e\rangle_{\rm t}$  , the field wave fields

The first section of the first

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION NAME

STATION

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22	- 27	28 - 33	34 - 40	41 - 47	48 - 55	5 ≥56		e <sub>e</sub>	MEAN WIND SPEED
N	1.0		£ 1±.											• 7	
NNE		2							1					•	
NE	- 41		·					_		•					2 .
ENE "	أوا					•				• • •					1,3
E	1.	• 5		•					•						7
€S€		1.6				•	•		• • • • •		•		.,		7.3
SE							•		•		•				F . 1
SSE	46	1	a 4:				•		•	•	•				1
s			1.9	•					•	•			**	1.5	7. 1
\$\$W	<u> </u>		2 . 7			•	,		1	*	*			7 .	5 . Y
sw	<b>a</b> ;	3.7	2 • 1.	1 : 4		•			•	•				18.	A 5
wsw "	34 A 25	2.0 3		al.		•				•				11 7	5
w "	-			. <b>2</b>						•			**	•	7.
WNW			* 9	أد			i	-	•	•				• • •	1.
NW	±(1	<u>11</u>		<b>.</b> 44.		:			•				**	, • ,	1
NNW	. ♣ 🖟	1			1.0	†	+		•		*	*			4
VARBL	· ·	اندهافا الح	4 a 1	2		-			• · · -				**		f. /.
	4	~ 24 J		- +4		÷		·	<u>~</u> .	. +		•		•	• *
CALM		, e * e			₩.,	1	ال ۱۰۰	-	<b>-</b>	- ·	-	-		6 ° • 4	
	_ < 1.0	الم ما	12.4	لامغ		1	- T			** ** :					2.5

 $= 2.5\Delta G (TA), \quad \frac{3}{2.24} \frac{29}{4.24} = 0.005 \cdot 100.7 \cdot 1440, \qquad \qquad 6. \qquad \qquad 6. \quad 29.24 \quad \ldots \quad . \label{eq:definition}$ 

TOTAL NUMBER OF OBSERVATIONS

5 }

AD-A096 962	OCT 73	TECHNICAL APPLICATIONS CEN. REVISED UNIFORM SUMMARY O	F SURFACE WFAETC
2 5	USAPETAL/US-61/UZU	\$81E-AD-E850 030	

DATA PRUCESSING PRANCH FTAC/USAF AIR MEATHER SERVICE/MAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	U-TAPAD AB THAILAND	67=72	NUN
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	0900-1100
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 2											. 2	3.0
NNE													
NE	. 2									I		, ?	2.0
ENE												. 2	4.0
E	1.4	.2										1.6	2,6
ESE	. 4											. 8	5,5
SE			. 2	2						<u> </u>		, 4	10.0
SSE	. 4	1.4	1,4									3,2	6.4
S	.4	<b>3,</b> 0	4,2						<u> </u>			9,1	7.8
ssw		1.8		2.0	. 2	<b>.</b>						9,9	9.1
sw	. 0	2.4	8.7	5,3								17.0	9.1
wsw	, 6	3,2	10.5	2,8								17,2	8,2
w	,2	1.4	2.0	1.0				ļ				4.6	7,9
WNW	.2			2								1.8	7,3
NW	.4	.6	- 6	2								1.8	6.3
NNW												. 8	5.0
VARBL	1.8	6.7	15.8	2,6			Ļ.,	ļ		Ļ		27.1	7,7
CALM	$\geq \leq$	$\geq \leq$	><	$>\!\!<$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	><	$>\!\!<$	4.0	
	6.9	22.2	50.5	16.0	. 4							100.0	7,7

TOTAL NUMBER OF OBSERVATIONS

DATA PRICESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/"AC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41026 STATION	U-TAPAR AB THAILAND	67-72	JUN
STATION	STATION HAME	YEARS	BONTH
		ALL WEATHER	1200-1400
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N		. 2	. 2									. 4	8,
NNE													
NE													
ENE	. 2			. 2								. 4	6,
	. 4											. 4	3,
ESE		.2		.2								. 4	3,
SE	2	. 6	. 4	. 6								1.9	8,
SSE	.2		3.2	. 8		_ , 2						5,2	8,
\$		1.0	8.6	7.0								16.9	10,
SSW		1.2	5.4	3.4	. 4							10.4	10,
sw		1.0	6.6	3.6								11.2	9
wsw	. 2	3.2	9.0	3.2								17,7	9,
w .		1.4	2.0	4								3,8	7,
WHW		. 8		4								1,2	7
NW	[	. 4										. 6	7,
WNW													
VARBL	. 4	3.8	18.9	5.4								28.5	
CALM	><	><	><	><	$\geq$	$\triangleright <$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq <$	$\geq \leq$	1.0	
	1.6	14.7	54.6	27.5		. 2						100.0	9

TOTAL NUMBER OF OBSERVATIONS

DATA PROCESSING PRANCH ETACZUSAF AIR WEATHER SEPVICEZMAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41025 STATION	U-TAPAN AB THAILAND	67-72		JUN
STATION	STATION HAME		YEARS	MONTH
		ALL WEATHER		1500-1700
		ÇLÂŞI		HOURS (L.S.T.)
	<del></del>	CONSTRUCT		

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	. 2						-					. ?	3.0
NNE													
NE													
ENE											-		
£	. 2	٤.	. 2									.6	5.0
ESE	.2	. 4										.0	3,
SE			. 6			· · · ·						.6	8,
SSE		1.0	3.8	. 6								5,4	5.0
S	. 4	2.2	14.1	9.2								25.9	9,
SSW		2.0	6,4	3.4								11.8	9.
SW	. 0	2,6		2.8								11.2	8,6
wsw	.4	2.0	5.4	3,8								11.6	9,0
w		. 6		1.0		•	1					3.0	9,
WNW				. 2								, 2	12.
NW	. 2	. 2	. 8									1.2	7,
MMM	. 2	. 4										.6	4.0
VARSL	1.2	6.2	13.7	4,8								25,9	8.
CALM		$\geq \leq$	$\geq <$	> <	$\geq <$	$\times$	$\geq$	$\times$	$\times$	><	> <	1.0	
	3.0	17.9	51.4	25.9	. 2							100.0	8,

TOTAL NUMBER OF OBSERVATIONS 49

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	U-TAPAR AS THAILAND	67-72		NUL
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		1800-2000
		CLASS		HOURS (L.S.T.)
	<del></del>	CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 2	5										1.0	4.
NNE													
NE													
ENE		. 2										. 2	4.
E	. 6	. 2										. 8	3,
ESE		.2										, 2	6.
SE	2	. 8	- 8									1.8	5,
SSE	. 4		2.8									8.2	6
5	1.0	8.2	12.5	2.4								24.1	7,
SSW	. 2	5.8	7.0	5.0								18.1	8,
sw	. 2	3.6	6.8	1.2								11.9	7.
wsw	. 8	2.4	4.4		. 2							10.1	8 7
w	8	. 8	1.8	. 6								4.0	7.
WNW	. 2	. 2	. 4	. 2								1.0	7,
NW				. 2								. 2	11.
NNW	. 2											. ?	3,
VARBL	1.8	5.8	6.6	1.6								16.1	6,
CALM	><	><	> <	> <	> <	> <	> <	> <	$\supset \subset$	><	$\times$	5.0	
	6.6	33.8	43.3	14.1	.2							100.0	7,

TOTAL NUMBER OF OBSERVATIONS 497

DATA PROCESSING BRANCH ETAC/USAF AIR REATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	U-TAPAD AB THAILAND	67=72		JUN
STATION	STATION MANE		YEARS	MONTH
		ALL WEATHER		2100-2300
	<del></del>	CLASS		HOURS (L.S.Y.)
	<del></del>	CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	1.0	.6										1.6	3,
NNE	. 2	. 2										. 4	4,
NE													
ENE	. 2	. 4										. 5	4,
E	. 4	. 8							T			1.2	3,
ESE		. 2										. 2	3,
SE	. 2											. 2	2,
SSE	, 2	3.0	1.0					1				4,2	5,
\$	1,6	4.7	6,3	2.0								14.6	7,
SSW	1,6	4.7	5.7	_,6		$L^{}$						12.6	6,
sw	1,2	7.9	5,9	, 2								15.2	6,
wsw	2.0	5,3	6.5	1.4								15,2	6,
w	2.0	2.2	1.8	. 8					L			6,7	6,
WNW	.2		- 4	2								6	7,
NW	. 6	. 6	.2			$L^{-\cdots}$						1.4	4,
NNW	. 2	.6	. 4									1.2	5,
VARBL	3.0	5,3	3.8	. 4								12.5	- 5,
CALM	$\supset \subset$	> <	><	><	><	$\triangleright <$	$\supset <$	$\supset <$	$\supset <$	$\supset \subset$	><	11.5	
	14.4	36.6	32.0	5.5					T			100.0	5

TOTAL NUMBER OF OBSERVATIONS 500

DATA PRUCESSING BRANCH ETAC/USAF AIR \*EATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028 STATION	U-TAPAN AB THAILAND		JUL	
STATION	BURN MOITATE		YEARS	MONTH
		ALL WEATHER		0000-0200
		CLASS		HOURS (L.S.T.)
		ONDITION		

SPEED (KN7S) DIR.	1.3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	. 8	. 9	, 2									1.3	4 . 4
NNE	. 2											. 2	2.0
NE													
ENE		. 8										. 8	4.
£	. 2	. 2										, 4	3,
ESE	. 2											. 4	4 .
SE		. 2										<b>,</b> 2	4 , ( 5 ,
SSE		- 6										. 6	5,
\$	. 2	2.4	1.5									4.1	6.4
ssw	. 2	2.4	2.3	. 8								5,6	7,
SW	2.1	7.7	11.1	, 9								21.8	6,
wsw	3,2	5,5	9.0	. 6								18.3	6,
w	2.8	6.8	4.3	8			L					14.7	5,0
WNW	- 4	4										. 8	3,0
NW	. 6	4										9	3,0 6,0
WWW	. 4	- 6	8									1.5	6.0
VARSL	4	2.1	6.4									12.2	8.
CALM	><	><	><	><	> <	$\triangleright <$		$\supset <$	$\supset <$		> <	15.6	
	11.5	30.9	35.6	6.4								100.0	5,0

TOTAL NUMBER OF OBSERVATIONS

DATA PROCESSING BRANCH FTAC/USAF AIR WEATHER SERVICE/MAC

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102n	U-TAPA I AB THATLAND	66-72	JUL
		EATHER	0300=0500 HOURS (L.S.T.)
	cor	NETICE	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.8	, 4										2,1	2,
NNE	. 5	- 2										. 7	3,
NE	-2	2										.4	3,
ENE	. 4	I										. 4	3,
. t	.2	. 4										. 5	4,
ESE													
SE													
SSE	.2	- 2										.4	4
<b>S</b>	. 2	1.2	5									2.0	5
SSW_			3.0	. 5								6.6	7
SW_	2.3	10.1	10.5	.7								23.6	6
wsw	3.0	8.9	5.5	1.1								18.4	5
w	3.9	3.7	2.3			ļ						9,9	4
WNW	. 4	1.2										1,6	3
NW	. 5	. 2										. 7	2
NNW	1.4	.7	5									2,7	4
VARBL	1.2	3.9	4.3	1.4								10.8	7
CALM	$\supset <$	><	><	><	>>	><	$\supset <$	$\supset <$	$\searrow$	$\times$	>	19.3	
	16.7	33.7	26.6	3.7								100.0	4

TOTAL NUMBER OF OBSERVATIONS 564

DATA PRUCESSING BRANCH ETAC/USAF AIR "EATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	U-TAPAD AB THAILAND	66-72		JUL
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0600-0800
	<del> </del>	CLASS	<del></del>	HOURS (L.S.T.)
		_		
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	2,3	1.0	. 2									3.4	3,7
NNE	. 5											. 8	2,0
NE													
ENE	. 5											. 5	3,0
E	. 3	. 3										.6	3,
ESE													
SE	. 2	. 2	. 3									.6	6,0
SSE		. 2	. 2									. 3	7.0
\$	. 3	1.1	. 5	, 3								2.3	5.7
SSW	1.1	4.4	3,9	, 3								9.7	6.
sw	1,6	9.4	11.5	. 6								23.1	6,0
W\$W	2,6	6.0	5,0	. 8								14.4	6.
×	2,3	4.0	1.6	, 2								8.1	4.
WNW		. 6	. 2									.8	4.1
NW	. 5	. 2											2,
NNW	2,4	, 3										2.7	7.
VARBL	2,3	2.7	5,8	1.8								12.6	7,
CALM		$\geq <$	$\geq <$	$\geq <$	$\geq <$	$\supset <$	$\supset <$	$\supset <$	> <	>	> <	19.4	
	17.1	30.4	29.1	4.0								100.0	4,

TOTAL NUMBER OF OBSERVATIONS

DATA PROCESS\*NC FRANCH ETAC/USAF AIR KEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41029 STATION	U-TAPAD AB THAILAND	66=72		JU <b>L</b>
STATION	STATION HAME		YEARS	МОНТН
		ALL WEATHER		0900=1100
		CLASS		HOURS (L.S.T.)
		COMPITION		

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
Z		. 5										. 5	5 (
NNE			. 2									. 2	8
NE			. 2									. 2	10
ENE													
E		. 2	. 2					1				- 3	8
ESE													_
SE		. 2	. 2				l					- 3	6
SSE		8	. 8	.2								1.8	6
S	. 5	1.1	1.4	. 3								3.4	6 6
SSW		1.4			. 2							11.1	9
SW	. 8	2.6		4.5								17.6	
wsw	. 8	3.5										20.9	8
w	.2	3.5				<u> </u>						9.5	
WNW		1.1	1.3	2					<u> </u>			2.6	6
NW	. 2	. 5						·				1.1	5
NNW	- 1	. 3							<u> </u>			1.6	5
VARBL	1.3	2.7	11.6	10.6					<u> </u>			26.2	9
CALM				V.								2.7	
		$\leq$		$\leq \geq$									
l	4.2	18.5	48.6	25.8	2	l						100.0	8

TOTAL NUMBER OF OBSERVATIONS 621

USAFETAC  $\frac{\text{form}}{\text{JUL 64}}$  0-8-5 (OL-1) previous editions of this form are obsolete

DATA PROCESSING HRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

02 A	U-TA	PAN AB	THAILA	ND			66	-72		EARS				JUL
		_				ALL W	EATHER						1200	0=1400 (L.S.T.)
						CON	DITION							
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
	N			. 2									. ?	7.0
	NNE													
	NE													
	ENE						-							
	E													
Г	ESE													
T	SE			. 6									. 6	7.0
Г	SSE		, 2	. 8						_			1.0	7.0 8.0 9.1
Γ	5	, 2	1.6	5.4	2.7								9,9	9.1
Г	ssw		. 8	4,8	5.0								10.6	10.0
Γ	sw	. 3	1.4	8.7	5.3								15.7	9.6
	wsw	, 3	2.9	9,9	7.4								20.5	9.71
	w		1.1	3.0	2.4								6.6	9.8 7.4 9.0 7.8 10.8
L	WNW		16	1.8	2								2,6	7,4
	NW		.3	1.3	, 3								1.9	9.0
	NNW_			. 5									6	7.8
	VARBL	. 2	1,8	14.3	12.0	, 6						<del>▼2</del>	28.9	10.8
	CALM	><	><	><	><	><	$\times$	$\geq \leq$	>><	><	><	><	اجر ا	9
Г		1.0	10.9	51.3	35.3	.6							100.0	9,8

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TOTAL NUMBER OF OBSERVATIONS

MATA PROCESSIE W MANCH ETAC/USAF AIR FEATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41020	U-TAPAG AB THAILAND	66=72	<b>يا</b> ر∜ن
STATION	STATION HAME	YEARS	MONTH
		ALL WEATHER	1500-1700
		CLASS	HOURS (L.S.T.)
		CONDITION	<del></del>

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N													
NNE													
NĒ													
ENE										1			
E													
ESE		. 2										. 7	4.0
SE	. 2	5										.6	4.8
SSE		. 8	2.7									3,5	7.9
S	. 2	. 9										20.4	9,3
SSW	. 2	1.6	5.6								F-1	13.7	10.2
sw		1.9		3.0								13.1	8.9
wsw	. 3	2.1	8.0									14.9	9.3
w	.2	1.8	1.9	1.1								5.0	
WNW	. 2	.6									_	1.3	6,3
NW	3	1.0	1.0									2.2	6,2
NNW	•	. 8	. 5		. 2							1.4	7.7
VARBL	. 2	1.9	9.3	11.4		. 2						22.9	
CALM		><	> <	><	><			><			><	. 5	
	1.0	15.7	48.6	33.3	. 2	. 2						100.0	9.4

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL 64}}$  0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2

PATA PRICESSIE - RAMOR - TACZUSA! AT REATHER SERVICE/: 40

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41026	-TAFA: 45 IMATLANO	66-72		4476
MOITATE	STATION MANE		YEARS	MONTH
		ALL WEATHER		1800-2000
		CLASS		HOURS (L.S.Y.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	. 2		. 2						· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>		. 4	٨.
NNE	. 4											. 4	3,
NE		• 2										. 2	4,
ENE												i	
E	. 4	. 2										• 4	7.
ESE		. 2										, ?	4
SE	. 4	, 5										• 9	3 ,
SSE	. 5	1.5	2.0									4 . C	6
5	, 4	3.7	9.2	2.7								1 4 . 9	8
ssw	. 7	2.0	9.2	4.0						<u></u> i		15.9	9
sw	1.3	4,4	10.1	2,4								18.1	7
wsw	9	4.0	7.3	1.1								13.4	7
w	9	1.5	2.2	1.6		. 2			İ			6.4	8
WNW	. 4											. 5	3
NW	S	, 4	- 4	4				<u> </u>				1,3	8
NNW	2		. 2	2								. 5	9
VARBL	. 7	3,8	9.7	2.6	, 2							17.7	8
CALM	$\geq <$	><	> <	$\geq <$	><	><	><	><			> <	4.2	
	7.5	22.5	50.4	15.0	, 2	. 2				1	- :	100.0	7

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM JUL 64 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING BRANCH ETACIUSAF AIR SEATHER SERVICE/MAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAPAC AB THAILAND	67=72		.j.( <b>L</b>
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		2100-2300
		CLASS		HOURS (L.S.T.)
	<u> </u>	CONDITION		

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	្នុម		. 4									1.0	5.
NNE	. 2										ļi	, 2	3,0
NE													
ENE	. 2											, 2	1.0
E	.6											. 6	2.3
ESE												. 2	6.0
SE	. 2	1.0										1.1	4.
SSE	4	1.0	. 4									1.7	4 . 9
S	1.0	2.5	5.0	. 4								я я	6,6
\$\$W	. 6	2.9	4.4	1.1	2							9.2	7.
sw	1.1	6.1	9.9	1.0								15.2	7.0
wsw	2.5	6.5	8.6	1.5								19,1	6,9
w	2.5	3.4	3.3	. 6	2							9,9	6,
WNW	1.0	. 2	. 2							<u> </u>		1.3	3,0
NW	. 2	4			2							, P	8 .
NNW	. 6	1.0	6									2.1	4.0
VARBL	1.3	3.4	9.9	2.3							-72	10.7	8,
CALM		><	><	><	><	><	><	><	><	><	><	10.7	, 
	13.0	29.3	39.6	6.9	.6						-12	100.0	6.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PRICESSIES PRANCH ATACHUSAF AIR MEATHER SERVICE/MAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41023	JETAPAT AB FHAILAND	66=71	31. <b>6</b>
STATION	STATION NAME	YEARS	MORTH
		ALL MEATHER	_0000-0500
		CLASS	HOURS (L.S.T.)
	·	CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	1.7	1.1							1			2.8	3,3
NNE	1.1	. 4	. 4									1.0	4,1
NE	. 4												3,3
ENE	. 6											.7	3,3
E	. 2											. 2	3,0
ESE	. 4	- 4										,7	3,0 3,5
SE		. 4										. 4	5.5
SSE	.6	. 6	. 7						1			1.8	5,1
5	.7	2.4	1.3	. 4				j				4 . B	6,2
SSW	.6	3.1	1.7	. 7	. 2		L					6.3	6,7
SW	.7	9.0	7.6	. 6								17.9	6,5
wsw	2.0	6.6	9.5	1.1								18,6	6,7
w	2.8	4.4	4.6									11. <sup>R</sup>	5,6
WNW	. 2	. 7										1.7	5,7
NW	. 6	- 2	2	. 2								1.1	5,3
NNW	1.7	1.7	. 6									3,9	3,9
VARBL	2.8	2.4	لمعلب							L		6,3	4,3
CALM		><	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	><	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	18.5	
	16.8	33.8	27.7	3.0	2							100.0	4,7

TOTAL NUMBER OF OBSERVATIONS

USAFETAC JUL 64 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROCESSING READON FTAC/USAF AIR GEATHER SERVICE/FAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPA" AB THATLAND	66=71	فابلم
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	0300-0500
		CLASS	HOURS (L.S.T.)
	-	CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	د و ا	1.1	.5									2.9	4,4
NNE	. 4	• 4										. 5	2.7
NE													
ENE	. 4	. 2										. 5	3.0
E	. 4	. 2			1	1						. 5	3,0
ESE											I		
SE	. 2											. 4	4.
SSE	. 4											. 4	2,
\$	, 5	. 4	. 7						L			1.6	5.
ssw	. 7	2,9	2.7									6.4	5,
sw	1,3	9.5	8.1								I	18.7	6.
wsw	2,4	7.1	5,9	, 2							Ī	15.6	5.
w	4,6	5,3	2.4			Ī						12.3	4,
WNW	- 4	. 7						I				1.1	4.
NW	. 2	1.1	.5		-							1 . A	5.
NNW	1.5	2.0	. 4	. 2								4,0	4.
VARBL	2.7	4.6	. 2									7,5	4.
CALM	><	><	><	><	>	><	$\geq <$	$\geq <$	$\geq <$	><	><	25.5	
	17.2	35.5	21.4	4								100,0	3,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM NL 64 0 8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSING ARANCH FTAC/USAF AIR MEATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102 <sup>-1</sup>	U-TAPAC AB THAILAND	66-71	AUG
STATION	STATION NAME	YEARS	MORTH
		ALL WEATHER	0600-0800
	<del></del>	CLASS	HOURS (L.S.T.)
	<del></del>	CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	2,6	1.8	. 2									4.6	3.
NNE	. 4											. 4	3,
NE	. 5											, 5	2,
ENE	. 4	. 4	. 2									. 7	4.
E	1.1	. 9										5.0	3,
ESE	. 2											. 2	3,
SE		. 4										.4	3, 5,
SSE	. 4	1.1	. 2									1.6	4,
\$	. 5	. 4	. 5	2								1,6	6,
SSW	1.3	3.8	4.0	1.1								10.7	7,
sw	1.1	7.3	9.8	1.3								19.5	7,
wsw	3.8	5.3	4.4	. 5								14,0	5,
w	1.6	4.0	. 9			Ī		I	1			7,1	4.
WNW		- 2										. 4	6, 3,
NW	. 7											1.3	3,
NNW	2.0	1.1										3.6	2,
VARBL	2.0	4.0	2.2	. 5								8.7	5,
CALM	$\geq <$	$\ge 1$	$\geq <$	$\geq <$	$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	><	><	22.4	
	19.1	31.7	23.1	3.6								100.0	4,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING MANGE ETAC/USAS AIR EATHER SESVICE/SAC

# SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102 H	U-TAPA" AS THAILAND	56+71	VEARS -	 AUL
		ALL WENTHER		 0000 (LET)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	. 2	, 4	, 2			L	1.					.7	4.8
NNE		96				1			I			. 7	4.0
NE	5.	, 2							<u>.</u>			4	3,5
ENE						1	•		[	•			
ŧ	. 4	, 2				1 .		I					3,3
ESE	. 4	. 7							Ī			1.1	4.0
SE	. 2	, 5	. 5	.2					T	•	:	1.5	7.3
SSE	. 4	٧.	1.3				!		Ţ- ·	!		2.5	5.9
5	. 2	1.1	5.1	1.1					:			7.4	8,8
SSW	. 2	1.3	0.0	3.8				!	†	† -··- ·· ——	1	11.3	9.5
sw		1.3	12.0						i -	i		18.3	9,5
wsw	. 2		11.3	5.6		1						19.6	9.2
w	. 4	. 9	4.0			1	1		1	!		6.7	8,4
WNW	. 4	. 4	. 4									1.1	4,7
NW	. 4	. 2	. 9	.2								1.6	7.1
WWW	-					<del> </del>			1	•			
VARBL	4.0	4.9	10.5	4.4					1	<del> </del>		23.8	7.5
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	> <	> <	$\geq$	$\geq <$	$\geq$	$\geq$		3.8	
	7.3	15.6	52.1	21.2								100.0	8,1

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

NATA PROCESSIN' HABINEN FIACIUSAN AIR HEATHER SENVICEINAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41C2 -	STAPA" AB THATLAND	66=71 TEARS	G الد الد الد الد الد الد الد الد الد الد
	•	ALL REATHER	1200-1400
		CORDITION	

SPEED (KNTS) DIR:	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	<del>''</del>	2.9					+			-		. 4	5,0
NNE								!	1	:			
NE									I				
ENE									I				
t		<u>.</u>											
ESE		5					· • ·		I	i		. 7	7,8
SE									I			1.1	5,
SSE	[	1.3					•		I			3,1	8,1
_ \$		للمفني ر	2.3	3.6				; •	L			10.7	9,1
SSW	. 2	Lek	2.6	4.9	. 2		!		I			12,0	10,2
sw		2.0	7.1	9.1			<u> </u>		l			20.1	10,0
wsw	i [		12.3	9.9	]		I					19.7	9,9
_w	<u>l</u> !		2.5						L			3,6	9,0
WNW		1	2				l		l			2.0	7,1
NW	[								[			9	11.0
NNW	<u> </u>			2									7.0
VARBL	1.3	2.5	13.4	7.2					L			24.8	7.0
CALM		><	><	><	><	$\ge$	$\geq <$		$\geq <$		$\geq <$	. 4	
	2.4	11.6	31.6	34.5	. 7							100.0	9.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM AND 64 0-8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSCILLT

TATA PROCESSIN FRANCH ETAC/USAR AIR FEATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	TAFAL AB	THAIL	AND			66	-71		TEARS				A L G
		2121100			ALL W	EATHER			ILAR				0-1700
						LASS							(6.8.7.)
	_				сом	D: T10 N				<del></del>			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N		. 2										. ?	5,0
NNE							-						
NE													
ENE	1												
E										1			
ESE					-	,							
SE		1.1	. 2									1.3	5.4
SSE	. 2	1.1	2.7	. 2							-	4,2	7.7
\$	.2	2.0	11.9	9,3								24.1	9,8
SSW		, 5	6,9	>.7	, 2							13.3	10.4
5W	. 4	1.1	8.0	4,9								14.4	9.6
wsw	. 2	1.8	6.9	4.0								13,2	9.4
w	1	. 9	1.8	. 2								3,7	6.9
WNW		. 4	. 7	. 2								1.3	8,3
NW	1	. 2	. 4	. 4								, 9	9,4
NNW	I I	. 4	. 2	_								. 3	5.7
VARBL	1.3	4.0	10.8	5.5								22,1	5.4 7.7 9.8 10.4 9.6 9.4 6.9 8.3 9.4 5.7
CALM		><	> <	><	$\times$	>>	$\geq$	> <	><	><	><	. 7	
	2.9	14.8	50.6	30.3	. 4							100.0	9,2

USAFETAC FORM 0-8-5 (OL 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TOTAL NUMBER OF OBSERVATIONS

BATA PRICESSIME RANCH ETAC/USAF AIR MEATHER SERVICE/HAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAPAL AS THAILAND	66=71		Δ1 <u>{</u> ,
STATION	STATION NAME		YEARS	MONTH
		ALL MEATHER		1800-2000
	<del></del>	CLASS		HOURS (L S.T.)
		CONDITION		

	9.6	27.3	43.0	13.1	. 4							100.0	7
CALM	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq \leq$	> <	><	6.5	
VARBL	1.7	_ 5.4		لملي	Ĺ,		L		<u></u>			12.4	6
NNW		2										. 2	6
NW	- 2											, 9	5
WHW	. 2		2									- 4	. 9
w	1.1	2.0	1.7	6					ļ			5.4	. 6
wsw	. 9	3.7	7.9	1.8	- 4							14.8	. 8
sw	1.1	9.4	7.0	1.5								14.6	7
ssw	. 6	4.2	8.5	2.8								10.1	8
5	4	3,9	9.4	5.2								18.8	Ą
SSE	2.0	2.0	2.A	2								7.0	- 3
SE	.6	. 7	. 2									1.5	4
ESE													
£									1			•	
ENE	. 2											. 2	3
NE	. 6											7	2
NNE		. 2					1					. 2	5
N		. 4		<del></del>	<del> </del>		<del></del>					.6	4
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAI WINI SPEE

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROTESSEN TRANSMET TETACHUSAN AIR EAT ER SERVICEHTAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41020 0-TAPA A 6 IMAILANO 66-71 PARS MORTH
STATION AND THAIL N.E.A.THER 2100-2300
CLASS MOURS (LE.T.)

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	1.3	. 0	. 6									7.4	4.6
NNE		. 9	. 2			I	!	:				1,1	7,2
NE	. 6											. ^!	3,0
ENE	1.1										1	1.1	2.
£		. 2					!		1			. 7	6.0
ESE	ī — — I	. 2										. 7	5.0
SE	. 4	1.1	. 4				:					1.3	4 . !
SSE		3.0	1.5					·		<u> </u>		4.2	5,
5	1	2.0	3.4	2.1			I		r			A,A	7,0
55W		4.1	9.7					I				10.2	7.0
sw	1.3	4.1	7.3			1	1					13.2	7.0
wsw	1.1	5.8	9.9	2.4	. 2							19.4	7,0
w	1.3	9.1	2.0			I	I		]			5.4	6,
WNW		9										1,1	4.
NW	- T												
NNW	. 9	. 7	. 2	. 2								2.1	4.
VARBL	3.0	109	2.4									7.5	5,3
CALM		$\geq < 1$		><	><	><	$\geq \leq$	><	><	><	><	15.1	
	19.1	24.7	33.2	7.1	. 2							100.0	5,6

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0.8.5 (OL.1) PRIVE HIS EDITIONS OF THIS FORM ARE OBSCILLE

PATA PRIICESSIN' PRANCH FTACYUSAF AIR MEATHER SERVICEYMAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

91025	U-TAPAD AB THAILAND	66-71		2 E P
STATION	STATION MAME		YEARS	MONTH
		ALL WEATHER		0000-0200
	<del> </del>	CLASS.		HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	4.1	4.3	. 2	.4								R.7	3,8
NNE	. 9	. 2	. 2									1.3	3,6
NE	.6	. 4	. 2		·							1.3	4,2
ENE	, 9	. 2							1			1.1	2,7
Ε	, 9	. 2										1,1	2.1
ESE	.4	. 2	. 2									.7	4.5
SE		. 4	. 2									.6	5,1
SSE	. 7	.9	2,2							T		3.9	6.7
5	.2	2,2								1		4.8	6,9
ssw	. 7	1.9				<u> </u>						3,9	5,6
sw	1.1	3,4		. 4	-	<b></b>			1	·		9.9	6,
WSW	1.3	4.8				T						10,2	6,4
w	1.9	4.8							1			8,6	5,1
WNW	.7	. 6							1	i		1.3	3,
NW	1.1	. 6							1			1.9	4.2
NNW	3.2	2.8					· · · ·		T			8.0	4,6
VARBL	2.2	1.7	1.3					<u> </u>	İ			5,2	4.6
CALM		$\geq \leq$	$\geq \leq$	>	>		$\geq$	$\geq$	$\geq$	$\geq$	$\searrow$	27.4	
	21.0	29.4	20.7	1.5								100.0	3,6

TOTAL NUMBER OF OBSERVATIONS 537

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PRICESSTILE PHANCH ETACHUSAF AIR GEATGER SERVICEMAC

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPAL AB THAILAND	66=71	5EP
STATION	STATION HAME	YEARS	MONTH
		ALL WEATHER	0300-0500
		CLASS	HOURS (L.S.T.)
		CONDITION	<u> </u>

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	5.2	6,7	.9	. 2								13,1	3.
NNE	. 4	. 6	. 2									1,1	4 ,
NE	1.1											1,1	2.
ENE	.9	, 6										1.5	3.
E	. 4	. 2										.6	2,
ESE		. 4							1			.4	4.
SE	. 2											4	3,
SSE		. 9										9	4.
S	. 4	. 0	.4	. 6								1.5	6,
SSW	. 4	1.1	1.3	. 2								3.0	6.
sw	1.1	5,0		-								9,2	5,
wsw	2.0	6.0							<del></del>			10.3	5,
w	3.2	4.1	.6	.2								8,1	4,
WNW	1.5	1.7	.4									3.7	4,
NW	1.1	1.1	. 6							~		2.8	4,
NNW	3.0	2.0	. 4	. 2					<del>                                     </del>			6.9	4.
VARBL	2.2	1.3	. 4						1			3.0	3,
CALM		$\geq \leq$	$\geq \leq$	$\geq \leq$	$\geq$	$\geq$	$\geq$	$\geq$	> <	$\times$	> <	31.5	
	23.8	33.9	9.7	1.1								100.0	3.

TOTAL NUMBER OF OBSERVATIONS 534

USAFETAC FORM JUL 64 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

....

CATA PRICESSION CRANCO STAC/USAF AIR EATHER SERVICE/CAC

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPA" AB TEATLAND	66=71	SEP
BTATION	STATION NAME	YEARS	MONTH
		ALL MEATHER	0600=0800
	<del></del>	CLASS	HOURS (L.S.T.)
	<del>-</del>	CONDITION	_
			_

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	3.6	7.3	. 9	2			-					17.1	4.
NNE	1.7	. 4	. 4									2.4	3,
NE	. 0	. 4										• 5	3,
ENE	1.1	. 2										1.3	2.
E	1.7	.6										2.3	7,
ESE		***											
SE	.2	. ? .										.4	4,
SSE	.4	, 4	. 2				-					. 9	4.
5	. 2	. 2	. 8									1.1	7,
ssw	.6	1.7	1.1	. 2								3.6	6,
SW	1.5	4.0	3.8	, 2								9.4	
wsw	1.3	3,8	2.4	. 2								7.7	5,
w	2.1	1.5		. 2			<u> </u>					3.8	4
WNW	1.7	1.1	. 8									3,6	4
NW	1.7		. 6						T			3,4	3,
NNW	2.8	2.3	.6	.6				<u> </u>	1		···	6.2	4.
VARSL	4.0	2.3	. 6				<del> </del>		_			7.0	3
CALM	$\geq \leq$				$\geq \leq$		$\geq$	$\geq$	$\geq$	$\geq$	$\geq$	33.9	
	25.0	27.3	12.1	1.7								100.0	3

TOTAL NUMBER OF OBSERVATIONS 531

USAFETAC JUL 64 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROCESSION HAWCH FTACYUSAS AIR SEAT DR NESVICE/CAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41028	J-TAPA: AB THAILAND	66=71		24 b
STATION	STATION NAME		YEARS	MONTH
		ALL MEATHER		0906-1100
		CLASS		HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.7	, 9	, 9	. 4						<del>                                     </del>		3.7	4.8
NNE	. 6	. 6										1.1	3.7
NE	. 6	. 4	. 9									1,9	6.0
ENE	. 6	. 2		. 4				]				1.1	5.8
8	. 7	. 9	. 4									2,1	5.0
ESE	. 2	1.1	, 4									1,7	5,1
SE	. 4	1.3	6									?.?	5 g R
SSE	.2	1.5	1.5	.6								3,7	6,8
5	. 2	1.7	1.3	. 4								3,6	6,9
ssw	. 5	1.3	3.6	1.1								6.6	8,1 9,5
sw	. 6	1.9	5.4	5.0								13.5	9,5
wsw	9	2.1	4.5	1.5								9.0	7,7
w	. 6	1.3	2.2	. 4								4,5	7.0
WNW	. 6	1.1	2.4	. 4								4.5	7.4
NW	. 6	اخمذ	3.4	. 9		<u> </u>					i i	5,2	8,0
NNW	1.1	1.7	. 4	6								3,7	5,7
VARBL	3.7	9.4	U . 6	2.1								23 ª	6,5
CALM	$\times$	><	><	><	><	$\geq <$	$\geq \leq$	><	><	$\geq <$	><	7.1	
	13.7	28.7	36.5	14.0								100.0	6,6

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{form}}{\text{JUL 64}}$  0-8-5 (OL·1) previous editions of this form are obsolite

TATA PROGSSTU RAME ETACHUSAT AIR FEAT ER SE STOFF C

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

1	ATAT AB	TEATLE	A. (**			- 65	-71						: 13
_		STATION	HAME					•	EARS				ONTH
					ALL -	EATHER							-1400
	_					LASS						HOURS	(L.S.T.)
	-				50	NOITION				<del></del>			
	_												
SPEED (KNTS)	1 · 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN
DIR.	1										i		SPEED
N	. 7	, 7	1.3	-6								. ^	6.3
NNE	غ و ا	- 4										• •	4.7
NE	. 4											. 4	5.5
ENE	i	. 2						_				. 21	5.0
Ε	. 2	• 5										, 7	4,5
ESE	-	, 4	. 4	. 2								. 13	ଃ. ୩
SE		• ()	1.3	. 2				1				2.4	7.5
SSE	. 4	1.3	3.0									6.1	8.2
\$		1.4	6,7					i		1		11.7	8.2
SSW		, 5	2.8									5.7	9.8
sw	. 4	. 6	7.8									14.0	9,8 9,1 8,7
wsw	, 2	4,93	0.1	200		T		!				9.7	9,1
w	. 2	9 !3	2.8	. 7		1						4.3	8.7
WNW	. 2	. 7	4.5			<del> </del>						8.0	9.1
NW	1	• 6	1.9	7						1	H H	4.5	9.2
NNW	. 4	. 2	1.1	Ú		†		<del> </del>		<del>  </del>		7.7	7.8
VARBL	2.8					<u> </u>		<del> </del>		<del> </del>		24.4	7.8
		<del>- 11</del>		4.0	<u> </u>	<del>                                     </del>	· -	<del></del>		<del></del>			

TOTAL NUMBER OF OBSERVATIONS

537

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE LAD THE

2

CATA PROCESSES RANGA TACZUSA ZIR EAT ER RESVICEZMAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	A ABATEU	STATE AND	66-71	YEARS		MONTH
	-		ALL MEATHER CLASS		<del></del>	1500=1700 HOURS (L.S.T.)
			CONDITION		_	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	. 4	. 15	• 0									1,7	4.
NNE		. 0		.,								• "	4,
NE			. 2									. 2	8.
ENE	. 2											. 4	3,
E	- 4	. 2										. 5	3,
ESE	. 4											. 4	2 <b>.</b> 4 <b>.</b> 7 <b>.</b>
SE		. 8									i	P P	4,
SSE	. 8	1.7	3.2	1.3								7.^	7,
S	. 2	3.6	0.3	ن و ف								15,1	8,
ssw		_ 1.7	5.3	2.3								9.3	9,
sw	. 2	فوز	5.7	3.2								10,4	9,
wsw	. 4	4.0	4.5	1.3								10.2	7,
w		2.5	1.9	4								4.7	6,
WNW	. 8	1.3	2.6	. 9		L	İ					5,7	7,
NW	. 6	1.9	3.4	. 8								6,6	7,
NNW	. 4	1.3	1.1	. 2								3,0	6. 7.
VARBL	1.5	8.5	7.4	2.8								20.2	7,
CALM		><	><	><	><		><		$\geq <$	><	><	2.8	
	0.2	30.2	44.4	16.3								100.0	7,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRICESSIE CRANCO FTAC/USAF ALK PEATOLA SERVICE/TAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	4102F H	-TAPAN AB THAILAND	66-71		SEP
	STATION	STATION NAME		YEARS	MONTH
١			ALL WEATHER		1800-2000
,			CLASS		HOURS (L.S.T.)
			CONDITION	,	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1.3	. 4	. 6									2,3	4.
NNE	. 4	. 4										.6	3,
NE	. 4	. 2										, 6	3,
ENE	. 4	. 6	. 2						I		_	1.1	4.
E	. 6	1.1								T		1.7	3,
ESE	. 2	. 2										, 4	3,
SE	1,1	2.1	. 3									3.9	4,
SSE	1.5	4.1	3.0									9,7	5,
S	1.5	5.8	7.0	. 8								15.0	6,
ssw	1.3	4.3	6.6	1.7								13.0	7,
sw	1.3	4.7	4.9	1.1								12.0	6,
wsw	1.3	3.0	1,3	.6			Ī					6.2	5,
w	1.9	1.3	. 9	. 2								4.3	3,
WNW	1.3	1.3	. 4	. 2								3.7	4,
NW		1.9	. 2									7.1	5,
NNW	. 8	. 8	. 2									1.7	3,
VARBL	3.2	4.9	1.5	. 4								10.0	5,
CALM		><	> <	> <	><			$\supset <$	$\supset \subset$	><	><	11.8	
	18.4	36.d	28.0	4.9			Ī		,			100.0	5

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PRICESSING RANCE ETACZUSAF ATR EATHER SERVICE/MAC

> NW NNW VARBL

STAPATE BA TARATE

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

						FATHER LASS				<del></del>			0=2300 (LET.)
	_				col	MOITION				_ <del>_</del>			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	2,2	3.2	. 2			<del>                                     </del>						5,6	4.0
NNE	. 4	.4										. 7	3,0
NE	1.1	. 2										1.1	2,6
ENE	. 9	. 4										1.3	2.
ŧ	1.1	. 7										1.5	3.
ESE		. 6	- 4									• 9	6,0
SE	. 2	1.3	. 4	. 2								2.0	5.0
SSE	. 9	2.0	2.8									6.3	5.6
S	1.5	2.6	5.4	ن و								10.4	7.0
ssw	1.3	3.0	4.3									<u>د</u> و	6,4
sw	1.3	2.8	3.2	. 2								7,4	6.
WsW	2.0	4.1	3.4									9.9	6.1
w	2.0	2.2	1.7									4.0	4,1
WNW	3 1	4			I				T			1.7	3.

TOTAL NUMBER OF OBSERVATIONS 537

USAFETAC FORM | 0-8-5 (OL-1) PREVIOUS FOITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSING MANCH ETACHUSAF AIR MEATHER SERVICEMAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41026	U-TAPAC AS THAILAND	66=71		· c t
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0000-0200
	<del></del>	CLASS		HOURS (L.S.T.)
		CONDITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	8,9	15.6	6.2	. 5								31.7	4,
NNE	1.6	1.3	. 2									3,1	3,
NE	. 5	1.1	. 2									1 . 8	5
ENE	. 9	. 2	. 9									2.0	5,
E	. 2		. 2	. 4								. 7	8
ESE				. 2								. 2	16
SE	. 2	٠,5	. 4									1.1	6
SSE		. 9										. 7	5,
5	. 5	. 9										1.4	
SSW	- 4	. 2										- 5	2
sw		. 2										, 2	5
wsw	. 2	. 4										. 5	3
w	1.4	.7	1.1	. 2								3,4	5
WNW	.7	. 4										1.1	2
NW	2.9	2.0	. 4									5,3	3
NNW	4.2	9.2	5.3									18.7	5
VARBL	1.8	1.3	. 9	. 2								4,?	4
CALM		><	><	><	> <						$\supset <$	23.7	
	24.5	34.8	15.6	1.4	·				1			100.0	3

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $_{
m JUL~64}^{
m FORM}$  0-8-5 (OL·1) previous editions of this form are obsolete

DATA PRECESSING BRANCH ETAC/USAF AIR WEATHER RESVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41023	U-TAPAC AB THAILAND	66=71	. 67
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	0300-0500
		CLASS	HOURS (L.S.T.)
		CONDITION	<del></del>
			<del></del>

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	6,9	18.8	6.7	• 5								37.7	5,
NNE	1,6	1.1	1,3									4.0	5,
NE	. 5	, 5	. 2						· · · · · ·			1.3	4,
ENE	, 5	. 5	. 5				1					1.6	- 5,
£	. 4	, 5	. 2									1.1	4
ESE	, 2			. 2	. 2				1			. 4	10
SE		. >	. 2									, 7	6
SSE	. 2	. 2	, 4									. 7	5
5	. 5	. 4	, 4	. 2	. 4				_			1.8	8
ssw	. 2		. 2									.4	6
sw	. 4											. 4	2
wsw	. 2											. 2	3
w		1.1										1.1	4
WNW	1.4	. 5	. 5	. 2								2.7	4
NW	2.3	2.7	. 5									5.6	3
NNW	5.6	10.5	4.9									20.9	3
VARBL	1.4	2.5	1.1	, 2								5,2	4
CALM	$\supset \subset$	><	><	$\geq <$	$\geq <$	><	$\geq <$	$\geq <$	><	><	><	19.0	
	22.4	39.9	17.0	1.3	. 5							100.0	4

TOTAL NUMBER OF OBSERVATIONS 554

USAFETAC  $\frac{\text{FORM}}{\text{JUL 64}}$  0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PRECESSING PRACE ETAC/USAF AIR FEATUER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPAG AB THAILAND	66=71		CT
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		080-080
		CLASS		HOURS (L S T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
Z	6.3	10.5	13.6	1.8						_		35.2	5.8
NNE	. 5	1.3	1.1	. 4	. 2							3.4	7,1
NE	1.6	. 4	. 2	. 2								2,3	3,8
ENE	9	. 5										1.4	3,3
E	. 4	.7										1,1	3,5
ESE		. 2	. 2									. 4	5,5
SE		4	. 5	. 2								1.1	7,7
SSE		. 2	. 2									. 4	7.0
5					- 2							. 2	17.0
SSW	2	. 2	2										5,3
sw	4	. 2											3,3
wsw	. 5	5										1.1	4,0
w	. 7	. 2										1.3	4,6
WNW_	7		.7									2.0	5.1
NW	2.7	1.4	-7									4.8	3,9
NNW	3.9	12.0	4.8									20.8	5,2
VARBL	2.5	2.3	1.3	. 4								6.5	5,2
CALM	$\geq <$	$\geq <$	$\geq \leq$	><	> <	$\times$	><	><	$\geq \leq$		><	17.1	
	21.4	37.5	20.8	2.9	. 4							100.0	4.5

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (QL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRINCESSING ORBIGOR ETAC/USAF AIR MEAT BRISERVICE/14C

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41025	J-TAPA AB THAILAND	66=71	į¢Τ
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	0900-1100
		CLASS	NOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WING SPEEC
N	2.4	2.7	7,8	2,4								15.3	7
NNE	. 9	.7	3.5	1.1								5.0	8
NE	. 9	1.0	3,3	2.9								8.7	
ENE	. 9	2.5	2.4	. 5		,			1			6.4	
E	. 7	1.3	. 4	. 4								2.7	
ESE	. 2	,7	. 4	. 2								1.5	
SE	. 2	1.6	.7	. 7								3.4	_
SSE	. 4	1.6	1.3	. 4								3,6	
S	. 2	2.7	2.0									4.9	_ (
SSW	. 4	. 4	. 2									9	3
sw		, 5	. 2									. 7	
wsw	. 2	. 7	. 9	. 2								5.0	- 7
w	. 4	.7	. 7									1.7	- (
WNW		. 2	. 9	. 2								1.3	
NW	. 4	. 9	1.3	. 4								2,9	(
NNW	1.5	2.0	2.4	. 2								6.0	
VARBL	5.3	0.2		3.3								22,4	(
CALM	><	> <	><	><	> <	> <	> <	><	> <	$\sim$	><	9.3	
	14.7	27.5	35.8	12.7			<u> </u>					100.0	

TOTAL NUMBER OF OBSERVATIONS 550

USAFETAC  $\frac{\text{form}}{\text{JUL 64}}$  0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CATA PROCESSING PRANCH FTAC/USAF AIR EATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPAN AB THATLAND	66-71		ct
STATION	STATION NAME		ARS	MONTH
		ALL WEATHER		00-1400
		CLASS	но	URS (L.S.T.)
		CONDITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	. 2	1.4	3.4	2.2								7,2	3.
NNE	.2	.7	1.4	. 9								3,2	9.
NE	.2	1.4	2.2	9								4,7	8,
ENE	5.	. 7	2.0			}						3.4	7,
E		. 5	. 5	. 2					I			1.3	7,
ESE	. 2	. 4	. 7									1.8	6.
SE	4	1.4	1.4	. 9								4.1	7.
SSE	. 4	3.1	4.3									9.2	7.
S	4	5.0		7								14.2	7,
SSW		1.3	2.9	.2								4,3	7,
sw		. 4	.5	.2								1.1	7,
wsw		ÿ	1.1	- 2								2.2	8,
w	. 9	1.1	1.3	. 4								3,6	6.
WNW		. 5	3.4	. 2								4.1	8,
NW	.2	. 9	2.5	1.3								4.9	8,
NNW		.7	2.2	.4							-	3,2	8.
VARBL	2.9	10.6		2.3								21.9	6,
CALM	><	$\geq <$	$\geq <$	><	$\geq \leq$	$\geq \leq$	$\geq$	$\geq$	$\geq$	><	><	1.4	
	5.9	31.7	48.1	12.8								100.0	7,

555

USAFETAC FORM | 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROGESSION TRANCH ETAÇZUSA! AIR LEATHER SEFVICIZMC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	J-TAFA	AB THATLAGE	66≠71	CT
STATION		STATION HAME	YEARS	MORTH
			ALL WEATHER	1506-1700
			CLASS	HOURS (L S.T.)
			CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	. %	MEAN WIND SPEED
N	1.1	2.7	4.9	1.3	, 2							10.7	7.
NNE	. 4	. 9	1.3	. 5								3.1	7,0
NE	, 5	.5	1.1	. 2	. 2		!					2.5	7.
ENE		. 4	. 5	. 2			i					1.1	7.
E		, 4	. 2	.2	. 2								9.
ESE	. 5	, 5	,7									1.A	5.0
SE	, 4	. 9	2.0	. 2								3.5	7.
SSE	1.3	2.7	4.0									9.1	6.
S	. 2	3,0	5,8	. 4								10.0	7.
SSW		1.6	. 9	. 4								2.9	6,
SW	. 4	. 5	. 9	.2								7,0	6.
wsw	. 2	2.0	2.2	.2								4.5	6.
w	. 4	2.5	3,3									6.2	5.
WNW	. 9	2.7	3.6	•2		_						7.5	6.
NW	1.3	2.5	3,5	. 7								8.0	6.
NNW	. 7	1.8	1.1	. 2			· · · · ·					3.5	5.1
VARBL	3.6	8.0	6.5	. 9								19,1	6.
CALM	$\geq \leq$	$\geq$	$\geq \leq$	$\geq$	><	$\geq <$	$\geq \leq$	$\geq$	$\times$	$\geq$	> <	7.8	
	11.8	34.5	42.5	6.7	. 5							100.0	6.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0 8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSING BRANCH ETACZUSAT AIR LEATHER SERVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

410.	U-TAPAT AB THAILAND	66=71	, c t
STATION	STATION NAME	YEARS	MONTH
		ALL WEATHER	1800-2000
		CLASS	HOURS (L.S.T.)
		CONDITION	

SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	3,4	b,7	5.6	16	, 2							18.1	5 ,
NNE	1.3	103	1.1									3,6	
NE	. 9	. 7	ده									2.2	4
ENE	احو	1.3	1.1									2,9	5
E	1.3	1.3	- 2									2.7	7
ESE	4	. 4										. 7	4,
SE	ادم	• 7	- 4				1					1.6	4,
SSE	2.2	2.7	2									7.1	3
S	1.3	1.0	111									4.0	4
SSW	4	. 9	2									1.5	5,
sw	. 2	7	7									1.5	6
wsw	. 9	2.7										4,2	4
w	2.0	4.5								!		4,5	3
WNW	1.6	1.5		- 2								7.6	4
NW	2.4	2.5										6.0	4
NNW	3.4	4.9	6									10.0	4
VARBL	3.3	3.3	. 9									7,4	4
CALM	> < 1	><	$\geq < 1$	><	$\geq < 1$	><	><	><	><	><	><	20.1	
	26.0	35.1	15.2	- 4	. 2						£ · · . · . · . · . · . · · .	100.0	3

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

ATA PP 10 55181 RANC + 114 (1056)

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	C-TAPA AR THATLAND	66=71		CT.
STATION	STATION NAME		YEARS	HOM
		ALL AEATHER		7100-2300
		CLASS		HOURS (L.S.Y.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	6.0	14.0	4.7	. 4						!		27.1	4.
NNE	1.3	1.1										7.4	3.
NE	. 7	, 7	, 4							1		1.	4.
ENE	1,0		. 7						]			2.	3,
E	. 7	. 4										Tel	3,
ESE	-	. 4										• 4	В,
SE		.7	. 4			T						1.1	ਨ,
SSE	. 7	, 4										1.1	7,
3	- 4	1.3	.5									7.7	3,
SSW	. 5	. 2	, 2									• 7	4,
sw		. 4										• 4	3
wsw	. 2	. 4	. 4									. 0	- 5,
w	. 3		. 4									1.0	5,
WNW	. 2	. 2	. 2	. 4								• **	8
NW	2.5	. 7	. 4									3.6	3
NNW	0.2	6.4	1.5									14.0	4,
VARBL	4.2	1.8		. 2								6.0	3,
CALM		><	> <	><	> <			><		$\supset <$	><	30.0	
	28.0	30.0	10.4	1.0		<u> </u>						100.0	3

TOTAL NUMBER OF OBSERVATIONS

550

USAFETAC  $\frac{6.38M}{201.64}$  0.8.5 (OL.1) PREV. TOS EDITIONS OF THIS FORM ARE OBSERVED.

ATA PROTESSION PRACTICAL ATALONSAL AIR LEAT FRINE VICEY AC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41000	TAPA AB TSAILAN™	66-71	<b>۷</b> ٠ ،
STATION	STATION HAME	YEA	RS MONTH
		ALL WEATHER	0000-0200
		CLARS	HOURS (L.S.Y.)
	<del></del>	CONDITION	<del></del>

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	7.4	15.6	18.5	. 8								42.3	6.
NNE	i	4		. 2								1.7	7,
NE	. 4	.6	. ti	. 4								1.7	7,
ENE	. 2	• 4	. 2									, 4	- 5,
E			-										
ESE													
SE	. 2									i		. 2	2,
SSE	. 2											. 2	2.
S				-								. 5	6,
SSW							i			1			
sw													
wsw	. 2											. 2	3,
w	1											. 2	3
WNW	. 2											. 4	4
NW	1.7	2.1										3.8	3
WWW	8.2	14.7	9.8	1.1								32.8	5,
VARBL	.8	1.1	1.3			<b> </b>						3.6	6,
CALM		> <	> <	> <	> <	> <	> <	> <			>	11.6	
	19.4	35.0	30.5	2.9								100.0	5

TOTAL NUMBER OF OBSERVATIONS

USAFFTAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PROGRESSION TRANCO +14C/USAT +1R MEAT + SE VICE/ NCC

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

ON		מי אים	I - A I L	F ' 111				<del>-</del> / L						
			STATIO	-						EARS			ĸ	IONTH
						ALL I	CATHER							(; <b>-</b> 05u0
						С С	LASS						HOURS	(L.S.T.)
						cox	DITION							
		_												
		n	<del></del> -	<del>,</del> ;	<del></del>				·			,		
-	SPEED (KNTS)	1.3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	   48 - 55	≥ 56	%	MEAN WIND
1	DIR.										1			SPEED
T	N	4.4	17.1	الإمانا	1.3						1	1	41.1	6,4
Γ	NNE	. 8										1	ار • دَ	6,0
Г	NE		. 0									i i	1.1	6.8
Γ	ENE	li !		. 2									, 4	11.0 4.0
Γ	E	1											, 2	4.0
Γ	ESE												. 7	6.0
Г	SE	. 2										1	. ?	1.0
Γ	SSE													
Γ	s .	[				_						i i		
Γ	SSW													
Γ	SW													
	wsw										I	!i		
	w	. 4										i i	4	2.5
Г	WNW	. 2											2	1.0
	NW		1.7	. 2								l i	2.7	4.4
Г	NNW	6.3	19.2	10.9	1.4								37.3	5,5
	VARSL	1.3	4	. 4									2.9	
Γ	CALM		> <			$\geq$		$\geq <$	><	><			10.5	
F		#	$\sim$		<u> </u>	<u> </u>					<del></del>			

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSCIETE

TOTAL NUMBER OF OBSERVATIONS

ATA 18. (351) THE CO THEFUSH IN EAT . SENTEN C

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

1 C 2		42A Ac	TATION				66	-71	,	EARS				IONTH
314112			•			ALL ~	EATHER							0 <b>-</b> 0490
			··-				LASS				- <del></del>			F (6.5.T.)
						CON	DITION							
	SPEED (KNTS) DIR.	1 · 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
	N	4.1	14.2	21.7	2.0	. ?							43.0	7.0
	NNE			107	, 0								4,7	7.1
	NE	. 2	1.1	1.3	. 4									6.1
	ENE		. 4	. 4	. 2						i	1	• 7	8.2
	E	.2		. 4								!	. ^	6.0
	ESE													
	SE			ī									7	
	SSE													
	s	T							!					
	ssw	<u> </u>												
	sw										· ·			
	wsw	I I												
	w													
	WNW													
	NW	.0	1.4	. 6								Į j	3.^	6.5
	NNW	2.8	13-1	12.4	2.1									6.5

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE DISSOLUTE

ATA PROTESTE - KANES TAN/USAF RIF - ENT BY SESSICE/ OF

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	1-11	o A A in	IFAIL	Acin			66	-71				<del></del>		V IONTH
STATION			STATION	I HAME					,	TEARS				
						ALL N	LASS						0.500	0-1100
						CI	LASS						HOURS	(L S.T.)
						CON	DITION							
		_												
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	4) - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
- 1	N	از م ا	4.0	12.1	9.5	. 4							25.7	9,3 8,6 8,8 8,4
ļ	NNE	. 4	1.9	>.3	2.1								9.7	8.6
ĺ	NE		1.3	7.5									11.7	8.8
1	ENE	.0	3.4		2.5	, 2							10.7	5.4
ļ	E	. 4	• 0	4.3	. 6								3.8	8, 3 5, 0 6, 4 5, 7 4, 3
İ	ESE	.2	. 6	2									. 1	5.0
1	SE	1	1.3				· · · · · · · · · · · · · · · · · · ·						2.1	6.4
ľ	SSE	. 2	1.1	. 6									1.7	5,7
İ	5		. 4										٨	4.3
[	55W											i		
ļ	SW													
	wsw	1		. 2									. 2	10.0
ł	w	.4										,	. 4	3.0
i	WNW	. 2	. 2										4	3,5
ĺ	NW	2		. 6									R	6,5
	NNW	.2	1.5	1.7	. 6					I			4.1	7,6
	VARBL	1.9			7.2	1.1							22,4	10,0 3,0 3,5 6,5 7,6 9,2
ł	CALM				> <	$\geq \leq$	$\geq <$	$\geq$	$\geq$				4,3	

TOTAL NUMBER OF OBSERVATIONS

527

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CATA PROCESSE CON MARCH CTACKES CONTRACTOR AS CIRC EAT AS CONVICEN AS

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	2 TANA" AR THATLAIN			66=11								
BTATION		STATION HAN						YEARS				HONTH
			ALL MI	4THEP						120	C-1400	
				CL	ASS						HOU	(8 (L.S.T.)
				CONI	DITION							
Г			<del></del>	т						Т ———	1	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N		1.7	.3 , 6	3.0	. 2					<del>,</del>		7,7	9,
NNE	. 9	ن ,	2,5	1,1								5,1	P,
NE		1,9	2.7	1.1								5.7	8,
ENE	. 2	2.5	3.6	. 6								6.3	7.
E		,6	2.1	. 4								3.0	8,
ESE		, 5	2,1	, 4								3.0	8,
SE	. 2	. 2	2.0	. 4								3.6	₿,
SSE		1,3	7.8	1.1								10.2	8,
S	. 2	2.7	0.1	, 4								7.3	7,
ssw	. 2	. 8	12									1.1	5,
sw	. 2	. 4	. 4					L				. 9	5,
wsw	2	<u>.</u> 3	. 4									1.3	6.
w		1.1	. 8									1.9	6,
WNW		. 6	2.5	. 2								3.2	, A
NW		. 8	. 9	. 6			l					2.3	8
NNW			1.7	1.3	. 2							3.5	10
VARBL	2,5	7.0	11.0	9.1			l					50.7	8,
CALM	><	><	><	><	><	><	><	><	><	><	$>\!<$	. 4	
	4.5	23.9	51.1	19.7	. 4							100.0	Ą

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRIVESSING RANCH STACKUSAS AIR REAT ER SERVICEKIAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	U-TAPA: AB THAILAH	66-71		MONTH
STATION	STATION NAME		YEARS	MONTH
		ALL MEATHER		1=00-1700
		CLASS		HOURS (L.S.T.)
		COMDITION		

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	0		3.4	2.4	. 2							7.5	9.1
NNE	. 2	, 4	3.2	. 9								4.7	6,9
NE	. 2	, 4	1.5	. 2								7,1	7.5
ENE	. 4	1.5	, 9									2.1	6.3
E	. 2	• 0	. 8	. 4								1.0	7.5
ESE		10	1.1									1.7	7.3
SE	. 2	1.3	. 6									7.1	5,6
SSE	. 2	2.1	2.1	. 4								3.4	6.8
S	.9	3.6	5.6		-							10.3	6.6
SSW			2.6									4.1	7,1
sw	2	1.3	. 6									2,1	6.2
WSW	. 2	2.4	1.7	. 2								4.5	6.4
w	. 0	4.8	1.5									4,0	5,5
WNW		2.4	6.0	. 4								μ, ij	7,5
NW	. 2	. 9	2.9	3.0								11.1	9,4
NNW		. 5	3.8		. 2							5.6	9.0
VARBL	2.6			4.7								17.5	7,7
CALM		$\geq \leq$	$\times$	><	$\geq$	$\times$	$\geq$	$\geq$	$\geq$	$\searrow$	><	1,5	
	7.1	29.1	45.4	13.5	. 4							100.0	7,5

533

USAFETAC | FORM | 0.8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PROCESSION THAT CH ETAC/USAS AIR EATHER SESVICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41025	JETAHA AB THATLAHO	66-71	1.0
STATION	STATION NAME	YEARS	NOMTH
		ALL BEATHER	1.400=2000
	<del></del>	CLASS	HOURS (L.S.T.)
	<del></del>	CAN BITTION .	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	3.4	8.6	10.5	1.0								23.4	6.
NNE	1.0	1.5	2.7	• 6					<u> </u>			5,7	6,
NE	1.0	1.7	1.1									3.1	5.
ENE	1 3	1.0	. 4									2,7	4.
E	1.0	. 2	. 2					-	1			1.3	3.
ESE		. 4	. 4									1,1	5.
SE	. 4	• 6	. 2		. 2							1.3	6.
SSE	. 4	, 4										, R	3.
S	.6	1.03	. 2									2.1	4.
ssw	. 4	. 2										. 4	3,0
sw	. 6	1.1	. 2									1.7	4.
wsw	1.0	1.3										2.3	3.0
w	3.4	1.3										4 . A	3,0
WNW	2.3	1.1	. 6				Ī					4.0	3,
NW	3.2	5.1	1.5									9,9	4.
NNW	3.4	0.1	4.4									13.9	5,
VARBL	1.9	3,0	1.3	. 4								6.7	5,1
CALM	><	><	><	><	$\geq <$	$\times$	><	$\geq$	$\supset <$	$\supset \subset$	> <	13.0	
	75.1	35,4	23.6	1.9	. 2							100.0	4,

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HATA PRINCESSIES GRANCH ETACZUSAS DATE SEATING SERVICE/SAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102°	U-TAFA" AB T	HAILAND		66-71			i. IT <b>V</b>
STATION		STATION NAME			YEARS		MONTH
			ALL	WEATHER			2100-2300
		·		CLASS		-	HOURS (L S.T.)
				CONDITION			

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	6.8	17.0	10.4	• 5								42.P	6,
NNE	.6	1.5	.0	. 4								3.0	5,
NE	. 4	1.7		. 4								2.3	4,
ENE	.0	. 0										1.1	3,
3		. 4										. 4	6,
ESE													
SE												, 2	6,
SSE									L				
5													
ssw													
sw													
W5W													
w													
WNW	1.1											1.1	1
NW	2.8	1.3	. 2									4.4	3
NNW	5.9	11.4	6.6	.2								24,1	5
VARBL	. 9	1.1	. 6	.6								3,4	6
CALM	$\supset \subset$	><	><	$\geq \leq$	$\geq$	><	><	> <		$\supset <$		17.2	
	101	14.2	26.5						1			100.0	4

TOTAL NUMBER OF OBSERVATIONS 528

USAFETAC FORM 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PRITYSSIE THANCH ETAC/USAP AIR EATHER REMVICE/MAC

2

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41020	U-TAPAT AB THAILAND	66=71		Jr <b>c</b>
STATION	STATION NAME		YEARS	MONTH
		ALL WEATHER		0000-0200
		CLASS		HOURS (L.S.T.)
		CONDITION		

SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	3.9	14.5	10.0	1.7								30.1	6,
NNE	. 4	. 0	. 2	. 4								1.5	6
NE	.6		. 2									, 7	4
ENE	. 4	. 4				1						. 7	3
E	.4	. 2										.6	3
ESE													
SE													
SSE	.2											. 2	1
S		. 2										. 2	5
SSW													
sw													
wsw						1							
w		. 2									-	. 2	- 6
WNW	1.3	. 7										5.0	3
NW	1.7	4.0	3.2	. 2								9,6	
NNW	5.4	14.3	13.7	. 9								34,3	. 6
VARBL	. 2	. 9		- 4								2,2	7
CALM		><	><	><	> <	$\supset <$	><	> <			><	17.6	
	14.3	36.5	28.0	3.5								100,0	4

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\textit{FORM}}{\textit{JUL 64}}$  0-8-5 (OL 1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

BATA PRICESSING SHANCH ETAC/USAF AIR FEATHER RESUICE/MAC

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

U-T	APA AB	I HAIL	STATION NAME VEARS										
					ALL A	ENTHER		·					0 = 0 5 0 0
	_				c	LASS						MOURE	(L.B.T.)
					cor	IDITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	*	MEAN WIND SPEED
N	1.5	15.1	11.7	ر و ف						!		31.8	7.C
NNE	.4	. 9	. 4		1	!						1.7	5.0
NE	. 6	1.1			· · · · · · · · · · · · · · · · · · ·							1.7	3.7
ENE		. 2	. 0									, 7	6.3
E		, 4										. 4	4.0
ESE	1	. 2					,					. 2	
SE													
SSE	1											• ?	4.0 5.0 4.0
S												. 7	5,0
SSW	Į I											. ?	4.0
SW	i										I		
wsw											i		
w											1		
WNW		9	. 4									1,5	5.4
NW	, 9		4.5	. 2								8,7	6.5
NNW	3.2					<u> </u>						41.7	6.3
VARBL	. 4					,				1		? . 4	7.6
CALM		> <	><				><		> <			0.1	
				<u> </u>	<del></del>				·		r		

USAFETAC FORM | 0.8-5 (OL.1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PRICESSING FRANCH ETAC/USAS LIR LEATHER SERVICE/MAC

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	JETAFAD AB THAILAND	66=71	YEARS	HONTH .
		ALL MEATHER		060C=0500

SFEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
2	4.5	14.2	12.1	4.3								35.1	6,
NNE	. 4	٧	. 4	. 9								2.6	7,
NE	. 6	. 6	4	4	L	<u> </u>		l				1 9	6
ENE		• 2	4					<u> </u>				,6	6
E	. 2	. 2	- 2									. 6	6
ESE													
SE		. 2										. 2	_ 5
SSE													
S													
SSW												lj	
sw													
wsw													
w													
WNW	. 6	. 4	4									1.3	5
NW	_ 8	ظعك	2.8									6.6	
NNW	5.8	15.8	14.7	4.9								41,7	- 6
VARBL	. 2	1.5	. 8	2								2.4	- 6
CALM	><	><	> <	> <	> <	> <	> <	> <	><	> <	> <	7.7	
	13.0	36.4	32.1	11.3					E		·	100.0	6

TOTAL NUMBER OF OBSERVATIONS 53C

USAFETAC FORM | 0-8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MATA PHICESSIN MANCH AIR FEAT -ER SECUTCE/ OF

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

() — T @	APA" AB	THAILAND 66-71									, f C		
		STATION	HAME						YEARS				ONTH
	_					FATHEL							(LS.T.)
					L	A34						MODES	(L.B.T.)
					con	DITION				<del></del>			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N	1,3	6.2	8.4	5.5	. 2							22.6	8,0
NNE	. 6	1.1	4.5	2.6	. 4							7.1	9.
NE		1.3	4,3	3.7								9.3	10.
ENE	. 4	2.4	3.5	1.1								7.1	7,7
E	. 9	1.5	1.7	. 4								4.5	5,3
ESE		1.1	, 9									2.1	6.
SE	, 2	1.1	1.5									2.5	6,
SSE	. 4	1.1	1,3									7.8	6.3
S _	_ , 4	2.1	. 9									1.4	5,
ssw	,2	. 4										. 4	3.
sw			i										
wsw													
_w	. 2											?	2.0 4.1 7.2
WNW	- 4		2						L			, 4	4.
NW		9							ļ			7.6	7.7
NNW	- 7	300	4,5									11.0	8
VARBL	2,2	4.	6.9	3.7		<		Ļ	<u> </u>	Ļ		17.4	A,
CALM		$\sim$	$\sim$	$\sim$	$\sim$	$\sim$	$\rightarrow$		$\sim$	$\sim$	$\sim$	3,7	

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

8.0 72.0 39.9 21.0

TOTAL NUMBER OF OBSERVATIONS

100.0

7,9

# SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	J-TARA AB THAILAND	56=7] YEARS	NONTH NONTH
		ALL MEATHERS	1200-1400 HOURS (LS Y.)
		CONDITION	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N		1.3	3,7	3.2								۶ و ۶	9,9
NNE	. 2	. 6	2.8									5.0	9.0
NE	. 2	. 7	1.5	1.3								3,7	9.0
ENE		1.3	1.9	. 4		Ī						4.1	8.
E	. 3	1.3	. 6								,	2.2	6,2
ESE	. 4	1.1	1.5	•						i		3.0	6,4
SE	. 2	, Ž	4.6	1.1								۸.۱	9.0
SSE	1 1	1.5	10.4									13.7	8,4
5		2.4		2.0								10.0	8,4
ssw	. 2	. 4	1.7	- 4								2.5	8,3
sw			1.3									1.3	8,
wsw		. 6		. 2								1.5	7,4
w		. 4	. 6			<b>†</b>						1.3	9,1
WNW	. 2	. 7			* ******	<del></del>	·					3, 9	8,2
NW		.6										2.4	9,0
NNW		. 2	1.5	<b>.</b>								1,7	8.3
VARBL	1.3	7.4		2.4	. 6							23.6	7,8
CALM						>	> <			$\times$		. 7	
	2.8	20.0	58.9	16.4	, é			•				100.0	8.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0.8-5 (OL-1) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TATA PRO ESSTE THATCH ACT ATP LEAT FROM ESSTE VICEY AC

2

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

41026	TATA AB TEATER AND	56-71	YEARS .	
		CLASS		- 1 3 7 0 - 1 7 0 C

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	*	MEAN WIND SPEED
N	• 4	. ,	2.1	. 91								4. 7	1,
NNE		. 0	ع و	1.0								3,0	7
NE		• 0	.7	1.1			_						7,5
ENE		. 2	. 6							•	,		R
E		. 4									•	• •	
ESE		• 0	. 6	. 2		1						1 1	6
SE	2	1.1	1.7	. 2							•	J 332	7.
SSE	. 2	3,4	4,5	• 0								S . 1	7.0
S	. 2	4.1	12,3	1.1		Ĭ –						17,7	7.4
55W	1	1.7				T	Ţ ' "			•	-	4,5	7.3
SW		• 9				I	1.	1				4,7	7.5
wsw	. 4	1,2	2.1	. 3								5.0	6.1
w	.6	. 7	3.0									4 9	7,5
WNW		100	i 🔈 . l	2.4								7.1	9,7
NW	. 4	1.1	7.3	3.0		I						11.3	9,5
NNW	. 4	. 4	1.1	. 4								2,2	7,4
VARBL	1.3	٧, و		1.7	, 4				I			15.3	7,1
CALM		$\geq \leq$	><	$\geq \langle$	$\geq$						-		
	٥, ﴿	27.2	52.1	14.2		2			<u> </u>	<u> </u>		<u>. 100.0</u>	7,0

TOTAL NUMBER OF OBSERVATIONS

476

USAFETAC FORM 0.8.5 (OL.1) PREVIOUS ECITIONS OF THIS FORM ARE 18. LET

2

#### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED KNTS: DIR	1	- 3	4 - 6	7 - 10	11 - 16	17 - 21	22 -	27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	%	MEAN WIND SPEED
N		641.	, 1	£19.	14.									1^,7	5,5
NNE		<b>.</b> ₹.	4.2	£1\$.	<b>±</b> ₽.									5,4	7,3
NE		<b>a</b> ′2.	1.2 /.	£9.	4 4.									3,5	5 , 4
ENE	_	± 4	9	12.							_			1.	5.1
ŧ	_	₫	1 4.											9	4,0
ESE	_	a£.													3.0
SE	_	AAA.	1.2											2.5	3,4
SSE	_	A ?.	• 1.	s.k.										1.7	4.2
5	_	4	<b>∠±</b> Ω.											7.5	4.1
55W		. 7.	<u>. 2.</u>	44.										1.5	4,3
SW	-	A 2.	1.2.	44.				·						2 n	4,5
wsw		AAT.	4 4 4.	44.										5.1	4.6
w	-	6.9.	4.7.											5.2	3,4
WNW		la?	. قدم قد	6 a si.										7.0	5,2
NW	-	Lag.	2.9.	4.1.	44.			·		· .				10.1	6.0
NNW	-	4.4	الأمال	2.1.										9.6	5.6
VARGE		2.4	646	- 7.						. ,				4,4	4.4
CALM	-	-						_		T 7	~ .			22.3	
	#	7	*	•	+		*	- 4		* 7		r 1	r .		
		الامالة	30.91	17.9.	Leg.									100.0	4.0

TOTAL NUMBER OF OBSERVATIONS

MTN PS (1555) € KARE STACKUSAC STAC EAT G = SECUTUS/CHC

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

4102	HETAPAN AR THATLAND	66-71	: c
STATION	STATION NAME	YEARS	MONTH
		ALL PROTHER	2100-2300
		CLASS	HOURS (L.S.T.)
		CONDITION	•

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N	4,7	10.5	7.3	. 5						<del></del>		76.6	5,6
NNE	1.3	Ĭ, O	1.3	, 7						ļ <del></del>		4.9	6.1
NE	. 2	. 5										. 7	4.0
ENE	. 7	۶,	. 2						1			1.1	3,'
E	. 5		. 2				ļ <del>-</del>					[ , ]	3,
ESE													
SE	. 4											. 4	2,'
SSE	. 4	. 4										. 5	4 .7
5												. >	2,0
ssw	. 4	• 6										. 5	3.0
sw	. 2		·						1			2	2.0
wsw	. 2	. 2										. 4	3, 5
w													
ww	1.0	• 2	. 2	-					j			2.2	3,0
NW	4.4	4.0	1.8									p . 7	4.5
NNW	2.5	14.0		• 6								26.5	5,4
VARBL	9	. 5	. 7	. 2					l			2.4	5,
CALM		$\geq \leq$	$\geq \langle$		$\geq \leq$	$\geq$	$\geq$	$\geq$	$\geq <$		><	24.5	
	19.5	34.1	23.3	1.0								100.0	4.

TOTAL NUMBER OF OBSERVATIONS 543

USAFETAC | FORM | 0.8.5 (OL-1) PREZIOUS EDITIONS OF THIS FIRM ARE CASCILETE

ATA PROGRES INC.
TATABLE
TO EATE: Fatter of

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	-TALA AL ALL/ ALL/ A 50-72  STATION NAME  VERNS	/ L L
	INSTRU FIRT	HOURS (LST.)
	CAT 200 TO 1400 FF W/ USRY 1/2 of the MCREA	
	1 6 VSUY 1/2 TO 2-1/2 11 A/CTU 200 FT -R DOBE	

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٠,	MEAN WIND SPEED
N	. 4!	٠,٠	• 9	. 9	. 4							1.4	7,
NNE	· · · · · ·	47	. 9	4								, , , , , , , , , , , , , , , , , , ,	5.
NE		1.3	. 4								· · · · · · · · · · · · · · · · · · ·	1,7	٠,
ENE	1.7	1.7		, 4								4, 7	5.5
E	. 9	2.0	فعذ	1.7	, 4							1, 7	8,1
ESE		2.1	. 4	1.3				L				4 , 1	Я,
SE		ان و ک	601		, 9							. 4	
SSE	4	1.5	2.0	2.2	4							n , 9	TC.
5		9	2.0		9							я,2	ĴΟ.
55W	į į		1.3	2.0					<u> </u>			3,9	11.0
5W	- 4	• )	100				L					7.1	6.
W5W	أفيعا	• 3	4	<u> </u>	, 4					[		3.7	7,0
w	. 4	3.1	2.1	1.3					İ			6.0	7.
WNW	4	, 4	1.7	2.1								4.7	9,
NW		4	6.1	. 4	- 4							3.4	7,
NNW	[	ÿ	2.1	9								3,0	9.
VARBL	4.4	0.4		1.3								12.7	6.
CAIM		$\geq \leq$		> <	$\geq <$	$\geq$	$\geq$	$\geq \leq$	><	><	><	٨,٠	
	11.2	29.2	27.0	22.7	3.9							100.0	7.

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL.1), pp. , is that this tolaw and leading

PATA PROCESSING DIVIDITE EIRC/USAF AIR MEWCHER SERVICE (MAC) ASHEVILLE, NORTH CAROLINA

#### PART D

#### CEILING VERSUS VISIBILITY

This summary is a bivariate percentage frequency distribution by classes of ceiling from zero to equal to or greater than 20,000 feet and as a separate class "no ceiling", versus visibility in 16 classes from zero to equal to or greater than 10 miles. Data are derived from hourly observations, and three sets of tables are presented as follows:

- 1. Annual all years and all hours combined
- 2. By month all years and all hours combined
- 5. By month by standard 3-hour groups

Due to the cumulative nature of this presentation, it is possible to determine the percentage frequency of parameters for any given limit of ceiling or visibility separately, or in combination of ceiling and visibility. The totals progress to the right and downward. Ceiling may be determined independently by referring to totals in the extreme right hand column. Also, visibility may be determined independently by reference to the horizontal row of totals at the bottom of the page. The percentage frequency for which the station was meeting or exceeding any given set of minima may be determined from the figure at the intersection of the appropriate ceiling column and visibility row. Several examples in the use of these tables are shown on pages 2 and 3 below.

U. S. Weather Bureau and Navy stations did not report ceilings within the range 10,000 feet and higher prior to January 1949. Summaries prepared from data for these stations using the earlier period and data subsequent to January 1949 will be modified to limit ceilings to 10,000 feet. Short periods of record prior to 1949 for these stations will be eliminated from the summary. For Air Force stations, the "no ceiling" category includes clear and scattered conditions, and ceilings above 20,000 feet for period through June 1948. Regioning in July 1945 for Air Force stations and January 1949 for USWB and U. S. Navy stations the "no realing" category consists of observations with less than 6/10 total sky cover and those cases where total may cover is 5/10 or more, but not more than 1/2 of the sky cover is opaque.

#### EXAMPLES FOR USE OF CEILING VERSUS VISIBILITY TABLES IN THIS TABULATION

leff Cantala	VISIBILITY (CENTILLE MILES)															
	> 10	≥ 6	≥ 5	≥ 4	≥ 3	≥ 2 ⅓	≥ 2	o 1 ⅓	:2 1 1/4	≥ 1	≥ 1/4	≥ %	≥ ½	≥ 5/16	≥ %	0
NO COMO	\\ \\			_									~			ا ا
										$\leq$	$\leq$					
11 1700 11 1500					91.0											1.2.5
1000																
70 con € 600 €																
= 700 ≥ 600										L						†
≥ 500 > 400										97.4				<del> </del>		90.1
													·			
≥ 100   ≥ 0					95.4		96.9			60,3						100.0

- EXAMPLE # 1 Read coiling values independently of visibility under column at right headed  $\geq$  0. For instance, from the table: Ceiling  $\geq$  1500 feet = 92.6%. Ceiling  $\geq$  500 feet = 98.1%.
- Read visibilities independently of ceilings on bottom line opposite  $\geq 0$ . From the table: Visibility  $\geq 3$  miles = 95.4%. Visibility  $\geq 2$  miles = 96.9%. Visibility  $\geq 1$  mile = 98.3%.
- FXAMSUE # 3 To obtain combinations of ceiling with visibility, read figure at intersection of the two categories; i.e.: Ceiling  $\geq$  1500 feet with visibility  $\geq$  3 wiles = 91.0%.

#### ADDITIONAL EXAMPLES

EXAMPLE # 4 Values below minimums stated in the table may be obtained by subtracting the value given in the table from 100%.

Thus, to obtain the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles, subtract the value read from the table at the intersection, which is 91.0, from 100.0. The answer 9.0 is the percentage of observations with ceiling < 1500 feet and/or visibility < 3 miles.

Likewise, the percentage of observations with ceiling < 500 feet and/or visibility < 1 mile is 2.6, obtained by subtracting 97.4 from 100.0.

EXAMPLE # 5 To find the percentage of observations falling within the two categories given in example above, subtract the value read from the table for the first set of limits from the value in the table for the second set of limits. The difference will be the percentage of observations meeting the lower set of limits, but not meeting the higher set of limits.

The value 91.0 read from the table at the intersection of  $\geq$  1500 feet with  $\geq$  3 miles, subtracted from 97.4 read from the table at the intersection of  $\geq$  500 feet with  $\geq$  1 mile is equal to 6.4%. Thus; 6.4 percent of the observations meet the criteria: "ceiling  $\geq$  500 feet with visibility  $\geq$  1 mile, but < 3 miles; or ceiling  $\geq$  500 feet, but < 1500 feet with visibility  $\geq$  1 mile."

Since these tabulations are prepared in several ways including by month, by 3-hour groups it is possible to determine diurnal variations of ceiling and visibility limits as well as probabilities of various ceiling-visibility combinations.

## CEILING VERSUS VISIBILITY

41028

U-TAPAH AB THAILAND

66-72

ALL ALL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LIS BIL TY STAT, TE MILES

TOTAL NUMBER OF OBSERVATIONS

50028

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL

98.7 99.1 99.2 99.8 99.9 99.9 99.9 99.9 99.9 99.9 99.9 99.9 99.9 99.9 98.7 99.1 99.9 99.2 99.8 99.9 99.9 99.9 99.9 99.9 99.9 99.9 99.9 99.9 98.7 99.1 98.7 99.1 98.7 99.1 99.2 99.1 99 

TOTAL NUMBER OF OBSERVATIONS

4165

AF FTAF 0 14 5 OL AF 44

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

67-72

FFB

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a de stat tener

ALL

TOTAL NUMBER OF OBSERVATIONS

3763

SAFETAC - 0145/OLAT

SALETAC

1.14 f (C), A)

# CEILING VERSUS VISIBILITY

41021

U-TAPAR AB THATLAND

67-72

MAR ALL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL

TOTAL NUMBER OF OBSERVATIONS

407

SAFFTAC " GTAS OLA .

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL

TOTAL NUMBER OF OBSERVATIONS

4258

94 61A) 14 5:OLA. -

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THATLAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL

TOTAL NUMBER OF OBSERVATIONS

3979

SAF ETAC 0 45 OLA. ...

## CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a in that they a

ALL

99.6 99.0 99.7 99.6 99.5 99.6 

TOTAL NUMBER OF OBSERVATIONS

4634

54 5746 11 15 14 5 101 At lan

## CEILING VERSUS VISIBILITY

41020

E-TAPAN AB THAILAND

66-71

A1:0

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS.

۵۲۲

TOTAL NUMBER OF OBSERVATIONS

435

81418

4 € € ( A . .

## CEILING VERSUS VISIBILITY

41028

-- TAPAR AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ALL

98.7 99.0 99.2 98.7 99.0 99.2 

4269

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

66-71

CCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

The state of the state of

۸LL

TOTAL NUMBER OF OBSERVATIONS

4215

57.17

4 5 CB A

ţ

50 1 B

4 . Jr. A .

## CFILING VERSUS VISIBILITY

41024

U-TAPAH AS THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

A THE TAX THEY A

ALL

4017

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

4102"

U-TAPAN AB THAILAND

66-71

DEC

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ΔLL

99.3 99.4 99.4 99.5 99.5 99.3 99.4 99.5 99.5 99.5 

TOTAL NUMBER OF OBSERVATIONS

4099

4 5 O. A.

A . . \* A .

4 f (j); A . .

# CEILING VERSUS VISIBILITY

41028

U-TAPAT AB THAILAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TAR THE STATE SHOWS

0000-0500

TOTAL NUMBER OF OBSERVATIONS

## CFILING VERSUS VISIBILITY

41024

U-TAPAR AB THAILAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a transfer to or as

0300-0500

TOTAL NUMBER OF OBSERVATIONS

518

0.45 OLA.

i

51 6141

1.144 O; A .

# CEILING VERSUS VISIBILITY

41028

Ċ

U-TAPAD AB THAILAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

530

5.14.5 OLA) --

# CEILING VERSUS VISIBILITY

41028

U-TAPA" AB THAILAND

4 ( O. A .

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LIGHT THAT THE WILLIAM

1200-1400

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41026

HETAPAR AB THATLAND

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

23 WIT TATE OF US

1500-1700

TOTAL NUMBER OF OBSERVATIONS

519

4.5

## CEILING VERSUS VISIBILITY

4102E

U-TAPAN AB THAILAND

4.5 1 € 🛕 🗆

14 11 14 1

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THATLAND

 $(A + A + A + A) = \frac{1}{2} \left( \frac{1}{2} \left( \frac{A}{2} + \frac{A}$ 

67-72

JAN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2100-2300

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

HETAPAN AB THAILAND

67-72

FFH

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

Life to that the book

0000-0200

TOTAL NUMBER OF OBSERVATIONS

471

14 F TOLA .

A1 17 A1

# CEILING VERSUS VISIBILITY

41026

HATAPAN AB THAILAND

4 5 7 € 4 . .

67-72

FEB

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0300-0500

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

FEB

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

J-TAPAR AB THAILAND

67-72

FEB

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

#### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THATLAND

67-72

FEB

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

Call to standing to

1200-1400

91.3 99.8 99.8 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0

413

TOTAL NUMBER OF OBSERVATIONS

5.3727

35-0. A .

# CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

LER

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1700

.

TOTAL NUMBER OF OBSERVATIONS

#### CEILING VERSUS VISIBILITY

41026

U-TAPAG AB THAILAND

67-72

FFI

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

(1

U-TAPAR AB THATLAND

11 O.A .

67-72

FFB 2100-2300

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

(\*

U-TAPAD AB THAILAND

67-72

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0000-0500

TOTAL NUMBER OF OBSERVATIONS

526

45 OLA: --

#### CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

r AR

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

0300-0500

TOTAL NUMBER OF OBSERVATIONS

537

SEFTAT 1 145 OLA ...

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

516

0 45 OLA .

#### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

67-72

. AR ≅

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

525

14.5 OLA. ...

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

14 C A .

AFFTA

07=72

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

TOTAL NUMBER OF OBSERVATIONS

#### CEILING VERSUS VISIBILITY

41025

CHATAPAN AB THAILAND

ALCOLA.

67-72

MAR.

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

A THE STATE OF THE RE-

1500-1700

TOTAL NUMBER OF OBSERVATIONS

A4 + \*A

A FOR A .

#### CEILING VERSUS VISIBILITY

41023

H-TAPAR AB THAILAND

67-72

MAR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

# CEILING VERSUS VISIBILITY

4102%

CHALLAND BA THAILAND

67-72

ΒAL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

2100-2300

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41020

CHAJIAHT BA CATATANO

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS!

0000-0200

OT AL NUMBER OF OBSERVATIONS

#### CEILING VERSUS VISIBILITY

41029

U-TAPAL AB THATLAND

67-72

^PR (300=0500

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

93.5 99.2 99.4 99.6 99.8 99.8100.0100.0100.0100.0100.0100.c100.0100.0100.0100.0 

501

.

TOTAL NUMBER OF UBSERVATIONS

AD-AD96 962  AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTERETC F/G 4/2 U-TAPAO RINAS: THAILAND: REVISED UNIFORM SUMMARY OF SURFACE WFAETC' OCT 73 U/ICLASSIPIED USAFETAC/US-81/020  SRIF-AD-FRSD 030												
UICLASSIF IED	USAFETAC/US-	81/020	SBIE	SBIE-AD-E850 030 NL								
35												

# CEILING VERSUS VISIBILITY

41028

۹

U-TAPAD AB THAILAND

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

210 26 25 24 23 27: 27 21: 21: 21: 21: 21: 25:0 2: 25:0

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_

ISAF ETAC 10 0-14-5 (OLA) PRESENTE OF THE AREA ARE PROSPET

# **CEILING VERSUS VISIBILITY**

41028

U-TAPAD AB THAILAND

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

VISIBILITY ISTAT ITE MILES

0900-1100

71, 4 71, 4

TOTAL NUMBER OF OBSERVATIONS

511

USAF ETAC 140 0-14-5 (OLA) (46) CONTRACTOR COMMARK TRACTOR

#### CEILING VERSUS VISIBILITY

41028

U-TAPAG AB THAILAND

67-72

1200-1400

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

. S BILITY ISTATUTE MILES

98.8 99.0 99.6 99.6 99.6 99.6 99.6 99.6 100.0100.0100.0100.0100.0100.0100.0 98.8 99.0 99.6 99.6 99.6 99.6 99.6 99.6 100.0100.0100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS

504

0 14 5 (OL A) ...

# **CEILING VERSUS VISIBILITY**

41028

U-TAPAD AB THAILAND

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1700

CELING I	CERING															
FEET:	≥ :0	≥ 6	≥ 5	≥ 4	≥ 3	≥ 2′;	≥ 2	≥ 11.,	≥ 114	≥ 1	≥ 3.	≥ 5,	≥ ',	≥ 5′16	≥ ,	≥ ^
NO CE LING		72.8	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0	73.0
20000		90.8	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0
> 8000		90.8	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0
zt 14000		90.8	91.0	91.0	91.0	91.0	91.0	91,0	91.0	91.0	91.0	91.0	91.0	91.0	91.0	91.0
~ 4000		91.0	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2	91.2
.000		92.8	93.0	93.0	93.0	93.0	93.0	93.0		93.0	93.0	93.0	93.0	93.0	93.0	93,0
- 1200/2		94.7	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9	94.9
. 90at		95.1	95.3	95,3	95.3	95.3	95.3	95,3	95.3		95,3	95,3	95.3	95,3	95.3	95,3
200		97.8	98.0	98.0	98.0	98.0	98.0	98.0		98.0		98.0	98.0	98.0	98.0	98.0
		98.2	98.4	98.4	98.4	98,4	98.4	98.4	98.4	98,4	98,4	98.4	98.4	98.4	98.4	98,4
- 6000°		98.2	98.4	98.4	98.4	98.4	98.4	98,4	98.4	98.4	98.4	98.4		98.4	98.4	98,4
		98.4	98.6	98,6	98.6	98.6	98.6	98,6	98.6	98,6	98,6	98.6	98.6	98.6	98.6	98.6
44.00	j	98.4	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6	98.6
4007		98.6	98.8	98.8	98.8	98.8	98.8	98,8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8
- 8500 - 600		98.6	98.8	98,8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8
		98.6	98.8	98.8	98.8	98.8	98.8	98,8	98.8	98.8	98.8	98.8	98.8	98.8	98.8	98.8
	1	99.0	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2	99.2
+		99.0	99.2	99.2	99.2	99.2	99.2	99.2				99.2	99.2	99.2	99.2	99.2
- # %, - %)**	'	99.0		99.2		99.2	99.2		99.2					99.2	99 . 2	99.2
															100.0	
. X	}														100.0	
															100.0	
* 25°															100.0	
															100.0	
- 44															100.0	
															100.0	
															100.0	
	,														100.0	
+ 0 a		99.8	100.0	100.0	00.0	00.0	100.0	100.0	100.0	100.0	00.0	00.0	100-0	100.0	100.0	00-0
		99.8	100.0	100.0	00.0	00.0	00.0	00.0	00.0	100.0	00.0	00.0	100.0	100.0	100.0	00.0
															100.0	
												2000				

TOTAL NUMBER OF OBSERVATIONS

# **CEILING VERSUS VISIBILITY**

41028 U-TAPAD AB THAILAND

67-72

----

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY (STATUTE MILES)

1800-2000

CELING ,																
	≥ '0	≥ 6	≥ 5	≥ 4	≥ 3	≥ 2';	≥ 2	≥'',	≥ 1 4	≥ 1	≥ 3.	≥ 50	≥ ';	≥ 5:16	≥ .	≥ 0
NO CELING		68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0	68.0
3- 13000		94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5		94.5	94.
> 18000		94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.
· (00);		94.5	94.5	94.5	94.5	94.5	94.5	94.5	94.5	94,5	94.5	94.5	94.5	94.5	94.5	94.
2 4000		94.7			94.7	94.7		94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.
2000		95.7			95.7		95.7		95.7	95.7	95.7		95.7	95.7	95.7	95,
2.12000		96.7	96.7	96.7	96.7	96.7		96.7	96.7	96.7		96.7		96.7	96.7	96.
5 5000		97.7					97.7		97.7	97.7			97.7	97.7	97.7	97.
≥ 8000		99,2			99.2		99.2		99.2	99.2			99.2	99.2	99.2	99.2
2 1000		99.2					99.2	99.2	99.2			99.2				99.
5 5000		99,2					99.2		99.2		99.2		99.2			99.2
₹ 5000 L		99.2	99,2	99.2	99.2	99.2	99.2	99,2	99.2				99.2	99.Z	99.2	99,
× 4500		99.2	99.2	99.2	99.2	99.2					99.2		99.2	99.2		99.2
c 4000		99.2	99.2								99.2		99.2	99.2		
3500		99.2	99.2									99.2			99.2	99.
~ 3000 i		99.2	99.2									99.2		99.2		
≥ 2500		99.2		99.2											99.2	
2000			99.2												99.2	
≥ 800			99.2												99.2	
.≥ 1500°		99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100,0	100.0	100.0	100.0	100.0	100.0	100.0
200															100.0	
1000															100.0	
≥ 900															100.0	
≥ 800															100.0	
2 700		99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5. VÛL															100.0	
er 500															100.0	
≤ 400		99,8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
F 300		99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
≥ 200		99,8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100
E: 100		99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
± 0		99.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

TOTAL NUMBER OF OBSERVATIONS

513

USAF ETAC 0-14-5 (OL A) PREJUDIS STATE OF THE STATE ORGANICAL

2.0000

# CEILING VERSUS VISIBILITY

41023

U-TAPAD AB THAILAND

67-72

APR

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES

2100-2300

≥5 ≥4 ≥3 ≥7; ≥2 ≥1, ≥1, ≥1

TOTAL NUMBER OF OBSERVATIONS

515

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

+ S B LITY STAT TE MILES

0000-0200

TOTAL NUMBER OF OBSERVATIONS ...

533

SAFETAC - 0145/OLALINI, CONTRACTOR AND A CO

# CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67=72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0300-0500

97.7 98.5 98.9 99.2 99.2 99.6 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0

TOTAL NUMBER OF OBSERVATIONS

53

USAF ETAC - 0.14.5 (OLA) (PEC, 10.5 and 10.5 in the 10.00 ARC 1951, ETA

1.50

# **CEILING VERSUS VISIBILITY**

41028

U-TAPAN AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

VISIBILITY ISTATUTE MILES:

46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46.5 | 46

TOTAL NUMBER OF OBSERVATIONS

53

SAFETAC 0.14.5 (OLA) as a strong of the same age ago as

#### CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

VISIBILITY STATUTE MILES.

0900-1100

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_\_\_

531

LISAF ETAC - 1 - 20 - 0.14.5 (OLA) (sec. - 1 - 201 - 12 - 4 - 201 - 80 APL - 80 LETE

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

07-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

IN SIBILITY STATULE MILES

1200-1400

TOTAL NUMBER OF OBSERVATIONS

528

SSAF ETAC 014-5 (OLA) (600 - 0

# CEILING VERSUS VISIBILITY

41025

U-TAPAN AB THAILAND

AFFTAC 1 JASIOLAL ...

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1500-1700

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1890-2000

TOTAL NUMBER OF OBSERVATIONS

533

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

MAY

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

SBL TY STAT, TEMILES

2100-2300

TOTAL NUMBER OF OBSERVATIONS

533

SSAF ETAC - 0.14.5 (OLA) 1881. - 11.11. 1.11. 1.18.1.18.1.18.1

# CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

JUN

0000-0200

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

. SIBILITY STAT ITE MILES

TOTAL NUMBER OF OBSERVATIONS

498

SAFFTAC TO 0 4.5 (OLA) Set. The A Section ARE AN ARE

. 4

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0300-0500

VISIBILITY STATUTE MILES.

TOTAL NUMBER OF OBSERVATIONS

502

USAF ETAC 4 0-14-5 (OLA) EEL POTTEN A THE E BALARE HAS LET

# CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

504

#### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THATLAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

TOTAL NUMBER OF OBSERVATIONS

SAFFTAC 0 45 OLAL W. . . .

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

BUT TEN LES

1500-1700

99.0 99.2 99.0 99.2 99.0 99.2 99.0 99.2 

TOTAL NUMBER OF OBSERVATIONS

496

SAFE\*AC - 14510LA1 ---

#### CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THATLAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

a to star this as

1800-2000

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

JUN

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

JOSEPH STAT ITE MILES

2100-2300

TOTAL NUMBER OF OBSERVATIONS

50

SUSAF ETAC 0-14-5 (OLA) (W. Constitution of the color was agree to

### CEILING VERSUS VISIBILITY

4102H

U-TAPAR AB THAILAND

67-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

USBUTH STATUTE MUES

0000-0200

TOTAL NUMBER OF OBSERVATIONS

52

SAFETAC 0 14.5 (OLA) .... First a law applied at

## CEILING VERSUS VISIBILITY

4102F

U-TAPAD AB THAILAND

66-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

. SIBICITY STATISTE MICES

0300-0500

TOTAL NUMBER OF OBSERVATIONS

542

SAFETAC 014-5 (OLA) im.

### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

618

SAFFTAC 0145/OLA) ...

## CFILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

SAFF \* 10 145 Ot A. ...

66-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

### CEILING VERSUS VISIBILITY

41028

U-TAPALI AB THATLAND

66-72

JUL 1200-1400

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

SBUTY STATUTE MILES

99.7 99.8 99.8 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 · 99.7 99.8 99.8 100.0 1

TOTAL NUMBER OF OBSERVATIONS

624

SAF ETAC 0 14-5 (OL A) 41.

#### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBO THISTAT TRANSPORT

1500-1700

TOTAL NUMBER OF OBSERVATIONS

620

USAFETAC 0145 (OLA) was a see a see a see a see

# CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

66-72

1800-3000 Inf

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

WS-BIG TY STATUTE MILES

TOTAL NUMBER OF OBSERVATIONS

44

PISAF ETAC - 12 0.14-5 (OLA) (SEC.) - 17-17 (Fig. 1) Fig. (SEC.) (SEC.)

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

67-72

JUL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

, kigo ne ktan new ye

2100-2300

TOTAL NUMBER OF OBSERVATIONS

51

ISAF ETAC 0.14-5 (OLA) 997. TENT NO RETHER PROPERTY

## CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

I SIBIL THI STAT TENDILES

0000-0200

TOTAL NUMBER OF OBSERVATIONS

SAFETAC 0 45(OLA) ...

SAFFAC

1.14.51QLA) III

### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-71

QUA

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

A THE STATE OF PER

0300-0500

TOTAL NUMBER OF OBSERVATIONS

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

USBRUTY STAT ITE MILES

0600-0800

TOTAL NUMBER OF OBSERVATIONS

549

BISAF ETAC 014-5 (OLA) apr. His styr max is the companied grouper

## CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LS BILLTY STAT TE MILES

0900-1100

TOTAL NUMBER OF OBSERVATIONS

55

CUSAFIETAC 0.14-5 (OLIA) PRESIDENCIA O CONTRACTOR APPENDISTRIC

### CEILING VERSUS VISIBILITY

4102#

U-TAPAT AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

TOTAL NUMBER OF OBSERVATIONS

55

GSAFETAC TO 0.14

0 14-5 (OL A) ···

#### CEILING VERSUS VISIBILITY

41026

U-TAPAR AB THAILAND

STACOLA .

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBUTY STATITE WILES

1500-1700

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBN THISTAT TENNIES

1800-2000

TOTAL NUMBER OF OBSERVATIONS

541

1"4 " " "4" OLA -

#### CEILING VERSUS VISIBILITY

41024

U-TAPAN AB THAILAND

66-71

AUG

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a in that they have

2100-2300

TOTAL NUMBER OF OBSERVATIONS

530

SAF F'A S 3 45 OLA) -

ISAF FTAC

0.14.5 (OLA)

#### CEILING VERSUS VISIBILITY

41028

U-TAPAT AB THATLAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

, significant tempora

0000-0200

TOTAL NUMBER OF OBSERVATIONS

53/

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0300-0500

TOTAL NUMBER OF OBSERVATIONS

534

14 1 45 OLA ...

CAFFTAC .....

) 14.5 (OLA) .....

### CEILING VERSUS VISIBILITY

41025

U-TAPAD AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LIGHT PART TO USE

0600-0800

TOTAL NUMBER OF OBSERVATIONS

#### CEILING VERSUS VISIBILITY

41028

J-TAPAD AB THAILAND

66-71

5FP 0900-1100

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBUTE STATUTE WILES

ERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

534

3.14.5 (OLA) --

## CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THATLAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LITBUTH STATILTE MILES

1200-1400

TOTAL NUMBER OF OBSERVATIONS

534

SAFFTAC : 1945 (OLA) see a construction and see as

## CEILING VERSUS VISIBILITY

4102B

U-TAPAR AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBUTH STAT TEM ES

1500-1700

- 99.8 99.8 99.8 99.8 99.8 99.8 100.0 00.0 00.0 00.0 1

TOTAL NUMBER OF OBSERVATIONS

SAFETAC 0.345 OLA) with the second of the se

## CEILING VERSUS VISIBILITY

41023

U-TAPAD AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

. SIR. THI STAT TEN EN

1800-2000

TOTAL NUMBER OF OBSERVATIONS

532

#### CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66-71

SEP

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LOBOLIN STATISTE WILLS

2100-2300

TOTAL NUMBER OF OBSERVATIONS

53

GAFFTAC

0 14 5 OL A) -

## CEILING VERSUS VISIBILITY

41028

U-TAPAD AB THAILAND

66-71

OCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0000-0200

TOTAL NUMBER OF ORSERVATIONS

SAFETAC 1 014 5 (OLA) sare to the same and any and

#### CEILING VERSUS VISIBILITY

U-TAPAN AB THAILAND

66-71

CCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

. S.B., 14 STA1, 1E N. ES

0300-0500

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC 1 1 0 14-5 (OLA) HE CONTROL OF THE PROPERTY AND ARE THE

#### CEILING VERSUS VISIBILITY

41028

U-TAPAH AB THAILAND

66-71

CCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

LISBIG THISTAT TEMLES

0600~0800

TOTAL NUMBER OF OBSERVATIONS

531

145 OLA ...

## CEILING VERSUS VISIBILITY

61026

U-TAPAN AB THAILAND

66-71

UC1

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

527

#### CEILING VERSUS VISIBILITY

41028

U-TAPAH AB THAILAND

66-71

UCT 1200-1400

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

Like to start to be go

98,5 98,9 99,1 99,6 99,6 99,8 99,8 99,8 99,8100.0100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS

529

SAFFTAC 1 145 OLAL .

### CEILING VERSUS VISIBILITY

41028

U-TAPAG AB THAILAND

66-71

⊎CT 1500**-**1700

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

## CEILING VERSUS VISIBILITY

41028

U-TAPAH AB THAILAND

06-71

υςτ 1800+20**0**0

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

528

TARETAC TO 14 14 5 OLAL -

### CEILING VERSUS VISIBILITY

41025

U-TAPAR AB THAILAND

SECTA 1 45 O(A ---

66-71

LCT

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

Significant talgers

2100-2300

71.5 96.0 96.7 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0 99.4 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0 99.4 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0 99.0 99.4 99.8 99.8 99.8 99.8 99.8 100.0100.0100.0100.0100.0100.0100.0 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8 100.0100.0100.0100.0100.0100.0100.0 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8 100.0100.0100.0100.0100.0100.0100.0 99.8 99.8 99.8 99.8 99.8 00.0100.0100.0100.0100.0100.0100.0 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0 99.0 99,4 99,4 99.0 99.4 99.4 99.8 99.8 99.8 99.8 99.8100.0100.0100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS

Self-Armini

45 O A. .

## CEILING VERSUS VISIBILITY

41023

U-TAPAT AB THAILAND

66-71

NAV 0000-0200

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

TOTAL NUMBER OF OBSERVATIONS

### CEILING VERSUS VISIBILITY

41028

U-TAPAN AB THAILAND

66-71

r-13V

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0300-0500

0,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0 

TOTAL NUMBER OF OBSERVATIONS

SALETA

4.5 OLA)

### CEILING VERSUS VISIBILITY

41023

U-TAPAT AB THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a to that they be

0600-0800

87.8, 87.8, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0, 88.0 95.4 95.4 98.0 98.0 98.4 98.4 98.4 98.4 98.4 98.4 98.4 98.4 98.4 99.0 99.4 99.0 99.4 99.0 99.4 99.0 99.4 99.8 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.0 99.4 

TOTAL NUMBER OF OBSERVATIONS

DATA PROCESSING BRANCH USAF ETAC AIR MEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0900-1100

TOTAL NUMBER OF OBSERVATIONS

494

WAS STAC 1145 OLAL .

DATA PROCESSING BRANCH-USAF ETAC AIR MEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

TOTAL NUMBER OF OBSERVATIONS

498

SAFFTAC 0 45/OLAL MALE SEE ...

DATA PROCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41028

U-TAPARI AB THAILAND

66-71

NUV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

A SIMPLE TATE OF BEEN

1500-1700

100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0 100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS

DATA PRUCESSING BRANCH USAF ETAC AIR FEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41026

U-TAPAT AB THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1800-2000

99.4 99.6 99.6 99.4 99.6 99,6 

TOTAL NUMBER OF OBSERVATIONS

501

SAFETAC 3 45 OLA ...

DATA PRUCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41024

U-TAPAD AB THAILAND

66-71

NOV

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

2100-2300

TOTAL NUMBER OF OBSERVATIONS

507

S F \* A \* Cal

DATA PRUCESSING BRANCHUSAF ETAC AIR MEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41029

U-TAPAD AB THAILAND

66-71

pFC nono=0200

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

a to state to be a

TOTAL NUMBER OF OBSERVATIONS

MATA PROCESSING BRANCH-USAF ETAC AIR REATHER SERVICE/MAC

SALETAR ....

45 O. A.

## CEILING VERSUS VISIBILITY

41023

U-TAPAD AB THAILAND

66-71

DEC

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

JIRR TO STATILTE WILES

0300-0500

TOTAL NUMBER OF OBSERVATIONS

DATA PRUCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41028

U-TAPAR AB THAILAND

66=71

UEC

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

0600-0800

TOTAL NUMBER OF OBSERVATIONS

50

SAFETAC STASOLAL ...

DATA PRUCESSING BRANCH USAF ETAC AIR FEATHER SERVICE/MAC

5 - 1 1 4

1 . A .

## CEILING VERSUS VISIBILITY

41024

U-TAPAN AB THAILAND

06-71

DEC

FERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

0900-1100

TOTAL NUMBER OF OBSERVATIONS

DATA PROCESSING BRANCH USAF ETAC AIR REATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

4102R

U-TAPAR AB THATLAND

06-71

WEC

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

1200-1400

TOTAL NUMBER OF OBSERVATIONS

DATA PRICESSING BRANCH USAF ETAC AIR EATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41023

U-TAPAS AB THATLAND

4 1 1 A ...

06-71

LEC 1500~1700

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

with the transfer of

99.4 99.4 99.4 

TOTAL NUMBER OF OBSERVATIONS

DATA PRUCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41024 U+TAPAD AB THAILAND

And the second of the second o

66-71

UFC 1800-2000

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,01000,01000,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 0.0010.01000 100,01000,01000,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,01000,01000 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0 100,01000,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,0100,01000,0100,0100,0100,0100,0100,0100,0100,0100,01000,01000,01000,010 0,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,0010,001 100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0 100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS

DATA PRICESSING BRANCH USAF ETAC AIR LEATHER SERVICE/MAC

## CEILING VERSUS VISIBILITY

41023

U-TAPAN AB THAILAND

11 0 4 .

66-71

OFC

PERCENTAGE FREQUENCY OF OCCURRENCE
(FROM HOURLY OBSERVATIONS)

A THE STATE OF STATE

2100-2300

99.8 99.8 99,8 99,8 00,0 100.0 

527

TOTAL NUMBER OF OBSERVATIONS

### SKY COVER SUMMARY

Due to the reporting of total cloud amount in GWC tapes for airways hourly observations Jan 71 and later, clear, scattered, broken, overcast, partial and obscured are converted to 0, 3, 9, 10, 9 and 10 tenths. The sky cover summary for this station is limited to the period of record through Dec 70.

## PART D

## SKY COVER

This summary is prepared from hourly observations and is a percentage frequency distribution of total sky cover by tenths, plus mean sky cover, and total number of observations. It is presented in two tables as follows:

- 1. By month and annual all hours and all years combined.
- 2. By month by standard 3-hour groups.
- NOTE: #1: Sky cover (total cloud amount) was not reported by U. S. Services until mid 1945. Data, when available, were punched for Air Force stations beginning in 1946, but were not available for Navy stations until 1948 or 1949. Weather Bureau stations recorded total cloud amount in remarks beginning sometime in 1945, but few stations have punched data prior to 1948. This summary will, of course, be limited to period of available data.
- NOTE: # 2: Some sources of punched data used for this summary report cloud amounts in oktas. These have been converted to tenths prior to summarizing, and notation is made on the form to indicate that data were originally reported in oktas. The manner of conversion is given below:

OKTAS	TENTHS
0	0
2	3
3 4	4 5
5 6	6 8
7	9
8 (or obscured)	10

DATA PRUCESSING BRANCH ETAC/USAF AIR WEATHER SEFVICE/MAC

**SKY COVER** 

STATION STATION AB FHATLAND

66-70

ALL

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAG	E FREQUENC	CY OF TENTH	S OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO. OF
MONTH	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	O85.
JAN	ALL	2.9	7.1	1.6	8,4	14.6	11.4	9.6	1.7	10.7	11.2	20.6	6.2	297
FEB		0.1	10.1	2,6	11.6	15,7	11.8	9,1	1.9	7.4	7.5	16.2	5,3	270
MAR		5,9	11.3	3,5	15.6	10.1	13.7	11.4	, 8	7.5	6.2	8.0	4.7	296
APR		3,6	5.1	2.0	7.2	11.6	12.1	12,4	2,4	13.7	12.0	17.7	6.2	287
NAY.	ļ 	, 4	.7	.6	2.0	3.7	6.2	7.0	2.1	10.7	17.6	49.0	8.4	296
JUN		. 1	. 2	.4	.7	. 9	2.3	3,2	2,6	8.8	15.3	65.6	9.2	287
JUL		.2	.1	. 3	1.1	1.6	1.8	2,4	1.2	7.0	15.5	68.9	9.3	335
AUG		, 1	. 2	. 4	.0	1,4	1.9	3,5	1,8	6,4	13.3	70.4	9.3	367
SEP		7	, 9	.9	1.1	1,3	2,2	3,4	1,8	7,1	14,7	65,9	9,0	358
OCT		1.5	1,5	1.3	2,3	3.7	4.7	5,1	3,0	9.6	15.0	52.3	8,4	371
HOV		5,4	4,6	2.9	5,7	8,2	8.8	8,3	2.8	9,5	13.7	30.2	6.7	359
DEC		8,7	9,4	3.8	9,8	9,3	6.0	8.2	3,1	10,2	11.4	20.3	3,7	371
101	ALS	3.0	4.3	1.7	5,5	7,3	6,9	7.0	2,1	9.1	12.8	40.4	7.4	3900

FORM JUL 64 0.9.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE UBSOLETE. USAFETAC

DATA PRUCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 U-TAPAR AS THATLARE

67-70

JAt.

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

το	TALS	2.9	7.1	1.6	8.4	14.6	11.4	9,6	1.7	10.7	11.2	20.8	6.2	29
	21-23	4,0	8,3	3,5	9.1	17.7	8.3	9,4	, 8	14.2	7,3	17.2	5,7	3
	18-20	3,2	4,0	1.6	7.3	17.7	8,1	6,2	2,4	10,8	13.7	25.0	6,5	
	15-17	1.0	7,3		6,5	10,5	14.0	10,2	1.1	11.0	13.7	24.2	6,6	
	12-14	1,1	3.5	. 5	9,4	11.0	12,6	7,3	2.7	10,2	14,8	26.9	6,9	3
	09-11	1.1	1,5	, 3	0,2	12,1	9,9	9.7	3,2	12.4	14.5	23.1	6,7	3
	06=08	. 8	5.1	2,2	9.1	14.0	8.9	11,3	1.9	11,8	12.6	22.3	6,5	3
	03-05	5,9	11.0	1,9	10.8	15.9	15.1	11.8	1.3	6,5	7.0	12.9	5,1	3
AN	00-02	5,7	10.3	2.4	8.6	17.8	14.1	11.1	. 5	8,4	6.2	14.9	5.2	3
	(L S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OBS
ONTH	HOURS				PERCENTAG	E FREQUENC	CY OF TENTH	IS OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO O

USAFETAC JUL 64 0.9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

010.

DATA PRUCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 U-TAPAN AB THATLAND

67-70

PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

10	TALS	6,1	10.1	2.6	11.6	15.7	11.8	9.1	1.9	7.4	7.5	16.2	5,3	270
	21-23	10,6	12,7	2,7	13.6	18,9	9.4	7,4	1.5	5,9	4.1	13.3	4,5	33
	18-20	6,5	12.7	1,8	9,4	17.7	7.7	7,7	2.1	8,6	8,6	17,4	5,3	3:
	15-17	4,2	11.6	2.1	13.4	13,1	11.0	6,5	3.0	8,9	9.2	17.2	5,5	3
	12-14	2,1	11.0	2,7	12,2	13,9	9.8	11,0	2.1	6.8	8,3	20.2	5.7	3
	09-11	3,2	7.1	2.7	10.0	15.0	12.4	9.1	2.4	9.1	10.3	18.6	5,9	3
	06=08	2,4	7.1	2.4	10,4	14,5	13,9	12,1	1.2	9,2	9.8	17.2	5,8	3
	03-05	8.9	7.7	3.0	12.4	13,9	18,9	10,7	1.2	6,8	3,8	12.7	4,9	3
EB	00-02	11.2	11,2	3,5	11.5	16,6	11.2	8,3	1.5	3.8	5,9	13.3	4,6	3
	(L.S.T.)	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OBS
ONTH	HOURS				PERCENTAG	E FREQUENC	Y OF TENTH	S OF TOTAL	SKY COVER				MEAN TENTHS OF	TOTAL NO. O

FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. USAFETAC

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 J-TAPAD AB THAILAND

67=70

A V WAR

### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS !	   	. 1		PERCENTAG	E FREQUENC	CY OF TENTH	S OF TOTAL	SKY COVER	,			MEAN • TENDES OF	rota, No of
_		. 0	. 1 .	2	3	4	5	6	7	8	9		5k.4 ****.54	087
AR	00-02	6,2	11.0	3,2	19,4	21,2	14.2	12,6	, 5	5,9	1.1	4.6	. <u>4.1</u> .	3
	03-05	4,3	9,4	2.7	20.7	21.0	16.1	12.4	. 3	4.8	2.2	5.0	<u> </u>	3
	Q6=08	2,2	6.2	3,5	11.0	16,4	12.4	14.0	1,6	9,7	11,3	11.1	5,6	3
	09-11	2.7	8.6	5.7	11,6	13,2	17.6	9,7	1.4	8,9	8,9	11.0	<u>. 5.3</u> .	3
	12-14	2,2	11.5	5.7	15.4	14.1	12.7	11.9	.5	10.0	6.5	9.5	5.0	3
	15-17	9,1	18.8	3.0	13.2	10,5	11.3	10.5	, 3	7,3	8,3	7,8	4.4	3
	18-20	9,7	13.5	2.2	13.7	14.8	10.5	10.0	1.1	7.0	8.9		4.6	3
	21-23	11.0	11.0	2.2	19.4	17.2	15.1	9.7	.3	6,5	2.7	5.1	4.0	3
				<del>-</del>	ļ 	ļ				ļ	i 	: +——	<u> </u>	
														_
					· 									
				<del></del>									<b>+</b>	
TO	TALS	5,9	11.3	3.5	15.6	16.1	13.7	11.4		7,5	6.2	8.0	4.7	29

USAFETAC FORM JUL 64 0 9.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PRUCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 SHAPAR AB THATLAND 67-70

APR

### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAG	E FREQUENC	CY OF TENTH	IS OF TOTAL	SKY COVER				MEAN I	TOTAL NO OF
MONTH	(LST)	0		2	3	4	5	6	7	8	9	10	SKY COVER	OBS
APR	00-02	8.1	5.0	1.9	10.6	15,6	13.6	16.2	1.7	13,9	6.1	7.2	5.2	359
<b>.</b> .	03-05	4.7	6.7	1.9	10.3	13.9	13.4	16.2	1.7	16.2	2,3	9.7	5.5	359
	06-08	2,2	4.2	2.8	3.3	6.9	11.4	10.6	3,1	17.5	16.9	21.1	6.9	360
<b>.</b>	09-11	1.4	3.0	1.7	6.9	8.6	11.4	11,9	2.8	12,5	17.2	21.9	6.8	360
	12-14	1.1	<u> 5. d</u> .	3,1	7.0	10.6	13.6	8.9	3,3	10.0	14,8	21.7	6,5	359
	15-17	1.7	8.4	1.4	8.6	11.4	11.4	13,1	2.5	10.3	13.4	17.8	6,2	359
	18-20	2.6	3.9	1.7	3.9	11.7	8.7	8.7	1.4	14.8	14.0	28.5	7.0	350
<b></b>	21-23	<u>8.4</u>	3,1	1.1	7.0	14,2	13.6	13.9	2.5	14.5	8.1	13.6	5.8	359
			<u>+</u>		    									
	• •				¦								<del> </del>	
	–					i							†	
10	DTALS	3,8	5,1	2.0	7,2	11.6	12.1	12,4	2,4	13.7	12.0	17.7	6.2	2873

USAFETAC FORM 0 9 5 (OL A) PREVIOUS ED TIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

U-TAFAD AB THATLAND

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

τo	TALS	, 4	.7	.6	2.0	3,7	6,2	7,0	2.1	10.7	17.6	49.0	8.4	290
·														·
	21-23	1.1	1.6	1.4	4.1	4,6	9.5	10,3	2,2	11,1	13,8	40.5	7,8	
					1.1									
	18-20		. 8	]		1,6	4.8	4,3	1.1	8,9	16,9	59.9	8.9	
	15-17			. 8	. 8	1,1	2.2	3,8	2.7	9,5	24.6	54.6	9,0	
	12-14			, 3	5	2,4	4,3	6,2	1.1	11,1	19.7	54.3	d.9	
	09-11			, 3	1.1	1,3	3,2	5,9	1.6	10,5	20.2	55.9	9.0	
	06-08			, 3	, 8	. 8	4.0	3,5	2.4	10.0	22,1	56.1	9,0	
	03-05	د.	1.4	. 8	4.1	8.9	11.4	11.9	3,3	11.7	12.2	33.9	7.4	
AY	20-00	1.4	1.0	٠ ٥ ا	3 , B	8.7	10.3	10.1	2.7	13.0	11.1	36.7	7.5	
	(L.S.T.)	0		<sup>2</sup>	3	4	5	6	7	8	9	10	SKY COVER	
ONTH	HOURS			·	PERCENTAGE	FREQUENC	Y OF TENTH	S OF TOTAL	SKY COVER				MEAN I	101 NO

FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. USAFETAC

DATA PRUCESSING BRANCH ETAC/USAF AIR MEATHER SEPVICE/MAC

**SKY COVER** 

STATION STATION NAME

67-70

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS (LS.T.)				PERCENTAGE	FREQUENC	OF TENTH	OF TOTAL	SKY COVER		<del></del>	r <del>-</del>	MEAN TENTHS OF	10*4. NO OF
	(0.5.1.)	0	1	2	3	4	5	6	7	8	9	10	SK+ COVER	085
JUN	00-02		1.1	1.7	1.7	1.7	3.9	3.3	2.8	8,3	11.7	63.9	5.9	36
	03-05	.6	.3	. 3	2.0	2.0	3,4	5,4	4.8	12.0	11.8	57.1	8.7	3
	06-08					,6	2,8	1,4	3.1	9,2	16.2	66,9	9,3	3
	09-11					.6	1.9	1.9	2.8	9,7	17.5	65,3	9,3	3
	12-14			. 3	6	1.1	.8	3.6	. 6	8,3	21.7	62.5	9.3	3
	15-17				.0		1.9	3,6	1.7	7.0	18.9	66.3	9.3	3
	18-20					. 3	. 3	1.4	2.5	6.4	13.1	76.1	9.6	3
	21-23				.6	.6	3.6	4.4	1.9	9.4	11.7	66.9	9.1	3
	+				-									
									i					
-,													<del> </del>	
10	TALS	.1	.2		.7	. 9	2.3	3,2	2.6	8,8	15.3	65,6	9.2	28

USAFETAC JUL 64 0 9 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 U-TAFAN AB THATLAND

66-70

### PERCENTAGE FREQUENCY OF OCCURRENCE IFPOM HOURLY OBSERVATIONS,

	<del> </del>	0		+			5 +		··· - <sup>7</sup> — <del>+</del>	8	·- ·	10	TERRITORIS Harris — Trans	B.
JUL	00-02	,5	5	• 13	1.0	2.7	2.2	3.8	1.1	8.6	9.7	68.5	9.6	37
	03-05	. 8		8.	3,3	1.8	2.5	5,0	1.0	7,8	11,3	45.8	8.9	390
	06-08	ļ				1.1	• 9	1,7	1.5	7.0	16,6	71.0	9.5	45
	09-11						1.1	1,1	1.5	5,9	19.8	70.2	9,5	45
	12-14	·				2.0	3.1	2,2	2,6	8,1	19,0	63,0	9,2	45
<del>-</del>	15-17	i		2	1.5	1,5	1,8	1,3	1.1	6.6	19,3	66.7	9.3	450
	18-20					1,3	5	1.0	. , 3	3,6	13,8	78,9	9.6	38
	21-23		. ج.		1.9	1,6	2.4	3,2	, 5	8.1	14,2	66.7	9.1	37
	=	: ↓	<b>-</b> ,			: 					•	· ·		
		i ∔ →			i		·				! •	•	<b>.</b>	
		, ↓	·					i 				<b>.</b>	<b></b>	
	.+.sses	/ : <b>!</b>			 	4		i ====================================	  - 		 	 	<del>.</del> :	
10	TALS	.2	.1	. 3	1.1	1.6	1.8	2.4	1.2	7.0	15,5	68.9	9,3	335

USAFETAC JUL 64 0 9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING BRANCH ETAC/USAF AIR REATHER SERVICE/MAC

**SKY COVER** 

STATION U-TAPAN AB THATLAND

66m70

1<u>.r</u>\_

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

101	TALS	. 1	. 2	.4	• 6	1.4	1.9	3,5	1.8	6,4	13.3	70.4	9.3	36
			!	- or su <del>nd</del>	=:: <b>:</b>		 						•	<del></del>
												<u> </u>	; 	
		<del></del>				:								<u>-</u>
	<u> </u>		·								<del></del>	•	ļ	
	21-23			19	1.5	1.8	3.1	5.1	2.2	5,7	10,2	69,5	9,1	4
	16-20		<u>i</u>		· · · · · · ·	• 7	•2	4,1	1.5	3,9	8,9	80.6	9.6	4
	15-17				<u> </u>		• 4	3,2	1,3	5,2		71.9	9,5	4
	12-14	<u> </u>		. 2	•0	1.3	2.8				17.9			<u>4</u>
			14		1								!	
	09-11		.0		.4	1.3	, 4	2,2	1,5	6,9	18.3	68.4	9,4	4
	06=CH				. 0	1,1	1.7	3.2	1.5	4.7	14.0	72.9	9,4	4
	03-05	, 7	.,,	1.1	1.3	2.2	2,5	3.7	2.2	7.7	11.6	66.1	8,9	4
UC	00-02	··		. 7	.2	1.5	4.0	4,2	3.1	10,2	8.8	56.8	9.0	4
	. (LST)	0 +	+	} }-	3	4	5		7	8	9	10	\$11.00.88	085
HTMC	HOURS		•		PERCENTAGE	FREQUENC	Y OF TENTH	S OF TOTAL	SKY COVER			,	! MEAN	*014L

USAFETAC FORM 1/UL 44 0.9.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

...

PATA PROCESSING BRANCH ETACYUSAF AIR WEAT IER SERVICE/MAC

**SKY COVER** 

41028 U-TAPAN AB THATLAND

66-<u>7</u>0\_

\$<u>F</u>P -\_

### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

101	TALS	. 7	. 9	. 4	1.1	1.3	2,2	3,4	1.8	7.1	14.7	65.9	9.0	35
								!						
	1	·										! 	!	
	<del> </del>			:	†			1				!	†	
	21-69		110	1.0	119	1.8	612	7.0	3.0	13	1794			
_	21-23	.7				(		1	3.6		14.1	i	1 1	
	18-20	. 2	.4	7	نو و	, 2	1.8	2,2	1.3	0.5	11.6	74.1	9.3	
	13-17	. 7		4	4	, 4	1.1	1.8	2,2	6,9	20.0	95.9	200	
	12-14		- 2			2.0	1.8	4.0	2,2	6,3	10,3	54,5	9.6	
	09-11				1.8	9	1.8	4.0	1.1	6.0	10.9	65.0	9.2.	
	06-08		7	1.3	. 4	1.3	2.2	3.1	. 9	4,9	13.5	71.3	. 9.2	_
	03-05	2.5	1.8	1.8	2.0	1.0	3.8	4.2	1.1	8.3	12.7	60.3	8.5	
EP	00-02	1,6	2,5	1.1	_1.1	2.5	2.5	3,8	1.6	9,8	8.5	55.0	8.7	
	i *** ***** •		1.	·				- 6		<del>.</del>	· · · · · · · ·	+ 10		- <u>-</u>
ONTH	HOURS .				PER ENTAGE 1	TREQUENC	Y OF TENTH	S OF TOTAL	SKY CODER T			<del>-</del>	MIATA FEMTHS OF F	NO.

USAFETAC FORM 0.9-5 (OL A) PREVIOUS FOIL ONS OF THIS FORM ARE OBSOLETE.

DATA PROCESSING BRANCH ETAC/USAF AIR EATHER SERVICE/HAG

SKY COVER

41028	H-TAPAN A8	CHAILAND
STATION.	-	STATIONI MAAAE

66m70

`( 7

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONIH	HOURS				PERCENTAGE	FREQUENC	Y OF TENTH	S OF TOTAL	SKY COVER				MEAN :	TOTAL NO OF
	(LST)	.0	1	2	3	4	5	6	7	8	9	10	Skillover 	OBS -
OCT	00-02	2.2	2.d	1.5	3,5	8.0	5.6	7,3	3.2	7,6	11.9	46.4	7.7	46
	03-05	3,7	3,9	1.3	4,3	4.3	5.2	8,4	2.2	9,5	12.3	45.0	1.0	464
	06-08	2.2	1.3	1.9	, 9	1.9	4.3	4,5	3.0	8.0	13.3	58.7	<u> </u>	46
· • ·	09-11	1.4	,9	1.3	1.7	2.2	5,4	3,7	2.8	9.5	16.1	54.6	8,5	46
	12-14	.2	. 9		2.4	1.7	5,8	3,2	3.0	9,7	20.3	52.8	8.7	466
	15-17		•	. 4	1.7	3.2	3.0	4,9	3.4	11.4	21.5	50.3	<u> 8.8</u>	46
	18-20	4 .	.6	1,7	1.1	3.2	3,9	3,4	2.8	11.2	13.4	58.2	8.7	464
	21-23	1.5	1.7	2.2	2.4	5,2	4.7	5,2	3.9	9,7	11.2	52.5	8.2	46!
	+ = - +				!						í • •	: :	i 	
=				į	· +						· !	1 4		
_				:	. !									
		<u>.</u> <u>-</u>	4	j <b>:</b>							1  - 	L		
10	TALS	1.5	1.5	1.3	۷.3	3.7	4.7	5.1	3.0	9.6	15.0	52.3	8.4	371

USAFFTAC JUL 64 0.9.5 (OL A) PREVIOUS EDITIONS OF THE FORM ARE OBSOLETE

\_.\_\_

DATA PRUCESSING PRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

**SKY COVER** 

41028 UNITAMAN AS THATLAND

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

70	TALS	5,4	4.6	2.9	5.7	8.2	8.8	8.3	2.8	9,5	13.7	30.2	6.7	3594
	!													
		<del>  -</del> <del> </del> !	- +										<del></del>	
	21-23	7,8	5.8	2,4	5,3	11.1	10.5	8.9	2,2	10,7	8,2	26,9	6,2	441
	13-20	2,0	6,0	3.6	3.0	5.8	8.0	8,4	3.6	11.6	13.1	34.4	7.2	45
	15-17	1.1	1.6	2.4	5.1	6,9	8,4		1.1		16.9		7.7	450
	12-14	1,1	4,7	.9	0.4	4,9	7.6	6.7	4.2	8,4	21.8	33.3	7,5	450
	09-11	5,4	4.0	3.1	6,5	4,9	4.0	6,9	1.8	7,8	19,6	35.9	7.2	441
	05-08	3,1	3.6	3,6	3,8	7,8	7.8	6.2	3,8	10.2	16.9	31.0	7,6	449
	03-05	10,2	5.8	2,7	8.0	11,6	13.8	10.5	3,8	9.1	6.2	18.3	5,5	44
ΝOV	00-02	10.2	5,3	4.5	6.7	12.5	10.2	10.5	2.2	10.9	6.7	20.3	5.6	440
MONTH	L.S.T.)	0		2	3	4	5	6	7	8	9	10	SK+ COVER	285
MONTH	HOURS				PERCENTAG	E FREQUENC	CY OF TENTH	S OF TOTAL	SKY COVER				MEAN TENINS OF	TOTAL NO OF

USAFETAC FORM 0 9.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING BRANCH ETAC/USAF AIR MEATHER SERVICE/MAC

**SKY COVER** 

41028 U-TAPAR AB THAILAND

66-70 PER-DO

"EC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

101	TALS	8.7	9.6	3.8	9.8	9.3	6.0	8.2	3.1	10.2	11.4	20.3	5.7	_ 37)
	21-23	12.7	0,9	4.5	17.1	10,4	6.7	9.3	2,4	9,3	5.8	14.9	4.9	
	18-20	5,4	5,6	4,5	9,5	9.0	6,2	6,9	4.3	12.3		25,2	6,3	4
	15-17	3.0	9.2	1.9	5,6	8,8	5.8	7,5	4.1	9,5		27,5		4
	12-14	2,2	10,8	2.2	4,5	7,8	3,7	7.3	3,9			27.4	6,9	4
	09-11	5.6	9,9	1.3	4.5	9,9	8.4	9,5	2,2	10.5	17.2	21.1	6.3	4
	06-08	3,9	9.9	4.7	12.5	10,3	6,5	8.0	3,4	11.0	10.3	19,4	5.4	4
	U3-05	19.6	12,7	7.3	10.5	8.8	5,4	8,8	1.7	7,5	6.2	11,4	4.2	4
EC	00-02	17.2	10.1	4.1	14.4	9.2	4.9	8.0	2.4	10,5	4.1	15.1	4.6	4
	ILS T.	0	1	2	3	4	5	6	7	8	9	10	SKY COVER	OB5
ONTH	HOURS				PERCENTAG	E FREQUENC	Y OF TENTH	OF TOTAL	SKY COVER				MEAN TENTHS OF	101A

USAFETAC FORM 0.9.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING DIVISION ETAC/USAF AIR WEATHER SERVICE (MAC) ASHEVILLE, NORTH CAROLINA

### PART E

## PSYCHROMETRIC SUMMARIES

In this section are presented various summaries of dry- and wet-bulb temperatures, dew points, and relative numidity. The order and manner of presentation follows:

- Cumulative percentage <u>frequency of occurrence</u> derived from daily observations and presented by month and annual for all years combined. These tabulations provide the cumulative percentage frequency to tenths of temperature by 5-degree Fahrenheit increments, plus mean temperature, standard deviation, and total number of observations in three separate tables as follows:
  - a. Daily maximum temperature
  - b. Daily minimum temperature
  - c. Daily mean temperature
- 2. Extreme values derived from daily observations with extreme value given for each year and month of record available. Extremes are provided for a month if all days for a month contain valid observations. All months for a year must have valid extremes before the ANNUAL value is selected for that year. Means and standard deviations are computed for months and annual when four or more values are present for any column. Two tables of daily extreme temperatures are prepared:
  - a. Extreme maximum temperatureb. Extreme minimum temperature

NOTE: A supplementary list also provides extreme temperatures when less than a full month is reported.

- 3. Bivariate percentage frequency distribution and computations of dry-bulb versus wet-bulb temperature. This tabulation is derived from hourly observations and is presented by month and annual, all hours and all years combined. The following information is provided:
  - a. The main body of the summary consists of a bivariate percentage frequency distribution of wet-bulb depression in 17 classes spread horizontally; by 2-degree intervals of dry-bulb temperature vertically. Also provided for each dry-bulb temperature interval is the percentage of observations with dry-bulb and wet-bulb temperature combined; and again for dry-bulb, wet-bulb, and dew-point temperatures separately. Total observations for these four items is also provided in two lines at end of each tabulation table, which may require two pages in some cases.

NOTE: A percentage frequency in this table of ".0" represents one or more occurrences amounting to less than .05 percent.

- b. Statistical data for the individual elements of relative humidity, dry-bulb, wet-bulb, and dew-point temperatures are shown in the section at the bottom left of the forms. These consist of the sum of squares  $(\sum X^2)$ , sums of values  $(\sum X)$ , means  $(\overline{X})$ , and standard deviations  $(\sigma x)$ . The number of observations used in the computations for each element is also shown.
- c. At the lower right of the form are given the mean number of hours of occurrence for six ranges of dry-bulb, wet-bulb, and dew-point temperatures, and total number of hours possible in the period represented. Mean number of hours is shown to tenths and indicates mean number of hours per year in the annual summary, or mean number of hours per month in the tabulations by month.

NOTE: Wet-bulb temperature usually was not reported prior to 1946. Relative humidity usually was not reported prior to 1949, nor subsequent to June 1958; and was computed by machine methods for observations recorded during these periods. All values of dew-point temperature and relative humidity are with respect to water, unless otherwise indicated.

- 4. Means and standard deviations These tabulations are derived from hourly observations and present the mean, standard deviation, and total number of observations for the eight standard 3-hour groups, by month and annual and again at the bottom for all hours combined. Records for all years available are combined. Tables are prepared for the following:
  - a. Dry-bulb temperature
  - b. Wet-bulb temperature
  - c. Dew-point temperature
- 5. Cumulative percentage frequency of occurrence of relative humidity This summary is derived from hourly observations and presents the cumulative percentage frequency of occurrence of relative humidity by increments of 10% classes, plus the mean relative humidity and total number of observations in two tables.
  - a. Table 1 is prepared by month and annual, all years combined, with month being the vertical argument.
  - b. Table 2 is prepared by month by standard 3-hour groups, with the hour groups being the vertical argument and a separate page for each month. All years are also combined for this summary.

OATA PROFESSIES BRANCH USAF FTAF AIR SEATHER SERVICE/FOC 4102 PHTAPA AN THAILAME STATION NAME

## **DAILY TEMPERATURES**

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

06-72

YEARS

mex to an

FROM DAILT OBSERVATIONS!  FME OF IAN FEB MAR APR MAY JUN JUI AUG SEP OCT NOV DEC ANNUAL  95													
,EWE GE	IAN	FEB	MAR	APR	MAY	JUN	JUI	AUG	SEP	OCT.	NOV	DEC	JAUNNAL
95   90   90   80   75   1	56.3 98.3 100.3	10.0 81.8 98.2 100.0	27.6 99.6 98.9 100.0	51.7 96.1 99.4 100.0	2.2 55.9 95.7 100.0	28.9 98.3 100.0	21.5 95.2	24.L.	22.2. 89.4. 99.4. 100.0.		98.9	18.8 83.3 99.5 100.0	24,9 87.3 99.3 100.6
-													
			•									**	
~												•	
		•			*							-	
									•			-	
-		•										-	
						•		•					
-												-	
-													
-												-	
-													
	•											-	
						•						-	
-			*		•	•				•	•	-	
•					•	•	*			,		-	
*				•	•	•		•			,	-	
•			•			•		•	•	•		-	
						,				•		-	
												-	
•													
**				•					+				
-	•			•	•				•	•		•	
•					•			•		+		-	
**			•	•	•				•	•	٠	-	
-			•	•	•	•	•	•		•	•	-	
is			•		•	•	•	•	•	•			
MEAN " 5 D " TOTAL ORS	85,5 2,585 186	2,475 170	87.8 2.311 186	89.0 2.522 160	89.7 2.914 186	85.1' 1.479' 180'	87.6 2.162 186	87.6 2.247 183	87.3 2.637 180	87.1 2.805 186		86.8° 2.744° 186°	87.5 2.725 2189

USAFETAC " 921 5 OL 1. PREVIOUS FILITIONS OF THIS FORM ARE OBSOLETE

DATA PROCESSING PRANCH DATA PROGRAM.

15A1 ETA:

ATR EATHER SENVICE/MAC

41020 J-TAFAC AB THATLAND

STATION NAME

COMMI

## **DAILY TEMPERATURES**

YEARS

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE FROM DAILY OBSERVATIONS

ALLIEUM

'FMF .		IAN	FE8	MAR	APR	MAY	JUN	101	AUG	SEP	oct	NOV	DEC	ANNUAL
	85 - 80 - 75 - 70 - 65 -	2.7 25.5 68.3 99.5	17.1 57.1 95.9 100.0	2,2 45.7 86.5 98.9 100.0	52.2 97.8 100.0	15.1. 55.9. 94.5. 100.0	99 • 4, 100 • 0.	58.6. 99.5 100.0	97.1	94.4. 100.0.	3.2. 78.0. 98.9. 100.0.	92 <u>,2.</u> 97.6.	77.6. 98.9	2.2 31.5 76.2 94.2 99.2
5	55	100.0										TUC⊕U.	100.0	100.0 100.0
4 3								-					-	
2													-	
2												-	-	
2											:		-	
<u>≥</u> ≥								-	-				-	
<b>4</b>	-	•										•	-	
<i>2</i> 2	-							-			•		-	
2	-									,				
2													-	
<u>*</u>							•						-	
2 ≥	-						•	•					-	
<i></i>	-												-	
₹	**	٠	•		•	•	•	•	•	٠			-	ļ
2	-					•			•				-	1
<u> </u>					•	•		•		•			-	
2					•				•				-	ļ
•					•	•	•		•	•	•			
e .										•				
Z MEAN S D TOTAL O	•	71 . 4 4 . 194 185	75.6 4.095 17	78.5 3.555 186	79,9 3,299 186	80.2 3.569 146	80.1 2.404 180	79.8 2.226 186	78.9° 2.447 183	77.8 2.592 180	75.6 1.900 186	73.7 3.025 180	72.5° 3.467° 186°	77.0 4.181 2189

USAFETAC ( PM 0.21.5 OL 1) PREVIOUS EDITIONS OF THIS FORM ARE INSCRIBE

CATA PRINCESSING ERANCH
USAF ETA:
AIR EAT FR TENVICE/NAC
4102" U=TAPA: AB THAILAMB
STATION NAME

**DAILY TEMPERATURES** 

41024

### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM DAILY OBSERVATIONS)

TEMP OF	IAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
90 85 86 75 70	1.1 40.7 88.7	14.5	33.7	2. <u>11</u> 56.7 98.3		56.7 100.0	98.4	32.5 97.3	22.2 93.3 100.0	99.5	96.1	2.7 60.3 96,2 100.0	27.0 84.7 98.4 100.0
	-	•		÷	•	•				•		-	
		•											
,					-							-	
												-	
												-	
•													
	-			•									
			•										
				•	٠	•	٠		*		,	-	
				•								-	
												-	
		•		•					•			-	
			•	•	•	•						-	
	-											-	
		•	•	•	•	•	•	•	•	-			
					•	•							
			•	٠	•	•	,		٠			-	
		•	•	•	٠				•	•		-	
										:		-	
MEAN 1. : 10141-081	79,6 3.144		83.4 2.382 186	84.7 2.558 180	85.6 2.959 186	84.4 1.747 180	84.0 1.858 186	83.5 1.936 183	82.8 2.137 160	81.6 1.901 186	81.0° 2.636 180	79.5° 2.719] 185	82.5 3.122 21/9

USAFETAC 1 0 2 5 OL 1 PREVIOUS EDITIONS OF THIS FORM ARE OBSORDED

PATA PROTESTING BRANCH

SAF ETALL ALP VICE/ LC

**EXTREME VALUES** 

HAYIMUM TEMPERATURE FROM DAILY OBSERVATIONS

36=72

1EARS

## WELLE DEGREES FAMMERIETT

M NAME	.Δ.	Ft e	MAR	APR	MAY	1014	_4	AUG	SEP	OCT	NOV	DEC	ALL MONTHS
	90 80 62 90 5	61 60 62 92 90	9 5 9 5 9 8 8 6 9 7	94 90 74 94 94	54 95 95 94 94 95	91 92 90 90 90	72 73 79 92 75 92	92 94 90 90 90	94 93 92 90 90	94 89 94 71 92 90	92 92 90 93 88	92 89 94 92 92 90	94 95 94 94
								•		-		-	
								,				-	
												-	
								,				_	
						•						-	
MEAN TO US OBS	19.3 2.065		91.0 2.000 186	92.3 1.966 180	94.5 .548 186	91.2 .983 180	92.2 1.941 186		91.8° 1.602	91.7 2.066 186	91.0 1.789 180	91.5" 1.761" 186"	94.6 .543 2161

-95AF ET47 - FORM - 0.88-5 (OL)

DATA PRECESSING TRANCHUSAF ETA AIT EATHER SERVICE/SUC

## **EXTREME VALUES**

MAXIMUM TEMPERATURE FROM DAILY OBSERVATIONS

4102 ...

HATEANIA AN THATEANIN

c4-72

YEARS

VHOLE DEGREES FAHREUMEIT
/HASED UN LESS THAN FULL MONTHS/

MONTH FAR	JAN	HER	MAR	APR	MAY	אטו	JUΙ	,	AUG	SEP ,	oct	NOV	DEC	ALL MONTHS
55			–		- +				<b>ر</b> ب					MAX TEM
							. 0		7 E					DAYS
										•				
							•							-
												•	•	
			•					•	•			•		
														_
													•	-
												•		-
								•				•	•	
-			•						•				•	-
														_
														-
							*			•		-		
							1							_
MEAN						1						1		E
3 D														
OTAL OBS														

USAF ETAC FORM 0 88 5 (OU)

DATA PRICESSIN - BRANCH

STAF ETAF

**EXTREME VALUES** 

MILIMUM TEMPERATURE FROM DAILY OBSERVATIONS

4102

2

TAPAT AN IMATLANI

06-72

## BUTCH DECREES FARETHETT

MONTH	IAN	FEB	MAR	Ang	MAY	IUN.	Jin	AUG	SEP	OC1	NOV	DEC	ALL MONTHS
5 5 7 7	(9) 30 40 11	(3.7.7.7.5.E.)	70 71 75 75 75	74 16 74	73) 73, 74 74	75 75 75 75 76	75 77 73 75 76 76	75 78 75 75 75 74	75 75 75 13 71 70	72 69 73 73 75 75 75	71 71 73 06 71	65 73 64 68 70	59 64 64 66
•							•					*	
	-												
											•		
										•	-	-	
								•				No.	
												**	
ş.							-						
									•			-	
					,								
v .													
				,	•			•					
MEAN 5 U 101AL OBS	#4,0° 5,060 1,6		71.3 3.615 186	74.3 1.433 183	74.5 1.043 186	75.0 .632 180	75.3° 1.366° 186°		73.7 1.966 196		58.8° 4.491 180	67.5" 3.507" 186"	62,8 2,775 2161

14.7.2.88.0. (4.27. SATERAS)

MATA PROCESSING MAGGODUSAR ETHE ESTEEM AC

### EXTREME VALUES

I' I AUM TEMPERATIRE

4:02 - - APA AL HOATLA

16-72

POLE CECLEES FARRENCEIT
PRASED OF LESS THAN FULL MONTHS!

MON	14N	12	5 VAR	APE	MAY	1016	,Ut	AUG	SEP	OC I	NOV	DEC	SHTNOM
54	÷	•			•			7	5				TEM
							n	2.8					LAYS
													**
									•				
											,		
	*											•	-
											•	•	w.
						,							
											•	•	
								•			•	*	**
	7			1			,	:		1	1	1	r.
MEAN													**
S :: TOTAL OR													**

JSAF PIAC THE THREE OUT

;

TATA PR + 3810 + 064000 (84) F10 TIB - F4T + 080 V1007 40

1		<b>-</b> i	ni A	10	1.05	1 - 1					<u>∈</u> ( •	? <u>.</u> .	–			YE AFS			· · · —			LL.
																			2.4.3	ş }		LL
1							WET	BULB T	EMPER.	ATURE	DEPRE	SSION	F.						TOTAL		TOTAL	
F		9	1 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 2	24 25 - 2	26 27	28 29	30 - 31	D.B. W.B.	Dry But	Wer Buit	Dee
1-2/-	<del>+11</del>											•	-	<del>+</del>						<del>}</del>	<b>←</b>	
10.	<del>-44-</del>									•	•			i						====±	+	
	) .							• '		• /	1	,	• 1	į į	!				٠, ر	10		
7	9 :1					;	• d	<u></u>	1 -!	• 1		<b>e</b> (1		1	•				,	. 70		
7.7	.05						1.4		. /	Ž		ļ		┨.	ΟĬ				2:20	2.32		
•	87				•	2.0	5.2	2.4	- 14	. 3		. )		., -	(i		<b></b>	•	5439		*	•
100	E.C.		• 1	. /	114	5 . 4	4.1		• 7	<u>. 6</u>	1	!								P 4 1 4	•	
	n 3		• i	1.1	1.7	4.3	1.3	• (>	• "	• 6	• 1	• '`	•		1 -	<del>(+</del>				9566		
	61	• 4	. • *		/ <b>.</b> 7.				• 1	•		• (1		<u>.</u> •	≗					94 12		
11/	70 77	• 1	3.1	<i>ا</i> و د	1.4		• 3	- 2	• 4	. )									4		14312	_
	,	. 1		2.2	 	- 4		9.Cq • 1,	• 4.	•				+						12.1		
1+1	73	. l	<b></b>		. 7			· L	• 1	• (									145	14-4	3681	12
22	71	. 1	. 4	. 4	. 3	. 4		• 1.	• 1										, , ,		> 16.2	
1.1		• I	• 1,	* 5	• 3	• 3	4 . 3	• (4				-				<b>-</b>			. :5		. ZGQ7	
	67		• 1	• 1.	• ]	• 4		• : 1														
	60. 53		• 4	•	• kį	, l		a . j				_		·				-	يرکا د	123		
	61			•	-															, .		
617	,			• •				•				-				•	•	•			` ⊅ુ	i
	57		• 4															-	. 1	. 1		
-	55																				31	
	51 51													÷ -				•	•		. 15	
	49													ŀ							•	
	47				•		•	•			•			1					•	•		•
1.0 1	45,										, ,								·			
44	4 1													}	1	-						
42	41										• • •			•		+	į		•			٠.
46-4											1											
<del>- 44</del> -	33		•								1		•	!	• •			:	•	•		٠ _
٤,,,,		ž	×	<del></del>	;	x .		x	σ <u>,</u>		No. Ob	· .		<del></del>				of Hours wi		·vie		
Fe' H										1		1	. 0	F	- 32 F	· · — ·	67 F_	73 F	80 F	1 2 93 1	f	Tota
D-, A-														_ 1-				ļ	i	1		
Wet B Dr. Fo																		:		+		

-→ . . . .

Σχ

3704092

416-464

361 1661

15010 4

16-16

WET BULB TEMPERATURE DEPRESSION (F)

PSYCHROMETRIC SUMMARY

TOTAL

 $\sup_{S \in S(n)} L \Gamma$ L. ALL TOTAL

5 707 50703 <u>ng/: 1</u> \_\_\_\_\_50703

73.211.074

72.1 4.6/6 72.2 4.004

50 70 8 | 10 F

5 761 57 703

36 763

1 .

16

376

.74

\$ 1202d

3+3 4-094

ล็แล้~ยา**ว21** 

256167123

SATA PROCESSOR (RED) MAN ETT FOR STOLY WE

4 n H .

7 . B +

Altic

	ND-A096 962	061 73	THATLAND RE	HNICAL APPLICA	TIONS CENTER SUMMARY OF S	ETC F/6 %/2	
U	4 - 5	USAFETAC/US-81	/020	-OA-3182	-E850 030	NL.	_
	A - 5						

DATA PRUCESSING BRANCH USAF ETAF AIR REATIER SERVICE/MAC

4102 ··	) <b>N</b>	i . <u>-</u>	TAPA	.:: <u>A 8</u>	<b>1</b> 14 Δ	TATION N					67-	.72			Y	EARS						At.
																			PAG	E 1	HOURS	<u>L L</u>
Temp.				,				BULB											TOTAL		TOTAL	
(F)		0	1 . 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14		+	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	2 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Po
92/										.9		] .				!		ł	1	1	ŀ	1
90/		:	-	¦- ·	i	- • -		1	- • •				1	. (	4	<del> </del>	<b></b>	<del></del>	34	34		
88/					1 1 5	5	2.4	.5	. • :				1 -		1	1		1	209	209	1	
86/					100	1	3	1 1.9	1.4				.0		1			+	360 561	360 561		
82/		i		. 3	3.3		2.	1 1 0 7	1.5				1 • •						586	587		
80/		•	1.2	2.6			1 4	7 7 8 2	10	- 4	<del></del>	1 • 1	ļ	1	<del> </del>	+		†	344	544		
78/			1.7	2.3	3.1	1 . 3		9				1				}		1	465	465	447	
76/		• (1	1.1			1.9						<b></b>			<b></b>	+	<del> </del>	<del> </del>	372	372		
74/		à	. A	1.6	1.5	1.5		6	l									1	332	332	613	
721		, 2	1.1	1.5	1.2	1.7									1	<del>                                     </del>			292	292		
70/		. 1	5		1	1.2		3 .3											240	240	`	
68/			• 1			. 3		2		i	Ì						Ì		102	102	-	
66/			1	. 2		. 3	.3	3		l	}	1	)		1	ł		1	57	57		
64/	63.	•		.0	I	. 1	:	3								T			25	25	242	3 !
62/	61:	:		-0	.0			<u>i</u>										}	5	5	161	20
96/	59				• 0	. 1												Ì	5	5	98	
58/	57:	<b>.</b>	~														<u> </u>				50	18
56/	55			1	1	i	1	İ				1	ł				l				25	
	53	:			ļ	ļ		ļ				ļ			ļ	<u> </u>		<u> </u>	ļ		14	
52/	-				ļ		ł	1		1	1	1	1	l	1	}	ł	1			4	11
50/				•	·		<u> </u>	<u> </u>			ļ	ļ		_	<u> </u>	<b>-</b>	-					
48/				;	İ						1				•			İ				3
46/		:	- , 2		1			1	0 1	<b>-</b>		<u> </u>		ļ <u>-</u>	<u> </u>	<del> </del>		-				]
1014E 				:	23,4	12.2	1 3.	7.1	8,0	4,	2.4	•	. 4	• •		ļ		ļ	4190	4191	4190	415
		<b>i</b>																				
	1																					
Element	(X)		Z X '		$\vdash$	ZX	—	X	-,	<del>'</del>	No. Ot				·	Mean I	No. of H	lours with	Temperat	ure		L
Rel. Hum	. 7-		2017	1604		2840	62	67.8			41	90	10	F	≤ 32 F	≥ 67		≥ 73 F	≥ 80 F	- 93	F T	Total
Dry Bulb	-			2066	<del></del>	3289		78.5				91				727			347.0			74
Wer Bulb	, †			9020		2957		70.6			41	90		$\neg$		574		313.8	5.		1	74
Dew Poi	nt T		1868	4868		2781	42	66.4	7.2	66		90				404		77.9		1	1	74

DATA PRUCESSING BRANCH USAF ETAF AIR #EAT FER SERVICE/MAC

41026 J-TAFA: AB THATLAND

# PSYCHROMETRIC SUMMARY

1	Met Bulb Dew Point		1929			2002		<u>74.3</u> 71.4		90	37					586		107.0	17.3	<b>-</b>		67 67
97   91   91   92   93   94   94   94   94   94   94   94																						67
927 91 91 92 91 92 91 92 91 92 91 92 91 92 91 92 92 92 92 92 92 92 92 93 93 93 90 93 90 90 90 90 90 90 90 90 90 90 90 90 90				9389			31			89			= 01		: 32 F	≥ 67	F .	73 F	• 80 F	- 93 1		
92/ 91			T = ?			Ž 11		-			Ma Ch					Mag-	la al <sup>14</sup>	laura wist	Tanana			
0 1-2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 31 0.8.78. Dry Butb Develope (97) 89	 	·													-						: 	
1															-							: 
1	· ·																				 	-
10	ла <b>с</b>		7.1	20.0	26.0	1,00	12.3	7.1	3.1	1.4			• 1		-	•			3771			
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 31 D.B.W.B. Dry Bulb Wet Bulb Dew 12/ 91	4/ 33	<del> </del>	,	20.0	22 6				, ,	1 6	a							ļ		1776		77
(F) 0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 231 DB-W.B. Dry Bulb Wet Bulb Dew 12/91	8/ 57	; ++				:   															-	
(F) 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 231 D.B./W.B. Dry Bulb Wet Bulb Dew 92 / 91	64/ 63																					1
(F) 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 231 D.B./W.B. Dry Bulb Wet Bulb Dew P2 / 91	8/ 67	- 44																	4	4	145	2
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 31 D.B./W.B. Dry Bulb Wet Bulb Dew 92 / 91	72/ 71		1.1	1.7	. 4	.6													146	146	457	79
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 231 D.B./W.B. Dry Bulb Wet Bulb Dew 92 / 91	76/ 75	. 1		3.1	1.0			•1											237	237	935	56
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 31 D.B./W.B. Dry Bulb Wet Bulb Dew 92 / 91	10/ 79	1	1.2	4.7	7.1	2.1	.6		. 2										604	605	320	1
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 231 D.B./W.B. Dry Bulb Wet Bulb Dew 22 / 91	4/ 83	<del></del>		1.0	7.1	3.3	2.2	1.0		, 2		• •							590	593		
(F) 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 231 D.B./W.B. Dry Bulb Wet Bulb Dew 92 / 91	88/ 87						3.3	.8	.3			ှိ			-	0	_		24R	246		
	2/ 91						7-10		13.14				.0		15	27.23			6	6		
Temp. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL	Temp.		, ,	2.4		7 0								23 - 24	25 . 24	27 . 28	29 . 30	31		Dry Bulb		Dew P

C FORM 0.26-5 (OLA) REVISED MEVIOUS EUFIONS OF THIS FORM ARE

DATA PRICESSING BRANCH USAF ETAC AIR LEATHER SERVICE/MAC

TAPAP BE THATLAND

### **PSYCHROMETRIC SUMMARY**

e Po		ļ		7 P 5 1			3082		73.4	_		42		~	-		697.	127	8.	3		- 7
fer Bul		-	291				<u>3500</u> 3202		76.		_	42			+			668.0	<u> </u>		4.7	74
el Hur Iry Bull			230				3085			10.2		42		: 0 F	+ *	32 F	743.6	- 73 F	613.	4 93	F	Total 74
lement		•	ΣX,		4		X	<u>.</u>	X	,		No. Obs						of Hours wit	<del></del>	· · · · · · · · · · · · · · · · · · ·		
			! !	1																	! !	
			• -	÷~ -	1-				<del> </del>	₩-							· ·		<del>   </del>		ļ	
			:	1	ĺ	į				1		<u> </u>					.				ļ	
			i •	!	-				L	ļ									L		·	
		•	·	†- '	_				+ i	†									1		<del>-</del>	i .
				•		1			1	1											1	
				· <del> </del>		}			j	ļ		} <del> </del>					-		4202		4202	
Til	•	•	4	910.	, 3 3	5.9	19.5	15.3	3.	1.9	1.2	. 7	. 4	. 1	• 1		İ	ļ	4000	4223		42
8/	47				4				·	i							<del>-</del> -				· •	
6/ C/		•	•	•	•	•	,		•	<b>†</b>									<b> </b>			
	53 51										I					Į		1				 !
	55	•		•						•		·							<del>                                     </del>		<del> </del>	
	57			<del></del>							,	. [			ĺ		!		<del>-1</del>	<del>1</del>	<del>                                     </del>	-
	59							,									· ·				13	
	61	•			٠	•			•	†	. — –				i						8	
	63					• 1						İ.		_			l		1	•	14	
•	65	•	•	•	•	= <u>1</u> 1	1		•	·	i	- +					<del> </del> - <b>-</b>		1		36	_
	67			•	, u	٠,	• 1	• 1	. • (	X	:	i		ĺ	ļ				11	11	113	
2/					<u>o</u>	عک			•	1					-		<del></del> -		14	14		
4/		• '	i •	٠,	, 7	- 3	. 1	- 1	0	• 0							i		75			
6/			1			<u>د .</u>		7		1	1								169	176	1010	12
8/			1.			1.0	. 4	. 3	. 1	1	.0								234	236		_
0/	_		1.	3.		3.6		. 4	[ • ] • • 1	. 2	• •		• •	- 1	}				440	443		
2/		•		. <u>.</u> 	41	ĻΩ	2.6	. l.a5			2		<u>. 0</u>	.0	🕂				844	845		
6/	-			٠, •	9	<b>6</b> • 5	0.2	3.2		. 4	. 2		. 1	• 0					741	742		
87	87					لاه	3.4	9.4		6	3	3	1	- q	.0				552	552		 
0/		•	•	•	•		1.4	2.2		. 3	, 3	. 1	. 1		.0				227	227		
2/						- 1	. d	. 0	i		.0	d	. 1	• 9					11	11	İ .	
4/				. • :::	•	,	, ,		111714	13 = 17	13.1	• 0	17 . 20	.0	23 - 24	23 - 20	27 . 20 27	- 30 - 31	,	2		
Temp (F)			, , ,				7 9					DEPRE			23 . 24	25 . 24	27 28 20	- 30 - 31	TOTAL D.B. W.B.	Dry Bulb	TOTAL	Dew P

ETAC \*08m 0.26 5 (OL A) BEYNE

DATA PRUCESSING BRANCH USAF ETAC AIR FEATHER SERVICE/PAC

																			PAG	E 1		LL L. S. T.:
							w e	T BULB	TENDE	DATURE.			/E\						TOTAL		TOTAL	L. S. T.
Temp. (F)	-	0	1 - 2	3 - 4	5 - 6	5 7 - 8							21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	≥ 31	D.B./W.B.	Dry Bulb	Wer Bulb	Dew P
100/ 9	<u> </u>			1	_			<del> </del>							1							
94/ 9						1	}	1 .	1 - 1	1 .6		1	1 1		1			}	10	10		į
92/ 9				1	+	$\top$	3 1.	5 1.6			1								156			
90/ 8					1	2.	d 4.	4 13										'	333	334		
88/8				+	1.			1 1.					T		<b></b>				793	793		
86/8	1			2.			7 %	4		_			1					i	851	851		
84/ 8					811.			7			1	<del> </del>	_		<del></del>	1		<del> </del>	838	838	38	
82/ 8		,	· _ (	4.	5 5		d :	í				ĺ	1 1		ĺ	[ ]		[	499	499		
80/ 7			2.					0	49.	4	<del> </del>		+						283	293		
78/ 7		'	1.	-, -		<i>:</i> 1	1												204	204		
76/ 7				0 1.		. 3		4	<del> </del>	+		$\vdash$	1			+		1	119	119		
74/ 7		• 4		_		ď	٦	1		1						( l		1	1 2		199	
72/7				-	ч	Ч		+	<del> </del>	+	<del> </del>	<del>                                     </del>	+		<del> </del>	<del>                                     </del>		<del>                                     </del>			76	
70/ 6					İ		1	1	1	1		į								1	24	
		• •			- +		+		<del> </del> -	+	<del> </del>	<del> </del>	+		<del></del>			<del>                                     </del>	-		4	
68/6					:	-			1							1		į		ı		
66/ 6			•	† · -		<del> </del>		+	<del> </del>	-	<del> </del>	├	+		<del> </del>			<del> </del>				<del> </del>
64/6				,	1		-			ţ			1								1	
62/6				· ·	+			+	<del> </del>	-		<del>                                     </del>	<b>†</b>		<del> </del>	+		<del> </del>			<del> </del> -	<del> </del>
60/5	7			4 . 7	da	022	1.4	٠, ١			J,	1								1000		4.00
TUTAL		-4	2.	91.	200	B < .9 .	410.	3 4.6	3 4 6	4 -3		<del></del>	+		<del> </del>	1		<del> </del> -	4.000	4093	4092	40
				1	!				1										4092		4092	İ
-	•		•	4	·	+	+		+	<del> </del>	+		+		<del></del>	1		-	<del></del>		<del></del> -	
					i	1		-	i						İ				İ	ļ		
ĺ	•		•		. 4	-		+	<del> </del>		<del> </del>	├	<del> </del>		<del></del>	ł					├──-	-
		!								1		l							İ	1	ĺ	
	1	1		•		_ <del> </del>	+		<del> </del>	<del> </del>	<del> </del>	├──	+			1		<del> </del> -				<del></del>
		:		+					1			1								1		l
}				<del>-</del>					<del></del>	↓—	ļ.—-	<del> </del>	+					<del> </del>				<u> </u>
J		1	1	į								]	] 1		J							
Į		İ	į.				+-		ļ	<b>↓</b>	ļ	<del> </del>	4		<b> </b>	<b>├</b>		<b> </b>	ļ		-	
		i		1	1	-	1	i		1											1	1
	Ļ				↓				ļ	<del> </del>	<u> </u>	<b>↓</b>	+		<b>—</b> —	$\vdash$		ļ			——	L
		i		I.		ĺ						1								İ		
Element (X	1)		Z <sub>X</sub> ,	1	+-	ZX	1	X	٠,		No. Ob	)s.				Mean N	o. of H	ours with	Temperat	rute	Ь	
Rel. Hum.	1			2554	g	306	213	74.0			40	92	≤ 0 1	F .	1 32 F	≥ 67		73 F	≥ 80 F	e 93 1	F	Total
Dry Bulb	-+-			1222		345			3.			93	<u> </u>	$\top$		720			632.		.9	7
Wet Bulb	İ			87 <b>47</b>		318		78.0				192		$\neg$					189.		-4	7
Dew Point	ł			2229		308		75.4		578	7.9	92				713	_	36.2				7

DATA PRECESSING BRANCH USAF ETAF AIR MEATHER SERVICE/MAC

### PSYCHROMETRIC SUMMARY

1028	.)=	IAPA	II' AB	THA	TATION N	AME				67-	14	<del></del>		'E ARS				MOI	AY NTH
																PAG	E j	HOURS II	L.L.
Temp.						WET	BULB 1	EMPER	ATURE	DEPRES	SSION (	F)				TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 . 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22 2	3 - 24 25 - 20	6 27 - 28 29	- 30 - 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Pa
03/101	-			T	_		1			1	-0	- [				2		-	
96/ 95				<u> </u>	L		.0		.0			. 1				5	5		
94/ 93	-		1	}		. (		. 3	.0	.0	.0	.0	-	1	ì	30			
92/ 91			ļ			1.0		.3	, 3					<del></del>		150			
90/ 89			ļ	.	2.5				.1	.0						393		· '	
88/ 87				12.0	10.8	3		+						<del></del>		905			
86/ 85	į	^		8,8		3.5	. 1			, 1						715		23	
82/81	+	1 - 5	3.9	3,4			1			<del>                                   </del>				+		393	393	588	- 1
80/ 79		2.9	2.6	9			1			) )						275	278		
78/ 77	.0	2.3	1.6	. 2			1							1		183			
76/ 75	2				_		1							1		83	-	628	
74/ 73	. 2			1												16	16		
72/ 71				i	<u> </u>		1			-				1		L		18	2
70/ 69												1						! 1	. (
8/ 67			<u> </u>											<del>                                     </del>		<b></b>			
66/ 65														1 1					
64/ 63				ļ ——			1		l	-				+-+		<u> </u>		·	
62/ 61			. 7	26 .	22 4				. 5		. 1	,				<u> </u>	4270		42
UTAL .	2		A CAS	20.	23.0	4.	7 4.8	116		. 2	- 4 4			+		4257		4257	
	ļ		!		ļ				}	]		1				4237		7231	
+							1							1					
1	ì					}				]				1 1	ļ				
	. 1				L _	ļ	}												
			ļ <u>.</u>	-						$\vdash$				<del> </del>			·		
									1										
					<del> </del>				<del>  </del>	<del>├</del> ──				+		<del> </del>	ļ		
:	j						'									[			
				<del> </del>			+		<del>  -</del> -	<del>}</del> +				+		<del>                                     </del>			
						<u> </u>											L		
lement (X)		Σχ²			žχ		X	<b>€</b> X		No. Obs				Mean No.	of Hours wit	h Tempero	lure		
el. Hum.			14256		3185		74.8	9,5	96	42		≤ 0 F	≤ 32 F	≥ 67 F	≥ 73 F	- 80 F	= 93 1		Total
Dry Bulb			1294		3623		84.9			42				744.				•	74
Wet Bulb			15964		3337		78.4			42				744.		230.	0		74
Dew Point		2422	7562	<u> </u>	3229	79	75.9	2.3	31	42	57			742.1	680.9	<u> 7.</u>	3		74

.. S. [O. A.) BEVISED MEVICUS EDITIONS OF THIS FORM

FETAC FORM 0.26

DATA PRIICESSING BRANCH USAF ETAC AIR PEATHER SERVICE/MAC

STATION	.j <u>-</u>	TAPA	r ΔB	THA	ILAN	ID .				67-7	2			YF	ARS				J	UN:
3.4. 34				•										,,			PAC	٤١		LL
Temp.	·									DEPRESS							TOTAL		TOTAL	
( <b>F</b> )	0	1 - 2	3 · 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18 19	- 20	21 - 22	23 - 24	25 - 26	27 - 28 29	30 ≥ 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dew Po
102/101	-											- 0					-+		_	
92/ 91								1	- 0			_			ĹÍ		4	4	Ĺl	
90/ 89					. 2	1.3	, 9	1.1									141	141		
88/ 87		i i		ĺ	2.2	10.4	4.1	. 3				i		<u></u>	!I		688	689		
86/ 85			. 8	8.0	10.7	6.7	. 4			î l						1	1073		[ ]	
84/ 83	1		3.1	16.8	7.2	2.1	. 1			l							1177	1180		
E2/ 81	Ì	. 2	4.1	7.4	2.3	. 1										ļ	571	571		
80/ 79			2.6		<b></b>	L				$\perp$							218			9
78/ 77	.:	1.1	1.2		Ì	Í					ĺ	[			[ [	- 1	93			
76/ 75										$\perp$				<u> </u>	ļ		48	49	1056	
74/ 73			. 0			i				1 1	- 1	{		1	! !	1	1	1		119
12/ 71		<del></del>				<b></b>				<b>├</b> ──				<del>                                     </del>	<del>  </del>				10	
70/ 69		i		1	!	{				1		1					1		] ]	15
68/ 67		+			ļ.,	l											<u> </u>		<b></b>	1
TOTAL	• 3	4.0	12.3	32,9	22.6	20.7	5.0	1.5	• 0	7			_	ĺ		İ		4023		401
						ļ						{		<del></del>	<del></del>		4015		4015	
		!		i		ì									}	1	1			
-		+··			·	ļ				$\vdash$				<del> </del>	<b>├</b> ──		<b>├</b>			
				I	:									1		j	İ			
					ļ		i —			<b>↓</b>	_			<del> </del>	<del> </del>		<del> </del>		ļi	
				!	:	1					l			1	1 1		}			
				1	ļ · -	ļ				<del>                                     </del>				<b>_</b>			<b>├</b> ──			
				1						1 1		ĺ		[		1	1		1 1	
			-			· · · · - ·				+-+				<del> </del>	<del>  -</del>		<del> </del>		<del>                                     </del>	
		,					.		1	1 1		}					l		} !	
						<del></del>				+			-	-	<del> </del>		<del> </del>		<del> </del>	
						ļ						- }		] .					j	
						<u> </u>				+				<del> </del>	<del>  </del>		<del> </del>		<del> </del>	
														1			1		!!!	
						·				+				<b> </b>	<del>                                     </del>		<del> </del>			
					1	ŀ								1			1			
					1	<b>+</b>		<u> </u>	<b></b>	<b>├</b> ──├-				<del> </del>	<del>   </del>		<del> </del> -		<del> </del>	
					I												1		! 1	
		<del>*</del> 2		<b>-</b>	<del>-</del>	L.,			<b>-</b>	No. Obs.		نـــــــــــــــــــــــــــــــــــــ		<u></u>	Hans No	of Hours wit	L Tamasar			
Element (X) Rel. Hum.	·	2x1	3163		2922	74	72.8	<b>7</b> ,		401	<u> </u>	: O F		1 32 F	Mean No. 6		2 80 F	* 93		Fotal
Dry Bulb		2150			3384	9	16.0	2.4	-4			: 0 1	+	= J2 F		720.0	+		+_	72
Wet Bulb	ł	2850					84.1			402			-			718.2			12	72
Dew Point		2345			3100		77.2			401						573.7		7		72
DEM FOINT		2224	Z/09	L	2987		74.4		uu	901	<b>3</b>		- 1		1 720.0	1 2 7 3 a i	1	<b>4</b> 1		

DATA PRUCESSING BRANCH USAF ETAC AIR EAT FR SERVICE/MAC **PSYCHROMETRIC SUMMARY** STATION NAME JUL 66-72 PAGE 1 ALL HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 + 31 D.B. W.B. Dry Bulb Wet Bulb Dew Poir .0 96/ 95 . 0 2 2 94/ 93. 92/ 91 1 .1 .2 1.4 1.0 7.5 4.6 2 4.4 8.9 7.7 .5 38 38 90/ 89 86/ 87 148 148 622 624 1001 1001 86/ 85. .0 .715.3 9.2 2.2 .3 4.113.0 2.7 84/ 83 1318 1320 82/ 81 80/ 79 341 942 38 .1 1.5 3.4 2.5 351 351 563 18/ 17 76/ 75 153 14 1 8 1 5 2074 <u> 267</u> 163 78 1483 1326 . 1. . 3 . 2 74/ 73 72/ 71 70/ 69 259 1833 -4 957 185 10 58/ 67 66/ 65. 38, TITAL 4626 .2 4.010.235.422.018.1 6.9 1.9 4631 4626 4626 Ś 0.26 5 (OL A) X •4 No. Obs. Mean No. of Hours with Temperature 335414 387692 72,5 8,545 83,7 2,962 76,7 1,529 744.0 744.0 68H.1 2. 743.8 742.7 19.3 24557346 Rel. Hum. 4626 32496912 27/53882 744 Dry Bulb 4631 2,2 355002 Wet Bulb 744 4626 743.5 558.2 Dew Point 25249911 341639 4626 744 DATA PROCESSING BRANCH USAF ETAC AIR EATHER SERVICE/MAC

### PSYCHROMETRIC SUMMARY

Dew Poin				6496		323		74.	2	18	1		157	<u> </u>					584.0		5		74
Wet Bulb	,			7361		362	789	74	4 4	.72	1		160 157							35.		. 9	74
Rel. Hum Dry Bulb				1548		326				40			157	± 0	-+-	≤ 32 F	26	+	≥ 73 F	≥ 80 F	- 93 1		otal .
Element (			Σχ'		<u> </u>	ZX		<u>X</u>		*x	1	No. O					$\overline{}$	$\overline{}$		h Temperate			
	_				<u> </u>	ᆚ			4				┸	<u></u>	<u> </u>	<u> </u>		1		لمصلم		L	
	-		_				~			ſ						-							
	į	]		L	<u> </u>	1			$\perp$						L			1					
		1		i	[				$\top$					T			1	T	T				
		!		1	i	1							<u> </u>		<u></u>				_	L 1			
					-	T			1				T		1	1	1	1					
	1				l	1						l	_	1	L	1	1	1		<u> </u>			
						T	1			$\neg \uparrow$				1	1			Τ	1	1			
		i			1	L										<u> </u>		L	_ i	Ĺ Ì			
	. , -	i			1					$\neg$													
					1	1		<u> </u>	_ _				L			1	<u>L</u>					L	
	ŕ				1																		
_																<u> </u>				<u>                                     </u>			
		-		1	1					- [	-					-			_				
				L									<u> </u>	<u> </u>				L		1			
	- 1															1		1		4357		4357	
UTAL		4	9.0	15.6	33.	520.	213.	8 5.	8 1	. 4	_ , 3	0	i	L		1		1_			4360		43
56/				:	İ	i		1	1	- {			1	1		1		1	1	} !	_		
66/						1	-						<u> </u>	J	↓	1	1	1_		1			
68/						1	ļ			]			}		)				i			1	
707					ļ	+	4					<u></u> _		4	<del> </del>	<del></del>	1	1				1	_ 1!
72/						ì				į			1			1			1			23	
74/				که ا		<del></del>	+		1_	$\perp$			<del> </del>	<del> </del> -	+	1_	1			13	13	317	133
76/		. 3	1.7			1								1	1	1				112	112	1457	
78/			3.0	1	4	3			_}_				<b>.</b>	<del> </del>	↓	<b></b>	<del> </del>	<del> </del>		218	218		5
807				3.2	2 2.	4 .	4	1	- 1	- [			1	1	1	1	i	ì	1	391	399		
82/				7.3			9 .	ــــــــــــــــــــــــــــــــــــــ					<del> </del>	↓	+	+	<del> </del>	<del> </del>			1063		
64/			• 0	2.4	13.	77.	3 2.	3	1	1		}		1	}	}	1		į	1122			
86/				-	4.	7 7.	3 4.		1_	-1			1	<del></del>	<del> </del>	-	<del> </del>	+		736	786		
88/				l	•		<b>9</b> 5.	6 3.	2	. 5			]							481	482		1
9C/_					·		4	8 1.	3	-5	1	<u> </u>	<del> </del>	-	<del> </del>	+-	<del> </del>			126	126		
92/		:		1				2 .	3	- 2	- 1			1				1		34	34	1	
94/				ļ	<u> </u>				4_	-1	0	<u> </u>	↓	<del>                  _       _  </del>	<b></b>	+	Ļ			4	4		L
96/		,		ļ					1	• 0			1	1						1	1	1	_
(F)		0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 1	0 11 - 1	2 13	- 14 1	5 - 16	17 - 18	19 - 20	21 - 2	23 - 2	4 25 - 26	27 - 21	3 29 -	30 ≥ 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew P
Temp.								T BULL												TOTAL		TOTAL	
										_				_	_						•	HOURS	. 5. T
																				PAGE	F 1	۸	ı ı
							NAME									•	EARS					MU	NTH

A) REVISED MEVIQUS EDITIONS OF THIS FORM ARE C

C 108M 0.26-5 (0LA)

CATA PROCESSING BRANCH USAF ETAC AIR PEATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

Dew Point	23346		31531		74.0	2.07		425					717.			2.0	<del></del>		72
Wet Bulb	24913		32577			1.65		426					720.			18.1			72
Dry Bulb	28462		35101			3.56		426			+		720.			559.7		. 7	72
Rel. Hum.	25799		32541			10.31		426		± 0 F	1 . 3	32 F	≥ 67 F			+ 80 F	93 F	Τ. τ	otal
Element (X)	Z x 2	- + -	ZX	<del></del>	¥ +	<del></del> -	<del>-,</del>	No. Obs.	<del></del>				Maga No	of Me	<u> </u>	Temperati			
<b>\</b>				į		1	ł	}	1	ł	}		ļ	1	}		1	1	
										∤									
	;				1	1			-	-	[	[	-		ĺ		i	-	
	: 1		ļ	i															
1	1				1		-		- 1	1	- 1	1	1	1	- {	- 1	1	1	
	÷ = · • ·																	- :	
1	į.	1		1	ł	1	}	{	- }	ł	}	1	- }		Į	- 1	ļ		
:																+			
	. !	1		į	i	j	İ	)	Ì	Ì		-			i				
					+				-+										
		1	[	j	1				1	ĺ		į	į	- 1	1	- 1	1	,	
			<u> </u>											$\rightarrow$			4		
	1 .	1	: [	1		1	1	1	}	1	1	÷	ļ	j	ļ		i		
			ļļ.						∔			<u>:</u>							
			1	i				1	1			1		1			:	!	
	~ .													<del></del> -		4262		4262	
UTAL :	.813.91	0,402.8	12.01	2.1	<b>&gt;.</b> 0	1.7	. 7	. 3	• 0		1	1		į	1		4262		426
647.63	1113	e dan e								+								<del>-</del>	
66/ 65	1	1		- 1	İ	- 1		1			1		1		}	į	ł	1	1
68/ 67		- +	<del> </del> <del> </del> -	-+											j			<del>;</del>	2
			1	ļ		1	- 1	- 1	)	)	1		- }	ļ			!	4	13
70/ 69												+				L		41.	<u> </u>
74/ 73 <i>72/</i> 71	. 2 4	• 1	1			1	1	-	Ì		-	1	1	- 1		30	30		
76/ 75	<u>•4 3.5</u>	9						-+			-+	+		+		204	204		
78 / 77	.14.6		1 [	1	i	i		- {	1	ł	1	1		!		427	427		
8C/ 79	4.1						+				+		-+		——- <u>i</u>	538	538	435	
82/ 81		5.812.7		• 1	1	ĺ	1	Į.	ļ	,		1		1		903	903	24	
84/83		1.013.0														973	973		
86/ 85		1 3.5	3.y	2.0	. 0	• 1	.0			1	-		j		1	635	635		
88/ 87	!	-4		4.1	2.2	جو	-0									387	387		
90/ 89	. 1		• 1	. 0	1.0		. 4	. 1	ł	- i	1	}	1			132	132	į	
92/ 91.			<del> </del>		- 1	1	- 2	-4	0			$-\!$				27	27		
94/ 93	į į	i		-	]	• 0	• 0		.0			1				4	4	į	
(F)	0 1-2	3 - 4 5 - 6	7 - 8	9 - 10	11 - 12 1	13 - 14 1	5 - 16 1	17 - 18 1	9 - 20	21 - 22	23 - 24 2	25 - 26	7 - 28 2	9 - 30	≥ 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dew P
Temp.						EMPERA										TOTAL		TOTAL	
														_			- •	HOURS (	. 5. T.
																PASI	F 1	Δ	LL

0-26-5 (OL.A) REVISED MEVIOUS EURIONS OF THIS FIJIM ARE OLIS

ETAC FORM

DATA PROCESSING BRANCH USAF ETAL AIR EATTER SEPVICETYMAC

41021 C-TAPA" AB THAILAND

### **PSYCHROMETRIC SUMMARY**

TCT

v. 028	10	2 3 3 3		26	⊼ 78,6 80.6	2.0 2.0 11.2 4.22	74	No. Obs 44	12	308	=   -	32 F	2 67 744	F .	73 F	. Tempera . 80 F 395 a 300.	+ 93 F	4411	9 46 16 441 1 441 1 1 1 1 1 1 1 1 1 1 1 1
x' 77834	10	2 3	×	26	x 78,6	°, 11.2'	74	No. Obs		108	= -	32 F	≥ 67	F ·	73 F	Tempera • 80 F	ture + 93 F	4411	441
x <sup>2</sup>		2	x		X	$\sigma_{g}$		No. Obs				32.5				Tempera	Lure	4411	4411
+ -	.421			10.8			,6												10
0.028	.421	. • 61	1.0	10.8	5.0	2.0	.6	•0	.0							4411			1
O. 028	.421	.01	1.0	10.8	5.0	2.0	.6	.0	.0							4411			1
0.028	- 421	01	1.0	10.8	5.0	2.0	.6	•0	.0							4411			1
0.028	• 42 1	01	1.0	10.8	5.0	2.0	.6	.0	.0							4411			1
0.028	.421	01	1.0	10.8	5.0	2.0	.6	.0	.0							4411			1
0.028	.421	01	1.0	10.8	5.0	2.0	.6	•0	.0							4411			1
0. Q2 H	- 421	.01	1.0	10.8	5.0	2.0	.6	-0	. 0								4412	5	1
	-   -																		4
:			-																4
			-																4
;							-												4
												İ							
	1																		
• <b>1</b> ;	• 1	• 1			i !	1		}	}	ļ		1	}			14	14	113 48	42
_4	. 1	. 2	, į		1										<u> </u>	19	19	373	7
													-		<del> </del>				110
8 .3 8	.7 1	8	. 7	. 1	• 0							-				867			37
3.0 6	.5	. 9	. 7	3	0					}						1		399	
-0 1	-3 -	, 5	2.5	2.0	. 5	2			• 0										
• 0	, 3	2.2	3.8	3.2	1.3	.4						<del>                                     </del>			†·	499			
ļ	ı i	. 2	1.5	12	- 6					ĺ		{	1						
			ي و	2	. 2	0	1								ļ	2.	20		
. 2   3.				y - 10	11.12			$\overline{}$	19 - 20	21 - 22	23 - 24	23 - 25	27 - 26	29 - 30	231	5	5	WET 0070	DEW
												Tac a/		20 20	J . 31		D. 0.15	TOTAL	D B
																		HOURS (L	. S. T.I
	.0 1 .1 4 3.0 6 8.3 8 6.4 5	.U .3 4 .0 1.2 .1 4.7 .3 6.5 .6 .5 .8 3 8.7 .6 .4 > 8 1.1 1.U	.U .2 .U .3 <.2 .O 1.2 >.5 .1 4.7 >.8 3.6 6.5 3.9 8.3 8.7 1.8 6.4 >.8 1.2	.U .2 1.5 .U .2 3.8 .U 1.2 >.5 2.5 .1 4.7 >.8 1.4 3.6 6.5 3.9 .7 8.3 8.7 1.8 .7 6.4 >.8 1.2 .2 1.1 1.0 .7 .1	.2 3.4 5.6 7.8 9.10 .0 .2 1.5 4.1 .0 .3 <.2 3.8 3.2 .0 1.2 >.5 2.5 2.0 .1 4.7 >.8 1.4 .5 3.6 6.5 3.9 .7 .1 8.3 8.7 1.8 .7 .1 6.4 >.8 1.2 .2 .1 1.1 1.0 .7 .1 .1	.2 3.4 5.6 7.8 9.10 11.12	1	.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	-2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 -0 0 0 0 0 0 0 -0 0 0 -0 0 0 0 -0 0 0 0 -0 0 0 -0 0 0 0 -0 0 0 -0 0 0 0 -0 0 0 -0 0 0 -0 0 0 0 -0	-2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28   -0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0	2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 2   3 - 4   5 - 6   7 - 8   9 - 10   11 - 12   13 - 14   15 - 16   17 - 18   19 - 20   21 - 22   23 - 24   25 - 26   27 - 28   29 - 30   231   - 0	WET BULB TEMPERATURE DEPRESSION (F)  10 AL  2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 231 D.8./w.B.  3 4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 231 D.8./w.B.  4 2 2 2 2 3 3 1 1-2 5-7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 231 D.8./w.8. Dry Bulb -0 .0 .0 .0 .0 -1 1.2 .2 .2 .0 .1 -1 1.2 .6 .7 .1 -1 1.3 .5 .2 .3 .3 .2 1.3 .4 .1 -1 1.2 .5 .5 .2 .3 .3 .2 1.3 .4 .1 -1 1.2 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5	NOUNS (I

USAFETAC FORM 0.26-5 (OL.A). BENSTO MELICIOS ECTONICO PROFESAM ABE CAL.

DATA PRINCESSING MRANCH USAF ETA; AIR EATHER SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

1021	: <u>-ΤΑΡΛ</u>	) AB TI	STATION NA				06-7	1_		Y	EARS				F.! MON	
,			3.41.01.114	-ML									PAG	. 1	AOURS IL	
															HOURS IL	. S. T.
Temp.	+						DEPRES			,	·		TOTAL		TOTAL	
(F)	01_2	3 - 4 5 -	6 7 8	9 - 10 11 -	12 13 - 1	4 15 - 16	17 - 18 1	9 - 20 2	1 - 22 23	- 24 25 - 26	27 - 28 29	30 > 31	D.B. W.B.	Dry Bulb	Wet Buib	Dew P
94/ 93			1			.) .	. 9			j	1		1	1		
92/ 91.			<del></del>		والكه	5	3	-+			<del>  </del>	-	44	44		
90/89	!		• 1	• 11	.2 1.			. 2	• 0			-	197	197		
88/ 87				207 3		1 .9					<del></del>		401	402		
36/ 85		• (J	• 2 4 • 4		. 0 2.	i .5		• 0		j		1	414	415		
84/ 83	:	1 M 1	2.4	2.7 L	14 1	6 .3	.4	9			+ <del> </del>		420	421	9	
82/ 81 BC/ 79			.8 1.9 .9 1.4	1.3	-	.1 -	1	į	-	-		!	550	551	140	1
78/ 77	1 2.2	<u>د 8 د</u>		- <del></del>	• 4					-	+		598	598	508	
76/ 75	1 2 2		6 1.4	• 🏻			1 • 9	-		1		Į.	595	595	252	30
74/ 73	1 .9	2.8 2		.3	• 4						<del>                                     </del>		334	308.	923	7
72/ 71	Q i		α 8	. 1	[4]	d id				İ	1		127	127	701	7
70/ 69	.0		0 .7		. 1			<del></del>				- +	54	54	402	7:
67 67	•		3 .2		. Ci					i	1 1	i	25	25	227	49
66/ 65		•			• d		1					- i	21	2.8	112	30
64/ 63			1 0									ļ	6	6	100	1
52/ 61	• • •		.0				i			Ī			3,	3	70	12
50/ 59.						<u> </u>	!			-		· · · ·	L	i	46	
58/ 57			į				į I					i	!	ł	1.8	
56/ 55.			1				<u> </u>				<del>                                     </del>		<b></b> i		6	5
54/ 53			-		į.						į į	ļ			1	•
52/ 51.			- 1	· i			<b>↓</b> ↓						<del> i</del>			9
50/ 49				ļ				-				ļ	1			
48/ 47											<del> </del>		<del> </del>	1		
46/ 45			i i	ĺ	i			1	i				1 1	1	!	
44/ 43		• -				+	++-				+-+		ļ i			
42/ 41					i										:	
<del>167 - 35  </del> !!T \L	 .si 7.12	n dia	912.6	1 4 4 1 1	1 2	4 3.4	1 7	. 3	•0 -	-0-	<del>                                     </del>			4220	i	42
	# JR 7 # 147	A 9 MIA		7	• 1	٦,٠٠	1 * * 1	• 1	• 4	7			4215	46.60	4215	7 2
	•	•	1			+	<del>                                     </del>	+			<del>                                     </del>		7517		76.17	
1				1	-										İ	
1							1				$\vdash$					
İ						1										
lement (X)	Σχ'		Σχ	X			No. Obs.				Mean No.	f Hours wit	h Temperat	ite	_,	
el. Hum.	2147	125	2950		013		421		5 0 F	1 32 F	≥ 67 F	≥ 73 F	≥ 80 F	≥ 93 F	·	otal
bry Bulb	27280		3385		.2 5.		422			ļ			362.		• 2	77
fet Bulb	22.141		3063		.7 4.		421			<del></del>		432.5		<u> </u>		7
Dew Point	20217	7602	2909	58 69	0 5.	618	421	.5			544.6	207.0	)	<u>'</u>		72

Follow 0.26.5 (OLA) - RE-SED MENNOS EDITIONS OF THIS FORM AN

ETAC NIEM 0.26

PATA PRUCESSING BRANCH
USAF ETAL
AIR EAT ER SERVICE/MAC

41C2 -TAPA AU THAILAND
STATION NAME

STATION NAME

### **PSYCHROMETRIC SUMMARY**

10.5	<u> </u>	46 1	STATION NAME	-		<u>66-71</u>		Yİ	ARS		PACE	1 .	MON A HOURS	<u>LL</u>
Temp				WET BULB T	EMPERATUR	E DEPRESSION	(F)				TOTAL		TOTAL	
. F	0 1 2	3 . 4 . 5 .	6 7 - 8 9	- 10 <u>11 -</u> 12	13 - 14 15 - 1	6 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 ≥ 31	D.B. W.B. D	ry Bulb 1	Wer Bulb	Dew Po
14/ 93				. !	!	• 0	• 0				2	2	1	
27 91.			- <del>-</del>	إنو ـــــــ		2 2	<u>1 • 9                                   </u>		i		23	2.8		
)^/ 8 <b>9</b>			• 1	.3 .5	• 🙀 •		1 · a			-	104 325	1 º 4		
38 <u>/ 87</u> 30/ 85		i	4	<u> </u>		9 .4	2		i		372	372		
14/ b3		 		2.4 1.6 1.6 2.2	1.9	od ul	1	-0	<b>⊢</b>	, i	451	452		
2/ 81			9 11				1	- + - • •	1		422	429	4	
16/ 19	.0 L.3		4 1.0		ä	3	! !				543	549	109	
8/ 77	1 2.8				.4	1				1	501	501	444	
6/ 75	1.2 2.0	3,9 2	4 2.7	7 . 0							510	610	725	43
4/ 73		1.3 2	·4 2 · 1	.4 .3	• 0	i			<u> </u>		315	315	570	_
2/ 71.	<u> </u>		2.1	-4 -2					<u> </u>		235	235	626	40
2/ 69	•a •a	.4 2		• 6 • i	1						189	189	582	
8/ 67.	• 0	- ,	1 .5			+ +	+				93	83	464	
6/ 65		• 2	• 4	• 1		-	İ				37	3.7 4:	340	
4/ 63.		<b>.</b> (	<b>.</b> .	+ +	!		+		<del>                                     </del>		4	4	229 140	
2/ 61 (C/ 59)										!			50	
147 <b>37</b> .		•		· · · · · · · · · · · · · · · · · · ·		++	+ + + -		•			-	22	
6/ <b>5</b> 5.						1			1				E- C-	13
4/ 53	•	•		•		- 1				:		<u>-</u> -		- 6
2/ 51.				:	1			!	:			1		3
0/ 49		•								i				
<del>                                       </del>				· ·										
IT u L	1.4 6.7	14.318	410-91	الد 1118، •	9.1 4.	6 2. u	6 • 1		<del>-</del>			4307		430
•				,		+	-	_	<del>i                                    </del>		4305	_ <del></del>	4305	
		1												
				•			+					<del></del>		
												1	1	
					- †	+	1		tt				+	
		!						j				- 1		
ţ		•				1	1		1		<u> </u>	;	1	
												i		
lement (X -	Σχ,		Σχ	X	* x	No. Obs.	ļ	,		of Hours with			- 1	
el. Hum.	.078		29241		14.627	4305	10F_	: 32 F	≥ 67 F	≥ 73 F	80 F	- 93 F	<del></del>	Total
y Bulb	2709		340770		5.546	4307	<del> </del>	-		649.3			3	74
et Bulb ew Point	<u>2148</u> 1951		305249 288576		4.749	4305	· <del></del>	<del></del>		320.1	3,6		_ <del> </del>	74
ew Faint	14,1	22/4	250276	a	6.276	4302	<u> </u>	<u> </u>	400,4	177.4				7.4

FORM 0.26-5 (CLA) REVISE MENTALS EUTOMS FOR HIGH STANKAR

SAFETAC HIRM O

DATA PROCESSING ARABON USAF ETAK AIR EATHER SETVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

STATION NAME 57-72 JAP. 6000-0200 PACE 1 607 65 2.7 3.3 64/ 63. 31 1 12/81 31 2.4 2.9 5.5 .4 2.7 3.5 4.5 2.0 1.4 5.3 4.3 2.4 1.2 2.9 5.4 2.9 797 77 43 63 61 62 76/ 75 14/ 73 49 44 64 34 70 70 66 54 . 0 . 6 72/ 71 . 1. 3. 7. 4. 4. 70/ 69 . 6 3. 3. 3. 1. 6 7 . 2 1. 4 1. 4 66 66 66 66 . 6 3 . 5 . 1 . 1 . 6 . 7 64 54 20 55 50 .2 56 667 65 64/ 63 39 37 18 32 29 507 52. 507 57 20 18 50/ 55 54/ 53 16 o2/ 51. 507 49 6 48/ 47 3 40/ 45 tutal .d10.427.437.414.1 6.7 2.7 510 No. Obs 39065 Rel. Hum. 76.610.168 510 : 0 F ≥ 67 F ≥ 73 F ≥ 80 F ≥ 93 F 2474253 2496434 74.9 4.531 69.7 5.487 90.4 63.1 93 Dry Bulb 38217 510 93 510 510 66.2 32.8 54.3 22.4 Wet Bulb 35572 34162

FTAC FORM 0.26.5 (U.E.A.) REDICTIONED FORM OF THIS HOMANIC GROOM

DATA PRICESSING BRANCH USAF ETAL AIR SEATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

410.20 EI-TAPA AB THAILAND 67-72 JAN
STATION NAME YEARS PAGE 1 0300-0500

Temp. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 231 D.B. W.B. Dry Bulb Wet Bulb Dew Poin 0 1 - 2 3 - 4 5 - 6 86/ 85 . 7 1 1 2 1 a 3 1 . 0 3 . 1 2 . 1 3 . 7 3 . 1 3 . 3 4 . 8 2 . 7 . 8 2 . 3 6 . 0 1 . 9 3 . 1 2 2 . 9 2 . 3 5 . 2 2 . 5 a 3 . 8 5 . 2 2 7 2 . 9 84/ 83 8 82/ 81 21 21 80/ 79 48 48 61 71 61 78/ 77 32 • 2 76/ 75 74/ 73 71 67 55 80 50 61 80 72/ 71 90 90 1.5 5.0 3.7 1.7 1.3 . 1 73 58 1.0 1.5 <del>24</del> 71 68/ 67 30 77 30 66/ 65 52 23 23 1.4 64/ 63 47 10 62/ 61 34 32 60/ <u>32</u>. 58/ 57 20 17 30 23 56/ 55 26 54/ 53 14 17 22/ 51. 50/ 49 48/ 47. 4 1.016.330.028.114.2 7.1 2.1 TOTAL . 520 520 520 No. Obs. Element (X) Σ σχ Mean No. of Hours with Temperature Rel. Hum. 3176139 40209 77.311.360 520 ± 0 F ≤ 32 F ≥ 67 F ≥ 73 F ≥ 80 F ≥ 93 F 73.4 4.666 68.5 5.789 65.7 7.368 2812099 38163 35627 34172 520 520 520 86.4 51.9 Dry Suth 9.3 93 93 Wet Bulb 2458323 60.3 26.8 44.5 21.5 2273804 93 Dew Point

C FORM 0.26-5 (OLA) BEVISED MENCUS EURIDMY OF THIS I

PATA PROCESSING BRANCH USAF ETAC AIR EAT EN SERVICE/MAC

### PSYCHROMETRIC SUMMARY

102/	AB APAL AB	THAILAND		67-72			ARS				J A	N
• •		STATION NAME				,,,	ARS		PAGE	: 1	CAOC-	-080
Temp.			BULB TEMPERATUR						TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8 9 - 10 1	1 - 12 13 - 14 15 - 1	6 17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29 -	30 - 31	D.B. W.B. [	Dry Bulb	Wet Bulb C	Dew Po
96/ 85	, _ ,	. 2 . 2							2	2		
84/ 83		9.44			<u> </u>				5	5	i	
82/ 81	2.1	1.1 .4	• 4						2.0	20		
80/ <b>79</b>	2.5 3.4	1.7 .2 .4	• 2	<u> </u>					44	44		
78/ 77	4.8 3.1	1.5 2.1 .2	• 2					1	62	62		
76/ 75	4.9 4.6	.6 2.3 1.0	-4 -2		L				69	69		4
74/ 73	.2 2.3 5.5	4.0 3.1 1.1	1.5	,				ļ	94	94		5
72/ 71		2.9 4.4 1.0	1.7 .2	+	<del>}</del>			+	83	83		3
70/ 69		2.3 3.6 1.3	1.0						70	70		6
68/ 67		201 101 101 10 1 101 08	Ó		<del></del>			+	37	37		3
66/ 65 64/ 63_			!						24	24 8	7 1	4
62/ 61	· 4 7	2 .2 .2		<del></del>	<del>-  </del>				3	3		3
60/ 59	• 4	2 4 4	1	1		İ			2	2	31	3
58/ <b>57</b>		161 17		+	<del>                                     </del>					2	14	ž
56/ 55										1	8	3
54/ 53		•						-			6	ī
52/ 51											2	2
50/ 49	• • •											
40/ 47.					<u> </u>							
46/ 45											i	
ITAL	1.119.327.7	10,719.1 7.8	5.7 .6		<u> </u>			i		524		52
			!						524		524	
		i			<del> </del>						<u>-</u>	
				1								
					<del></del>				<u> </u>		⊢ <u>i</u> -	
	l									į		
	• • • •			+	<del> </del>			+			<del>-</del>	
			<del> </del>	+	<del></del>	-	<del></del>		<del>                                     </del>		·	
				1						1	. !	
†					<del> </del>			-			-	
			1	1 1								
lement (X)	Σχ'		X °a	No. Obs.			Mean No. o	f Hours with	Temperatu	ire.		
el. Hum.	3138882		6.313.008	524	: 0 F	f 32 F	≥ 67 F	≥ 73 F	≥ 80 F	- 93 F	; Te	otal
ry Bulb	2:122331		3.3 4.539	524			86,3	52.5				9
fet Bulb	2449174		8.1 5.960	524			56,6		6			9
ew Point	2252321	34109 6	5.1 7.828	524			44.4	19.9		1	i	

FORM 0.26-5 (O. A). REVISED MERHOUS EDITIONS OF THIS HIRM ARE CARGO

USAFETAC FORM SOLE CO

DATA PROCESSING FRANCH USAF ETAC AIR EATHER SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

102	J-TAPA	AB		ILAMI					67-	72			7.	AR5					JA	
\$1.4			51	ATTON NA	ME								**				pvve	1	0700-	110
Temp.			,		WET	JULB T	EMPERA	TURE	DEPRE	SSION (	*)						TOTAL		TOTAL	
(F)	. 0 1 - 2	3 . 4	5 - 6	7 - 8		1 - 12	13 - 14 1	15 - 16		19 - 20	21 - 22 2	3 - 24 2	5 - 26	27 - 28	29 - 30	, ≥ 31	D.B. W.B.	- •	Wet Bulb D	iew Po
90/ H9				ا.	. 2		• 4	• 4	. 2	3	4	Î	!	1		I	3	5		
8/ 87. 6/ 85			-,9	2.8	2.4	- 6	1 7	1 1		1.9	9	- · + ·	+		-	<del></del>	33 01	<u>33</u>		
4/ 83			3.2		3.6	2.3	3.4	1.7	.6	1.9	i	1		1			102	108		
2/ 41			0.4		2.1	3.4	4.3	2.4	1.3	. 2	🛊	*	٠	•	-	<u> </u>	127	127	•	
C/ 79	1.1	9	4.1	1.7	2.1	1.7	1.7	1.7	. 0	• ¬	i			i			8.3	8.3	22	
8/ 77		1.1	1.9	, á	1.3	1.5	1.9	6	. 2	•	1	•	i			•	57	5.2	70	
6/ 75		. 4	. 2		. 6	2.1	1.1	. 2									29	19	69	
4/ 73				. 4	. 9	. 6	1.1	. 2					7	•			17	17	74	-
2/_71_				- 4	. 4	- 4	_ •4	+			↓		+				<u> </u>	8	51	. (
0/ 69			•		. 14	• 2	• 2	1									•	6	67	
8/ 67			,			- 6					$-\!\!-\!\!\!\perp$			<b>.</b>			. 3.	3,	<b>5</b> 0,	
6/64				į.	-1														50	
4/ 63.	•	•	+	‡	. 2	- +					•	٠	•	•		•		1.	4 <u>3</u>	-
2/ 61 0/ 59																			11	
0/ <b>5</b> 9. 8/ <b>57</b>		•		•	··· •	ţ	!	- •						•		•		•	5	
6/ <b>55</b> .										!									3	
4/ <b>5</b> 3.		•		•	•	•	•	•	•					· ·		•	•	•		
2/ 51																			<b>-</b> .	
0/ 49	•	•		•	•	•	•	•					•	•		•	•		•	
8/ 47																	4 · •			
6/ 45						-					1						i	i		
Ta <u>L</u>	. 1.9	3,4	10.7	14.71	0.7	13.5	10.9	8,3	401	3.2	- 6	<b>:</b> _						532	=-+	5
									i			1					532		532	
								+				<del></del>	+	+		·	<b></b> +			
												l	ļ.							
	•				•	•	ļ	•					†	+		+				—
			}			:	Į.	;	}	-		1	j			1	}	;		
	•	•	•		٠	•	†	†	- †		+		+	+						
								1				1	ļ			]		1		
•	•	•	•	•	i							i_	·	1						
erent X	ž <sub>x</sub> ,			2 x	<u></u>	X		j	No. Ob	. <u> </u>				Mean N	a. of H	ours with	h Temperatu			
l Hum	-	9131	•	2169	7		14.43	3 2		32	- 0 F	. 3	2 F	≥ 67		73 F	- 80 F	→ 93 F		otal
, Bulb	· -	9118		931		1 . 1	3.9			32		1	$\neg \uparrow$	92		89.9				
et Bulb		0490		376			5.4	_		32				70		41.1				
ew Point		0573		3403			8.2			32		<del></del>		44		22.6			-1	9

CATA PRO ESSIN BRANCH USAF ETAC AIP EAT ER SENVICE/CAC

1 ... v = ... **44** 

4197	4	-	·A.	A.	A,	9 1	HA	J <u>b</u> M							⊕7 <b>-</b>	! <b>!                                  </b>				VI AHS				DAC	E ì	120C	* #
Ten		e' -	1	2 -	3 . 4	. ,	. 6	7 8								5510N		23 -	24 25	26 27	28 79	30 .	31 1	TOTAL D.B. W.B.	Dr., Burb	TOTAL Wet Build	De - F
927	91	•		•		•			•	•	•		•			•		•	•	•	•	•		1	· 1	·	
907							_		a	. ÓI	. 4	. 1	b	, B			0	Ŋ	. 4			_		21	21	L .	
88/	87							1.	च्च र	3 . U	1.7		1 4	. 4	1.		1.5	Į.	i	•	•			117	11		
46/	ij5.					. 1		۷,	ų,	7.4	4.9	2.	9 2	. 1.	1.7									134	. 14	)	
64/	83						>	4.	4	<b>.</b> a			6 Z	. 3	3.8	1.0	1 .2	1						145	•		
62/					• '	• ]	l • u	۷.	3 1	L . 7.	4.7	2.	1 ج	<u>,</u> 7	1.0		ļ.							- 12			
807				• 2			• ^4					ı.		, 6	. 4									15			
78/				ک ع							4		<b>d</b> ,	•4				t				•		<u>. 12</u>			1
76/				• 2	• 4	2.		•	4			•		• 4				1						7	1		
74/				-		•	•		- +	٠				£ 4.			t	<u> </u>			•	٠	-		. 4	. 79.	:
72/												•	4			1	Ì							,		. ୫୯	
79/						٠	-		•			•	٠	٠			<del>-</del> -	<del></del>		+	•	•	•			. 52. 43	
68/	-																									44	
64/						•			•		;		•	•		•	•	•	•-	•	•	•	•			18	
67/	-																									5	
607						•				•	•		•	•			+	+		+-	•	+ -	•	-	•	· •	
58/																										1	•
56/		•				•			•	•			•	٠		• -	•	+			- · • · ·	7	4			* ·· · · <del>- ·</del>	2
34/																							1				;
52/	- ,	•		•			•		•				•	•		-	•	•	1	1	•	- 4	- †			1	· · -
50/																1							_			<u>i i</u>	
48/	•						•		•		•		•	•							· •						
46/	45												1				<u> </u>	<u>L</u> _								1	
TETAL	L			. 0	1.	) ;	7.	11.	324	1	2.4	18.	413	. 2	8.2	2.	2.3	Í	. 4	i	Ì	- 1	- (		524		52
į.									4				•-	+			ļ							5:3		523	
1										1			1					ļ	}		1		j				
						,	÷	_			4	_	<u> </u>				ļ	igspace							ļ		
							į		1	1	1								ŀ			- }	}				
1						4	ļ		1	- +	- +		i				<del> </del> -	-				-				<del>                                     </del>	
							i						Ì								1					]	
1	•			į.					+			<u> </u>	+-					-			<del></del>	$\rightarrow$	$\rightarrow$			<del> </del>	
	-					ì	ł		1	- 1				- 1		Į					ł		- 1		}	1 1	
Elemen	r / X 1		Σχ'	<u> </u>	_	┿	<del></del>	ŧ x		┯┵	¥	•	٠,	$\vdash$	No. Ob	<u></u>	<u> </u>				en No. 1	f Hours	with	Tempero	ture	1 1	
Rel. Ho					160	N			076		55.6			<del>  -</del>		23	- · ·	F 1	1 32		≥ 67 F	- 73	· · · · ·	• 80 F	4 93	F   1	otal
Dry Bu	+				04				189		14.3					24					93.0		2.8	87.			- 6
Wet Bu	•		-		61	-			84		12.4			$\vdash$		23					80.0		9	2.		+	
Dew Po					59				61	3	4 3		495			23		-			49.1	21			¥		Ġ

TATA PROFESSION CHARGE ATH EAT PHILE VICE/LAC

4174	:=1APA	A.B	T 4 1 L L 1)	_		1-7	ـــــ		EARS				JA	h TH
											PACE	1	1500-	17
Terry				VET BULB	TEMPERATI				, ,		OTAL .		TOTAL .	_
91 7 29	v 12.	3 4.	5 6 , 7 0 . 9	<u>.</u> .	1,13 14,15	16 17 18 19	20 21 - 22	23 24, 25 - 26	27 - 28 29 - 30	. 31 0	.8. W.B. D.,	Bulb	Wer Builb C	Dew 1
88/ 87			1.1.2		2 .4 1 .9 1	1 4	44				. 61.	61.		
86 85			.4 4.2 4	. 8 3.4	5.5 1	.95	.4 .2	+	• • • · · · · · · · · · · · · · · · · ·			117		
84/ B3		. 2	3.0 2.0 2	.2 0.	3 5.3 Z	-3 1.5		<b>.</b>			157	157		
02 / 81		• •	772 773	1.4 5.2	2 5.0 2	· Ti.g	. 2	1				122	1	
76 77	. 4	. 2	1.9 .41	and lay	4 A+7.	.2 .6	.	•	<u>†</u>		4 <u>1.</u> 17	4 <u>1.</u> 17	24. 77	
76/ 75		44						. 1	!		i	ΪĹ	67	
74/ 75						· — Ţ			· · · · · · · · ·			-	107	
72/ 71.				•			+		+				86	
08/ 07						1							61. 49	
06 65	•	•		•	•	• • -	<del></del>		+	• •	•	•	34	
04/ 63								•		+			12.	
62/61													•	
0C/ 59				•					<del>+</del> +-		•	•	1.	
20/ 55	,									a a				
34/ 53								·	•		•	•	,	
34/ 51 50/ 49				•			•-	- •	• • • •	•				
18/ 47										i :				
TUTLE	. d	1.0	0.814.3L9	.817.7	121.01 9	.4 5.3 1	i		• • • • • •	† ·	•	524	•	1
ı							- + -+	- <del>i</del>		ļ ļ	524		524	
ļ								!	' i	1 .	i			
		•		•			1		<del> </del>	+-+		•	•	
ļ									+	<b>.</b>				
			1		1									
1			•	*		+ +-			+ + + + + + + + + + + + + + + + + + + +	1 _ 1	+	•		
				4.	1 	· _ [ _			<u> </u>					
1	•			Ì			1	Ĭ		: :	•	•	•	
Electric X	Z g '		ž <sub>X</sub>	X	-	No. Obs.		<u> </u>	Mana Na of M					_
Rel Ham	1 32	103	30353		11.886	524		· 32 F	Mean No. of H	73 F	,	• 93 F	' Ta	ral
D. Buib	3056	099	43749	83		524	<u>. I</u>		93.0	93.0	87.5		• -	
Wer Bu h	2751		37912	72.4	4.142	524			83,8	49.0	1.2		•	
Dew Paint	235	EDE	34961	66.	6.592	524			51.3	21.1				

PATA PROLESSING MEANCH USAF ETAL AIR SEATHER SERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

105,	,,	-TAPA	<u>∩ Ab</u>	THA	L A IN	ME				67-	72			YE ARS				- —	<u>J</u>	AN .
																	PAGE	1	1800-	-200
Temp .F	0	1 - 2	3 4	5 - 6	7 - 8 .	WET 9 - 10	BULB 11 - 12	TEMPE 13 - 14	RATURE 15 - 16	17 18	SSION (F 19 - 20 2	) 11 - 22 23	3 - 24 25 - 2	26 27 - 28	29 - 30	≥ 31	TOTAL D.B. W.B. D	ry Bulb	TOTAL Wer Buib	Dew Po
88/ 87				انوید	. 4		• 2		1		!	1					, ,	2		
10/ <b>8</b> 5. 14/ 83			. 4	7.1			2.3			↓ <u>↓</u> 54 :				+			41 15 h	41 85		
12/ 81.	_	<b>.</b>	1.3	9,2		2.5					- 1			1			135	135		
90/ <b>79</b>		-	3,6	7.4	5.2	5.9	3.1	2.1			i	1					157	157	_	
78/ <u>7</u> 7. 76/ 75		4.	• •	2.7		1.0	1 1 2 1	1.			-		+	+			58 28	58 28		é
141 73.			<b>.</b>		. 4		1.0		-		+				!		12	12		
72/ 71				•	. 4	. 4		• (	?				!		ĺ		4	4	72	
7 <u>0/ 69.</u> 58/ 67		· ·	•	_ <del> i</del>	4			•	†	:		-		+			1		60 52	
6/ 65.									1 _				<u>i</u>	1. 1					29	4
4/ 63					,				1	i									21	4
02/ <b>61</b> . 00/ 59				:	•	:		•	i		+						<u> </u>		- 9	
8/ 57					,			j	İ		í I		j	1					i,	
00/ 55		. ,		:		·		•						7						1
94/ <b>5</b> 3. 92/ 51			•		•							— <del> </del>	<del></del>	<del>i</del>					·	1
0/ 47									1				l İ						į į	
48/ 47						نسا														
UTAL .		. ∎ৠ	0.1	34 <u>9 3</u>	15.91	4.3	12.4	110.0	1.5	-	•4	_		+			523	523	523	52
									1								223		J E 3	
·						·														
- •			•	•	•	:		•						<del>-  </del>					<del>-</del>	· · ·
												ļ	İ							
•			•		,	,														
				1	;	. +				+	<del></del>	_		<del>-</del>   -		إ		<del>i</del>		
					1	j												İ		
•			•	•	•	·							ļ							
lement (X)		2 *,			<u> </u>	i	Ŧ	•,		No. Obs	<u>. l</u>			Mean N	a. of Ma	ura wish	Temperatur	<u>.                                    </u>	i	
el. Hum.		235	4518		345	2	66.1				23	± 0 F	1 32 F	e 67		73 F	→ 80 F	- 93 F	F T	otal
r, Bulb			3763		4204	13	80.4	2.	770		23			93	<del></del>	72.1	57,1			9
Ver Bulb			7780 1525	-	3770		72.1 67.7				23		<del></del>	58		49.1	2		<del>-                                    </del>	9
www.coint			747		2757	<u> </u>	9/4/	6.4	7 0		23		1	1 28	<u> </u>	24.7				- 9

IN 0.26.5 (O). A) REVISED MENCAUS EDITIONS OF THIS HIGH ARE

SAFETAC PORM 0.

LATA PROCESSING FRANCH USAF ETAT AIR EATHER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

STAPAN AB THAILAND 4102 2100-2300 FACE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 + 31 D.B. W.B. Dry 867 85 3 25 58 64/ 63 1 5.4 82/ 81 7. 0.4 7.1 1.3 1.3 .4 .9 .9 .9 11.1 4.1 2.4 2.2 .9 4.1 3.4 4.7 1.1 .7 .4 1.7 3.2 3.0 1.1 .7 93 135 80/ <u>79</u> 78/ 77 93 13 . 2 49 83 57 52 77 16/ 75 81 88 57 82 74/ 73 . 4 . 2 2 1.3 <u>. 7.</u> 72/ 71. 9 1.9 2.8 40 76 74 .0 70/ 69 .6 2.6 31 64 68 . 6 42 46 .6 44 66/ 65 1 32 64/ 63 51 62/ 61 7 20 60/ 59 16 17 58/ 57 56/ 55. 54/ 53 52/ 51. 6 6 50/ 49 49/ 47. TUTAL 534 3.421.339.520.0 6.2 5.0 1.5 .4 534 No. Obs. 2923742 73.310.420 - 67 F - 73 F - 80 F - 93 F 39120 534 Rel. Hum. 76.9 3.811 41050 92.7 79.1 Dry Bulb 3163364 534 20.4 75.1 39.5 Wet Bulb 2685252 37774 534 . . . 5 Dew Point 36061 67.5 6.574

57-72

Ĵ Ö 0.26 5

SAF ETA **PSYCHROMETRIC SUMMARY** 4102 -TALA AN THATLAST 67-72 WET BULB TEMPERATURE DEPRESSION (F)

3 4 5 6 7 8 9 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point 1 4 3 - 2 1 - 5 Terms 1 - 2 867 85 1.4 3.2 1.9
1.9 2.3 .d
2.7 912 . 1 1.7
2.5 9.7 9.7 1.7
1.7 4.4 4.4
2.2 2.1 4.9 1.9 .d
2.7 5.3 3.4 .4 45 ₩47 **83**. 45 H2/ 81 94 98 80/ 79 78/ 77 113 114 54 . 4 . 2 54 76/ 75 47 47 56 72/ 71. 70/ 69 . 6 92/ 67. 66/ 65 64/ 63. 02/ 61 60/ 59. .21( .136.742.5 7.4 TOTAL . 0 Mean No. of Hours with Temperature Elevin X 80,4 6,568 78.6 3.680 74.1 3.293 72.1 3.611 - 32 F 3076915 473 67 F - 73 F - 80 F - 93 F 84.0 78.3 35.1 38023 USAFETAC Ret Harr D. But 2935329 37260 35034 474 83.1 Wer Bury 2-00004 59,7 1.4

FER

0000-0200

32 77

128 93

60 44 29

35

73

112

4

84

84

40.3

PATA PROCESSING BRANCH

2464528

34100

DATA PROCESSING BRANCH USAF ETAT AIR TEAT OF SERVICE/MAC

# PSYCHROMETRIC SUMMARY

1054	I-TAPA	I. AB		ILAN					67-	72				EARS					FE	
																	PAGE	1	C300-	0.50
Temp					WET	BULB 1	EMPER	ATURE	DEPRES	SION (	F)						TOTAL		TOTAL	
( <b>F</b> 1	0 1 - 2	3 · 4	5 - 6	7 - 8	9 . 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 2	4 25 - 2	6 27 - 28	29 - 3	0 + 31	D.B. W.B.	Dry Bulb	Wet Bulb (	Dew Po
86/ 85		. 4	• 13	.4							,			1			5	8		
84/ 83.		2.4	0.6	ÿ								L			-		46	46		
82/ 81	2	3.2		. 4							1		{				5.5	58		
8Ç/ 79.	1.5	9.0	1.3		2							ļ	<del> </del>	ļ	<del> </del>	<del></del>	90	90		
78/ 77	2.6	7,7	7.3	.4								}	1	1	}	1	84	24	61	2.
76/ 75.	.4.2.2.4 4.3.6	5.8	1.1	. 6		2					<del> </del>	<u> </u>	<del> </del>		<del> </del> -	<del></del>	48	48	114	5
74/ 73					• 4				! }		ļ	ł	1				57	57	91	11
72/ 71.		4.3				اــــــا							+	<del></del>	<del></del>	<del></del>	58	58		9
70/ 69	_	2.1		. 2								1			}	}	17	17		8
68/ 67		- 2							<del>∤</del> -				+	<del> </del>	+	+	2	2	36 17	2
66/ 65		j	į						) )			ļ	}	İ		ļ	! i		1 7	1
62/ 61		•		<del>                                     </del>		+			<del>}</del> +			├	+	+	<del> </del>		+			
60/ 59		1		.								[		-	1	[			•	
58/ 57	•	•	1			1			<del>                                     </del>		-	<del> </del>	+-	<del> </del>	<del> </del>		+			
56/ 55			į			[ [	1				ł	}	}	1			1			
โปรี้มีน้ำ	.616.5	40.4	35.0	6.0	1.3	2			1		-		+	<del> </del>	1-		†	468		46
	•								)			Į	1				468		468	•
	•											1			1					
									$1 \perp 1$					╛	1					
	. –					1												_		
				\ <b>├</b> i		<u>.                                    </u>									-		1			
		(	. !	. i		1			1 1					1				1		
		)				<u> </u>					L	<u> </u>	<del></del>		ļ		1			
		:				į (					(	Ì	(			1	1			
				lI					<del> </del> +			<b>↓</b>	<del></del>	<del>-</del>	<del>}</del>		<del>  </del>		L	
		1		1 1		1			1 1		ŀ	Ì		}					!	
1		· - :							<del> </del>			<del> </del>	+	+	<del> </del> -	+	<del> </del> i			
ì	1	į .		, ,		1 1			1			1		1	]		1 1			
		¥ .				<del> </del>			<del> </del> +			<del> </del>	+	+	-		<del> </del>		<del></del>	
1	ļ	į į	j	j l		( )	1				1	1	{		{	1	1 1			
ł	}	<u> </u>				<del> </del>	<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	+	+	+	1	<del>                                     </del>		<del> </del>	
1	1					) ]			1 1			)			}	1	1 1			
Element (X)	Σχ'			z x		x	<b>7</b>	$\neg$	No. Obs	. 1				Mean	No. of	Hours wi	h Temperati	ure .	·	
Rel. Hum.		7208		381	56		7.5	1 2	40	58	≤ 0	F	5 32 F	≥ 6	7 F	≥ 73 F	≥ 80 F	- 93 F	т Т	otal
Dry Bulb		3596		361		77.3				58		_			.0	70.3	+	<del></del>		8
Wet Bulb		9524		342		73.1	3.8			58					0.0	52.0				8
Dew Point		1317		333		71.2	-			68					9	36.4		T		8

C FORM 0.26.5 (OLA) BENISDIN

SAFETAC FORM DE

MATA PRICESSING MANCH USAF ETA: AIR EAT EP SECVICES AC

**PSYCHROMETRIC SUMMARY** 

FARA AB THATLANO 4102

PAGE 1 0600=0800

						4.7.1.0.5	DEBOR				_							
Temp	0 1-2 3-4		WELL	BULBI	EMPER	ATURE	DEPRES	ון אטוני	21 22 2	2 26	25 24	27 20	20 20	7 - 21	TOTAL D.B. W.B.	Dec. Bulb	TOTAL	D P
				- 12	13 - 14	13 - 10	<del>  '''B</del> +	19.20	21 - 22 2	3 . 24	23 - 26	27 - 20	27 - 30	7 231				† · · · ·
86/85	. 1 1	1 20의 · 경	ĺ				1	Ì		- 1	- (	- (		1	21 34	21 34		
84/ 83. 82/ 81		3.2 1.1 8.8 1.7					<del></del>		-					<u> </u>	6 0	<u>.24</u> 68		<del> </del>
				×	1			1		- 1					57	87	-	
78/ 77	<u> </u>	1 4 1 2 2 1 2 2		4			·							<del> </del>	52			
76/ 75		1.1.5		. 4			i Ì				ļ	- 1			51	51	1	
74/ 73	= : #45 3 3 4 6 4,5 5,8	1 484 485 1 2 2 1 3	1.3	# TI	· •		<del></del>							1	73	73		
72/ 71	2 3.2 4.1				l	i	i	- 1			- 1	1		:	55	55		
70/ 69	.4 1.7 .9			•			+	İ						i	22	22	<del></del>	
68/ 67			•				! ]								2	2	33	1
66/ 65		1 !		:			1 — 1	1			†			İ			18	
64/ 63		'		!						i				:	i '		21	
62/ 61		•			i						i						. 4	1
60/ 59.					!									1				
58/ 57							i			i	i			ĺ				1
56/ 55.			\											<u> </u>				Ĺ
TOTAL	1.317.834.0	34.2 9.7	2.4	. 0							İ			1	i i	465	4	46
-					!		L						~		465		465	<u> </u>
			,				l i		i		1	1		1				
					+		1							↓			<del> </del>	ļ ·
		.	1	ł	j			ĺ				i						
			·		i		+								ļ		L	ļ
		.		- 1	ļ.				-		!							
		ļ		;										ļ				<u> </u>
	1							1		1	l	ŀ					i	:
		i	L— <del>}</del>							-				· <del> </del>			<del> </del>	<u>+</u>
	1	!!!	!	i	İ			1	ŀ								ļ	1
•		+					<del>├</del>		-+		+	+		+				<del> </del> -
	,		į						- 1								1	
•		·					<del>  </del>	+				-		<del> </del>	<del>                                     </del>		+	<del> </del>
											1							
	• -•	<del>   </del>					<del>                                     </del>	+		$\rightarrow$	$\rightarrow$			+	<del>  </del>		<del> </del>	-
i	1	!	j						-								!	
Element (X)	Σχ²	ZX		x 1		$\top$	No. Obs					Mean N	o. of H	lours wit	h Temperat	ure		
Rel. Hum	3062785				8.7		41	55	5 0 F	•	32 F	≥ 67	F .	≥ 73 F	≥ 80 F	≥ 93	F	Total
Dry Bulb	2780444				4.2			55				84		69.7	24.	6	1	8
Wet Bulb	2476098				4.1			55				76	_	52.0				8
Dew Point	2340955			70.8				55				70		33.1		1		8

PATA PROCESSIN'S BRANCH JSAF ETAC AIR FEATHER SELVICE/MAC

### **PSYCHROMETRIC SUMMARY**

4102	-TAFA	- <u>∆6 1⊣4</u>	CHALL					67-7	'2			Ϋ́E	ARS					FE	<b>B</b>
																PAGE	1 .	0900=	1100
Temp.				WETB	ULB TE	MPERA	ATURE	DEPRES	SION (F	)			,			TOTAL		TOTAL	
F	0 1 - 2	3 - 4 5 - 6	7 - 8 9	- 10 11	1 12 1		15 - 16			21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	231		Dry Bulb	Wet Bulb C	Dew Poin
90/ 89				• 6	• 6	• 2	_	. 2	• 4	. 2						11	11		
88/ <b>87</b> 86/ 85			4 1	4.2	1.3		2	.4	- ,						l	91	4 d 9 1		
34/83		210.9		4 - 2	1.0	1.0	1.3	.6	٠.				.		1 :	124	124	i	
82/ 81		**************************************		-	1.3	2.3	.6	1							+	93	73	2	
BC / 79	.6	d 4 8		1.0	1.0	1.3	, ,	ŀ		ĺ					'	54	54	43	2
78/ 77	. 2 . 8	.8 1.7		. 4	.6	• 6	:						i		1	29	29	125	27
76/ 75	. 4 4	1.5 .2	6	. 4		!	i								<u> </u>	17	17	99	87
747 73	5. 2.	.6	•			- 1	- !					 			1 3	R	8	96	110
12/ 71	2.	-4	·												<del> </del>	3	3	31	98
707 69			:		+	ļ	ļ					1			'			30 37	46
04/ 67 66/ 65	·- · · · ·		·i	<b>:</b> -	+			<del>-</del> -							<del> </del>			12	14
64/ 63			1			1		-	1	1					1			12	21
u2, 61		•	. ;	· i											1	<b></b>		· · ·	18
60/ 57				1		j				- 1					ļ				19
n8/ 57		•																	14
56/ 55															L	l			5
TUTAL	1.3 2.3	1.220.6	127. U.	7.6	6.7	0.9	3,3	1.5	. 6	• 2			i l				478		478
					∔										<u> </u>	479		478	
			ı		!				-	ļ							:	1	
		•	1	• -	- +-			+				<u> </u>							
					i	1											ł	i	
		•		; .	·	+									<b></b>				
				i		!	ļ	1											
		•							1										
				i_											1				
					1	-	- 1	-	1						1		ļ	1	
			ļ														+		
				Ì					1								Ì	ļ	
										- +					<del> </del>		<del> </del>	+	
Element (X)	ΣX,		ZX	3	Ē.	- FA	1	No. Obs.	1	J			Mean N	lo. of H	lours with	Temperati	,re		
Ref. Hum.	2290	230	32600		8,21		41	47		± 0 F		32 F	≥ 67	F .	73 F	≥ 80 F	≥ 93 F	T	otal
Dry Bulb	3768		3949		2.6			47					84		33.5				84
Wet Bulb	2059		35614		4,5			47					81		54,5	3.	7		84
Dew Point	2406	751	3382	1 7	0.8	5.30	57	47	8				67	.5	39.7				P.4

USAFETAC FORM 0.26 5 (GLA) RESIDENCE

0.26-5 (ULA)

DATA PRINCESSING TRANCH HSAF ETA AIR EATHER SETVICET NO

STATION NAME

#### **PSYCHROMETRIC SUMMARY**

1700-1400 HOURS IL, S. T. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 2 31 D.B. W.B. Dry Bulb Wer Bulb Dew Point 927 91 ٠ ٧ 4 907 89. 887 87 • 4 1 ( 4) 104 80/ 85 145 152 13 71 313 62: 81. 807 79 13 17 73 78/ 77 16/ 75 74/ 73 13 123 .2 1.3 113  $\mathfrak{b}_{\scriptscriptstyle \perp}$ 62 57 120 106 72/ 71 70/ 69 <u>35,</u> 39 23 68/ 67 28 66/ 65 54/ 63 23 62/ 61. ß 58/ 57. . A . d 3. vill . 24. 931. 312. 4 8. 2 3. 8 4. 4 TUTAL 473

1995017 64,110,584 84,9 3,005 75,4 3,051 30309 473 Ret. Hum. 1 32 F 341710U 2593746 473 84.0 84.0 78.7 84.0 67.0 5.0 40178 473 Wer Bulb 35666 Dew Point 33671 71.2 4.676

No. Obs.

Mean No. of Hours with Temperature

84

84

Element (X)

PATA PROCESSING FRANCH USAF ETAL AIR SEATHER SERVICE/AAC

### **PSYCHROMETRIC SUMMARY**

Υ <sub>ε+p</sub>		. ~ .	1 . 2	3 - 4	5 · 6	7 - 8	WET 9 - 10	BULB	TEMPER 13 - 14	15 - 16	DEPRE	5510N 19 20	(F)	23 - 24	25 - 26	27 - 28 29	30, 231	TOTAL D.B. W.B.		TOTAL	
927		•		•				· *		1.1	1		,			· · · · · ·		21	21.	•	
188	87		•	٠					1 1.3	1.1						2		71	91		
847		•		ı.					1.9		·						*	$\frac{118}{103}$	118		
62/	-					1.3						j	'					4 U 3	89	2	
807			٠. ٤			1.5			1 .1.	•	•	i -	- 1			•		2.0	SC	58	
151		2				. 4	<u> </u>									·		15.	15	123	
76/			, 3	1.0						:								0	9	105	
72/				4	· · ·				·		· —		<del>   </del>					2.	2.	95 62	
79/									1	ĺ		ļ	1 1		į	i				24	
687					•				-						1			•	•		
66/	•						•		<del></del>	: 											
64/	-										ĺ	!			l 						
607 607								•	<u> </u>	<del> </del>	i		-				— <del>;</del>	•			
58/							!			I			; ,		) ;					•	
14/	ټ.	_ ′		•												i	-		•		_
Tel		٦.	1.5	<b>∌.</b> ધ	13.1	25.5	28.1	12.0	7.4	3,2	1.3					<del></del>			471	. 70	4
					,	•		1		ļ !	1				!		1	470		470	
			,		•	•	•	:		· <b>-</b> -	<del>+</del>	† <del></del> -						<del> </del>			
								1		<u></u>							- <del> </del>	1			
										} 	İ					İ	j				
						• • •			ļ		<del> </del>	<del> </del>	<del>  </del>						·		
							:	1	i	ļ		1									
	•	•			- 1		! !					i -							•		
					!	!	· • · ·-	·	ļ	!	ļ	Ĺ	<del>                                     </del>					<del> </del> -		•	
								į		1	}	}						! !		1	
				:			l	–	<del> </del> -		<del> </del>							·	<del> </del>		
							: L						<u> </u>					<u> </u>	1		
Elemen:			Σχ'			Σχ		X	, , ,		No. Ol			- 1				h Temperatu	,		
Rel. Hu Dr. Bul				7964 7960		310			10.1			70	• . 0. F	•	32 F	≥ 67 F	73 F	77.6	→ 93 F		Fotal
Wet But	1		7.	/ <u>2</u> 94 5174		353		75.	3.0			70				83.8					. · <u>-</u> {
Dew Po	1			749	-	335			4.3			70		1		71.5		2.2	<del> </del>	+	<u>c</u>

AC FORM 0.26.5 (C) (A) IRRORE MEDICAL

USAFETAC NORM 0.26.5 (OL.A) HINTERMIN

MATA PROMINSING RANCH MSAF ETA AIR EAT DE SERVICE/MAC STATION NAME 4102 ··

# **PSYCHROMETRIC SUMMARY**

PARE 1 1'00-2000

													HOURS IL	. 5. T./
Temp.					TURE DEPRI			,			TOTAL		TOTAL	
(F)	0 1 · 2 3 · 4	5 - 6 7 - 8 9 - 10	11 - 12	13 - 14 1	5 - 16 17 - 18	19 - 20 21 -	22 23 - 24	25 - 26	27 - 28 29	30 2 31	D.B. W.B. D	ry Bulb W	er Bulb I	Dew Po
85/ 87	1	. 4	4	• 4		! !	(	( !			4	4		
361 85		5.7 5.5 2.6	.4	. 6	. 4			ļ			69	69		
847 83		1 . 1 5 . 1 2 . 6		• 5		!	1		ļ	j	100	1 1 1		
821 <u>01.</u>		<u>1901 505 506</u>			!	ļ - <b>-</b> ļ -					154	154	1	
807 79		10.7 0.8 2.8	4	1						!	103	103	37	
		6.1 .4 .9	u ļ.	!		ļ					22	22	67	2
76/ 75	• 2. 1. q		1 1	İ	1	į į		1 (		į	10	1.0	142	
74/ 73.	2 11 4			}				L			6		112	_12
72 / 71	• •			ľ	!	1		;			1	i.	65	10
757 69			<del>                                     </del>		!			<del></del>			ļi		25	7.
6F/ 67			1	İ	-		- 1			-	[	i	1 1	4
66/ 65			·	L		<u> </u>	<u> </u>	$\vdash$					i.	2
54/ 63			1	Į				1 1	-		1			1
92/ 61.			ļ · ·					<u> </u>			ļ	<del></del> .		
THE SE	. S 2.3 9.2	45.022.414.5	3.4	1.9	• 4			, ,				470	ا ا	46
			ļ I			l					459		469	
			į t		1							ł		
			· +-			<del>                                     </del>			<b></b> -			i-		
			1	- 1	į									
	· —· ·		•	-+				<del> </del>	<del></del>		<del> </del>			
		:	r	- 1	1									
		•	·+			<del>  </del>		+!		<del></del>	<del> </del>			
			1		i	i						'		
			•- +	-			<del></del>	<del> </del>		+	<del></del>			
					ļ.		-	{ }				-		
•		• · · · · · · · · · · · · · · · · · ·				<del>                                     </del>		ļi			<del> </del> +			
	1		1 1	1								i		
			+			<del>   </del>		<del> </del>		_	<del> </del>	+		
	1		.	1									:	
	·	· · · · -	+	·		<del>  </del>	-+	+			<del>                                     </del>			
		,	;			}	- 1	}		1		1		
1	4	··· · · <del>·</del> · · · · · · · · · · · · · ·	+			<del>                                     </del>					<del>                                     </del>			
1		1		1			İ			1			1	
Element (X)	Σχ'	Σχ	×		No. OI	os.			Mean No.	f Hours wit	h Temperatu	re		
Rel. Hum.	2507791	34067	72.6		9 4	69 :	0 F	32 F	∌ 67 F	≥ 73 F	≥ 80 F	≥ 93 F	Т	otal
Dry Bulb	3124058	38300	81.5	2.53	36 4	70			84.0	83.8	68.3		1	8
Wet Bulb	2627362	35084	74.8			69			84.0					8
Dew Point	2421493	33663	71.8			69			77.9			·	1	84

DATA PROCESSING BRANCH USAF ETAT AIR EATTER SERVICE/MAC STATION NAME

Element () Rel. Hum.			Σχ'		449		Ž	x 369	0.9		X 7.7		890	-	No. O	65. 475	+	* 0 F	-T-	- 32 F	_	No. of	Hours v		Temperat ≥ 80 F	ture + 93	F T		
	+		<del></del>			-	Ļ		Ĺ.,			-		_ 1			<u> </u>			Ц_		1					1		
	i		• • •	- • -		1	1		ļ			1	$\top$			1				1	1	T		T			1		
						į	1																	1					
							Į.		ļ			ļ	+-			+	-			├	╁	+		_		<del></del>	<del> </del>		
Ì	•			٠	* *		1		ł 	-  -	•	1-	$\top$			1	1-			1						ſ	1		-
1							ì																						
	·								ļ			ļ								<u> </u>		-		4		L	<u> </u>		
1			•	•			<b>.</b>		1			-	+			+-	+	$\dashv$		<del>                                     </del>	+	<del> </del>	+	+			<u> </u>		
						!			í	-		1									1			1		!	İ		
							<b>.</b> -		<u> </u>	! +		ļ	┧							<u> </u>		ļ_		1					
						•	÷			- 4 -		+	+			-	+-			<del> </del>	+	<u> </u>	+	+		-	+		
	-			·		-				j			:													ĺ			
	_															 	$\perp$				1	1	<u> </u>	Ì		<del>1</del>	· · 4 ·		
						•	:		-	+		<del> </del>	-			-	+	$\dashv$		-	+	+		+					
. 57 5	•	# T			- 1	1 1 2	r wie														+	ļ	1	1	475	•	**	75	_
-647-6 TDTAL		. 4	. 5.	32	6.3	4	, GJ	6.6	,	4			1								1		i			476	A.		
66/ 6						•	-+-			_		-				-	┷.	4		ļ	<u> </u>	<u> </u>	·						
2.191. 6.186										-		<del> </del> —	-			† · · ·	<del> </del>			-	+	+-	+				1	<u>27.</u> 7	-
72/ 7	-				• 4	ł			i				-										İ	i	2	- 7	2	64 39	
74/ 7	3.		ئا.		1.5									_			-	_		<u> </u>	ļ	-			22		2,1	15	
78/ 7	ζ	- 4	: <u>l</u> .	7	3.6		<u>.</u> ₩	2.4.5	ļ	. 4		-	+			+					ļ			<u>-</u> -	84			86	-
80/ 7			1.	1.	7.2	13,	. 1	4.6	ĺ	i i		1		ĺ									i		124	124		30	
32/8				2	0.5	114	او.	2.5	i L	4			1	ĺ										į	119			1.	
86 / 8								<u> </u>		6		<del> </del>					+	-		-	-	<del> </del>	-	+	31 45				
8 / 6 <b>6</b>			•							1	. 2		T						•		1	1		1	1	i i	1	•	
· F 3		0	1 - 2		3 - 4	5 -	6	7 - 8	9.1	10 .1	1 - 12	13 -	4 15	- 16	17 - 1	19 -	20 21	. 22	23 - 24	25 - 2	6 27 - 2	8 29 -	30 + 3	1 D.	B. W.B.	Dry Bull	, ™e+	ВыЬ В	)e w

DATA PROCESSING BRANCH USAF ETAT AIR FEATFE SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

#102: -TAFA' AB THAILAND 67-72 MAR MONTH
PAGE 1 0000-0200

Temp.				,-	WET	BULB	EMPER	ATURE	DEPRES	SION (F)				,	TOTAL		TOTAL	
rF.	0 1 2	3 - 4	5 - 6	7 - 8 5	10	11 - 12	13 - 14	15 - 16	17 - 18 1	9 - 20 2	1 - 22 23	- 24 25 - 26	27 - 28 29	- 30 + 31	D.B. W.B.	Dry Bulb	Wet Bulb C	ew Po
18 / 87	•		• 4		1				į į						5,	5		
6/ 85		. 2.5	0.0	1	• 6		i					ļ	, ;	ļ	61	61		
4/ 83				2.3			-								105	105	ı,	
2/ 81.	. (	112.0		1 4			}			1					172	172	22	
10/ 79		5.1				• 2	. 2								76	76	68	2
8/ 77	1.2				. 6					i					46	47	156	6
6/ 75	0 1.9				. 2		. 2	. 2					I I -		42	44	156	14
4/ 13				. 6	•			-			1	ŀ			14	14	62	Ĩ3:
2/ 71			4,								f	1		1	2	2	26	8
0/ 69			•		. 2								i !	ļ	4	4	18	3
8/ 67		• ·															9	1
6/ 65			·						}			į					3	19
4/ 63			•							_					1		3.	
2/ 61.				-	1					1	1			]		:	2	
0/ 59			· · · · i		· · i								!					
6/ 57			•	1							i		1		1	!	1	
2/ 51	•		•												<del>                                     </del>			
0/ 47.			i		į	į				- 1			!!	i		-	1	
746	.4 6.6	ก. จะใ	51.0	d . 9	2.1	. 2	. 4	. 2							1 1	530		52
		4 - 0 6 0		• 1		••	• "	• •							527		527	
•	· · · · -	• · · · · · · · · · · · · · · · · · · ·	†								-		<del></del>		<del> </del>			
				1							- 1							
	•		Ì						<del></del>				<del>   </del>		<del>                                     </del>	i		
				į			i							j		!		
•	•												<del></del>		<del>                                     </del>	i		
			Ì							1			!	ĺ	1		1	
•	•														+	+		
		į	ŀ	1											!			
			+						<del></del>	-			<del>  </del>		+ +			
		1	1	- 1										ļ				
	•		·- <del> </del>												+			
		- 1	1	1						)	ľ		] ]			1		
+		·							$\vdash$			_	<del>  </del>	-	++			
		1	- 1							- 1				1				
ement (X)	Σχ'	<del></del>	1	EX	—	X		$\neg$	No. Obs.	<del>- 1</del>			Mean No	of Hours wi	th Temperatu			
I. Hum.		2293		4154	5		7.1	8.8	52		5 0 F	± 32 F	≥ 67 F		≥ 80 F	≥ 93 F	T,	tol .
y Bulb		5380		4282	4	RO B	3.1	36	53		- • •	<u> </u>	93.0		66.		<del></del> ``	9
er Bulb	·	4918		3995			3.2		52		_		91.4					9
ew Point				3881			3.9		52			<del> </del>	88.6					9
2 / 0		7603		2001	7	12.1	2.7	77	26	1			00.0	65.		Ί		

ETAC FORM 0.26.5 (G). A) RESTORERENTS ED TOWN LETTER FORM ARE GO

MATA PROCESSING BRANCH USAF ETAE AIR EATHER SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

																						L. S. T./
Temp							WET	BULB '	TEMPER	ATURE	DEPRE	SSION	(F)		,,				TOTAL		TOTAL	
(F)		0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28 2	9 - 30	2 31	D.B. W.B.	Dry Bulb	Wer Bulb	Dew Pa
88/	87		'		• 4					l	, ,		İ	ļ	1	ļ	i		. 2	2		
8¢/	8.5			1.1	4.7					_	l				ii				32	32		
84/					7.2		. 4								T				67	67	1	
82/			. 6		16.4						. 2			l	1	l		- 1	151	151	10	
807					9.4				. 2				1						126	126		
									• •		1		1	}	1 1	l		i	54	54		
76/					1.1			. 2		. 2			T		1 1				58	62		
		2	1 5	2 6	1.1		2		. ,	, ,	1 1		ł	}	1 1		1	i	31	31	1	
72/			2											-						- /	28	
	-		• 4		• 9			,		1	1 1		ļ	}		- 1	1		-	-	19	!
101.				• 7	1				ļ				<del> </del>		++			-			18	
68/					1	,			}	1			1	]		)	1				1 40	'
66/									<del> </del>	<del></del>			<del> </del>	<del>                                     </del>	+		-+		<del></del>		0	1
64/					1	i				ļ			}	j	) )						7	, ,
62/								·	· 				├		+							
607			1						)	ļ				1							2	<u> </u>
50/				<del>-</del> .						L			<del> </del>						=		-	<b></b>
56/									}	:	1			J	] ]		1				1	Ì
52/								ļ						-	$\vdash$					L	<b></b>	
50/	49							1	ļ		1 1	Ì	1		)						1	İ
48/	47.							İ						<u> </u>	<u> </u>						<u> </u>	·
DTAL		. 4	10.5	134.5	i45 , j	0.4	2.3	.4	. 4	. 2	. 2			1			-			535		5 ?
													<u> </u>	<u> </u>					531		531	
									ļ							i i				l	]	į
					1			i					Ĺ	i	1_1						Í	<u> </u>
					•																}	,
								ı	(				ĺ	Ì	1 1					ĺ		
	•			—.					T												1	
					í	i				1	( )		ĺ	i	1 1		1					1
	•	•	. – •	• —						1			·									
						ĺ		ĺ	i	1		ĺ	Ì	i	1 1		- 1			i	1	
		•			t ·			<del>                                     </del>		<del> </del>	<del> </del>			t	+						<del> </del>	
			j		1			1	1	l		}	1	1		1	- 1				1	
	1		!		<del>!</del>			<del>                                     </del>	<del> </del>		<del></del>		<del> </del> -	<del> </del>	+		-+		<del></del>	<del> </del>	<del> </del>	<del> </del>
	1		i			i		1	Ì	1	1 1		1	1		1			}			}
Elemen	, (X)		Σχ²			Σχ	$\neg  o$	X X	•	-	No. Ob	s.	<del></del>			Mean No	. of Hou	s with	Tempera	ture		Ь
Rel. Hu			~	3107	f	424	19		8.0			31	± 0	F	± 32 F	≥ 67 F			≥ 80 F	≥ 93	F	Total
Dry Bul				8886		426			3.4			35				92.		1.3				(
Wet Bul				8435		398			3.5			31				90.		9.0				9
Dew Po	1							73 1	3.2	9.0		31		-+-		86.		1.8		¥	-+-	9
DEW PO	161		204	0489	1	<u> 387</u>	0/	1200	9.3	0.01	2	2				00.	7 0	100		21		

ORM 0.26-5 (O. A) BEVISED MEVIOUS EDITIONS OF THIS FORM AL

AC FORM 0.2A.

DATA PROCESSING BRANCH USAF ETAC AIP HEATHER SERVICE/MAC

### **PSYCHROMETRIC SUMMARY**

RC/ 79	3 1 7 1 3 3 7 3
72/ 71	3 7 3
64/ 63 62/ 61. 60/ 59 58/ 57. 56/ 55 52/ 51. 56/ 49 48/ 47. IDTAL 88 8-929-644-110-8 3-1 1-2 1-4 -2 570	
58/ 57 56/ 55 52/ 51 50/ 49 48/ 47 UTAL .8 8.929.644.110.8 3.1 1.2 1.4 .2 570	• -
48/ 47. DTAL .8 8.929.644.110.8 3.1 1.2 1.4 .2 520	
	. 5 7.
	- <del></del>
	÷
	<del> </del>

28M 0.26-5 (OLA) REVISED MEYICO

AFETAC FORM 0.26.5

DATA PRICESSING ARANCH USAF ETA/ AIR EAT EN GENVICE/-AC

4102 U-TAFA AB THATLA (1)

# **PSYCHROMETRIC SUMMARY**

Dew Paint		282	5376	k		845	6	73.1	5.1	36	5	26		l_		85	. 8	68.6	<u> </u>	<u> 5Ĺ</u>	L	9
Wer Bulb			4418			030		76.6				26					, 9	85.2	11.			9
Dry Bulb			8389			486		84.8				29				93	.0	93.0	88.	9		9
Rel. Hum.			0762			603	2	68,5				26	± 0 F	: T-	± 32 F	≥ 67		≥ 73 F	▶ 80 F	≥ 93 F	-	Total
Element (X)		Σχ'		<del>                                     </del>	2 x		7	X	- o <sub>K</sub>	<del>'                                    </del>	No. Ob	<del></del>			<del></del>	Mean I	No. of	Hours wit	h Temperat	ure		
				İ	-		1					Ì	}		1				]			
ļ				1	ļ					ļ					ļ.—	ł		+	<del>                                     </del>			
				1	}		j										1					
					_  _					L	<b> </b>				<b> </b>	ļ			-			
		•	i	1	1 -																	
			:		i	!	ļ										İ	L	<u>   </u>			
			• • ••	•		-+-									1	<del> </del>		1				
					1							i	ł							į	i	
				•	; -		<del> </del>					<del></del>				<del> </del>		+		†		
						i	1	i				}	1			1			526		526	
PTAL .		1 1 . 9	3.0	221	430	• 42	9.3	3.4	2.7	2.3	1.5	1.1	2		-	ļ	<del>-</del>	<del></del>	<u> </u>	529		5
8/ 47						1		į				. ]	]				i	-	İ			
C/ 47.						. 1		1		<u> </u>					L	ļ	i 	1	<u> </u>			
2/ 51		•		•	•		•									1			†			
6/ 55.												)					]	j	1 1			
8/ <b>57</b>				•	•	٠	1	+		!	<u> </u>											
2/ 61 10/ 52							i					1	!					1			4	
4/ 63.					٠		· -						<del></del> ;			<del>-</del>		- <del>-</del>			·· <del>*</del>	
6/ 65							i			t .		1	- 1			1	į	;	) i		4	
18/ 67.				,		-,-			<b>.</b>	ļ			i			-	ļ		<del></del>		10	
70/ 69				1	-											1		i -			15	
12/ 71.										l	i				<u> </u>	<u> </u>	<u></u>	-				
74/ 73	- 4 1	<u>د د</u> ک					· <del>··</del>								1	†		+	1	1	47	14
76/ 75		4 6	•	•	4"	• "						!			i		!		4	4	87	
10/ <u>7</u> 9. 18/ <b>77</b>				<u>.</u>		<u>. 6</u>			4.6	. 2	2				<del> </del>				10	10	203	
12/ 81			1.0						. 8			. 2							56 13	57 20	26 115	
4/ 83.								_ •2				. 4	2		<b></b>		1	+	125	126	4.	
16/ 85								1.0		. 2	. 2						l	Ì	154	154		
8/ 87					4 5	.91	3.3	1.9	0		. 8	. 4				<u> </u>			122	122		
907 89°		•	•	•			3.0											<del></del>	35	35		
F	C	t . 2	3 - 4	5 - 6	7.	8 9	10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 3	0 231	D.B. W.B.	Dry Bulb	Wet Bulb	Dew P
Temp							WET	BIU B 1	FMPER	ATURE	DEPRE	SSION (	F)						TOTAL		TOTAL	
																			PAG	. 1	0900	- 1 T C
4 * A * . W					STATIO	J	7L								,,				PAG			
															* * * * * * * * * * * * * * * * * * * *	EARS					MOI	41.0

HORM 0.26.5 (O. A.) BRYISED MERNOUS EDITIONS OF THIS FORM ARE OBS

DATA PRINCESSING BRANCH USAF ETAC 41R JEAT ER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

4102			TAPA	) Ab	THA	ILA!	17)				<u>67</u> -	72				EARS						<u>ДБ</u>
	•				3.														PAC	E 1	1200 HOURS I	
Temp.							WET	BULB 1	EMPER	ATURE	DEPRI	SSION	(F)						TOTAL		TOTAL	
(F)		0 ;	1 . 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 3	0 = 31	D.B. W.B.	Dry Bulb	Wet Buib	Dew Point
94/	93	!	•				Ţ						. 2						1	1		
92/	91.					4			2	. 2					ļ			· -		8		
90/	89		i			4.	10.0	5.1	1.1	1.3	. 6	. 8	1	. 2			ĺ		127	127		
88/_						7.8	18.9	5.6	. 6	1.3	لملا				ļ	ļ	L	<b>_</b>	198			
86/				. 2	4.9	7.8	1.9	. 8	. 8	.4	. 6	.4	.2	}		1	ļ		116	117		
84/_1					2 . 8	3,5	1.9	1.2	_ , 2	ļ						ļ	ļ	<b>-</b>	39	39		
82/			. 6								i		1		1	İ			17	17		8
8C/			1.3		• 2		- 2	L					<del></del>			<b>├</b>	-	+	11	11	181	33
78/			, B	, ñ	• 4		1			Ì			1			1		1	10	10	142 75	54 178
76/			- 16				<del> </del>			}	<del> </del> -	<del> </del>	<del> </del>		┼──	+		+			37	113
72/							!	i					1			1	1	1	į '	} :	21	54
70/							-	+			<del> </del> -	<del> </del>	<del> </del>	<u> </u>	<del>                                     </del>		<del></del>		<del> </del>		11	
08/							}	: 1			}	ļ	}	!	ì		}	}			4	
66/		•	•				j - ···					1				1		+			5	
64/							ļ	<u> </u>		ĺ		Ì	ĺ				ĺ	1			1	ż
62/		•					<u></u>	t								1		1				6
60/					ļ		J			į	!	1			j	}	}					5
58/		•				· · · · · · · · · · · · · · · · · · ·	·					1						T				5
56/	55						i	i . i		ĺ	Í	i	1	i		İ	1	L				2
54/		•					ĺ											į				1
52/								L				ļ	ļ			L	<u> </u>	<u> </u>	L			2
50/	49						1											1	1			2
48/	47.							<u> </u>				ļ		L	ļ	<u> </u>	L		ļ			1
TUTAL		• 4	2.4	1.5	10.2	23.4	37.6	12.7	2.8	3.2	2.6	1.7	.6	.4	1	1	1	1	_	530		529
		. ,						<u> </u>		ļ	ļ	<u> </u>	<b></b>		ļ	<b>-</b>		<del></del>	529	ļ	529	
		;	,							ļ		Ì				1						
					· · —_ ·		<del></del>	<del> </del>		<del> </del>		<del></del>	<del> </del>		<del> </del>	<del> </del> -		<del> </del>	<del> </del>	<u></u>		
		1	1				1	1		ì	}	1	ł	ł	İ	1	1	}				
	٠	4	4				<del> </del>	<del>                                     </del>			-	<del> </del>	<del> </del>	<del> </del>	+	<del> </del>	+	<del> </del>		ļ	· · · · · ·	
		i	- 1					1					1				1	1				
	+	•			L I	·	<del> </del>			<del> </del>	<del>                                     </del>	<del> </del>	<b> </b>		<del>                                     </del>	+	+	<del> </del>	-			
		- 1					}	1 .		ł		}		}	}		}	1				
Element	(X)		E x 2			ZX		¥	• 4	T	No. O	s.				Mean	No. of	Hours wit	h Tempero	ure	·	
Rel. Hum	,			5198		346	00	65.4	10.8	48	:	129	± 0	F	≤ 32 F	≥ 67	7 F	≥ 73 F	≥ 80 F	≥ 93 1	F T	Tatal
Dry Bulb	- 1			5058		459		86.8				30				9:	.0	93.0	89.	3	. 2	93
Wet Bulb	,  -			5040		405		77.4				29				9	. 9	85.6	16.			93
Dew Poir	nt			1291		388		73.5	4.9	59		29				8		67.9				93

USAFETAC FORM 0.26 5 (OL A)

DATA PROLESSING BRANCH USAF ETA: AIR EAT ER CERVICE/MAC

# **PSYCHROMETRIC SUMMARY**

STATION NAME 4102 67-72 1500-1700 HOURS IL S. T. PARE 1

<del></del>	+ -					WET	BULB 1	ENDER	ATUDE	ne pp	ECCIA	N (E							TOTAL		TOTAL	
Temp. LF1		1 - 2	7 4	5 4	7 0									22 24	25 24	27 20	20 2	0 > 21		Dev Bulb		Daw Pour
94/ 93			· · · ·	3:0	/ <u></u>	7.10	11 - 12	13 - 14	13 - 10			20 2	11 - 22	23 - 24	23.20	21 - 20	27.3		1	1		· –
92/ 91						١,		,		•	1	2			ļ	i			3	2		
90/ 89			•		1.9	4.5	1.5	1.1		3		15-		. 2	<del> </del>	<del> </del>	†	<del> </del>	65	65		+
88/ 87				ر	5.6	17 5	3.6	2.1	1.3			. 2		"	1	ŀ			164	_		
86/ 85			:	5.8	10.7	7.0	1.7	1.5									1	1	153			•
84/ 83			. 8		اءذ		6			•	1	ľ			i				90			
62/ F1		. ,			1.1						1	T			ļ —	1		1	27			1
80/ 79		. 6	. 6															İ	16			11
78/ 77		1.1	. 2	• 6	. 4														17	12	198	
76/ 75										<u> </u>	<u> </u>				ļ	Ĺ			<u>i</u>		84	
74/ 73			. 3			ļ	;									1	1		1	1	54	
12/ 71									L	$\perp$	4	4		L	Ļ	<u> </u>	1		<del> </del>	•	21	
70/ 69			,			!				-	1	- }		)		]			1	ļ	10	
68/ 67				+		-					-	+			ļ	ļ	<del> </del>		<b></b>	-	3	
66/ 65				Ì		!									ì		1	1		 	1	14
64/ 63				· — · · ·		<u> </u>	1				-	-			<b></b>	<b></b>	<del> </del>	+	<u> </u>	<u> </u>		9
02/61			1			i						-				1					ĺ	
60/ 59		••	·- ·+				i			<del> </del>	+	+				<del> </del>	<del> </del> -	-+	<del> </del> -	ļ <u></u>		
58/ 57		1		-			'									1	1		İ			2
20/ 55 52/ 51			··· •	:		<del> </del>	:			+	+	+			<b></b>	<b></b>		<del> </del>	<del> </del>			<u>-</u>
TOTAL		. 1.7	2 A	17.1	27.3	33. 4	7.5	5.5	2.1	1 1 .	١.			. 2	•		İ			532		532
: W : A &	•	. 1 .	* # 12	A : A A					-		_				1		†	_	532		532	
						i i						ł					1	1	7,76			'
	•		•		:	·	•				1	T			1	1		1				•
						i	٠		ļ								ĺ				l	
·	•	• •		- 1																		•
					i i	İ					1				<u></u>		<u> </u>					<b>i</b>
						ĺ	i										İ					i
			1			ļ	L			<b></b>	1	$\perp$			ļ		ļ		ļ			ļ
			i				i															İ
	<b>;</b> .	· ·				ļ				-	1	+				<del> </del>	<del> </del>	-	ļ		ļ —— -	<u> </u>
	1	:	;														1					
Element (X)	<del></del>	Σχ2			Z z		Ī	•,	1	No. O	lha.	+		L	ــــــــــــــــــــــــــــــــــــــ	Mean	No of	Hours wit	h Tempera	ture		<del></del> -
Ret. Hum.	<u> </u>	2437	935		- x 356	71	67.1				532	+	± 0	F	≤ 32 F	≥ 67		≥ 73 F	2 80 F	≥ 93	F	Total
Dry Bulb	<del> </del> -	3913			456		85.7				532	+-					.0	93.0			. 2	93
Wet Bulb	1	3159			409		77.0				532	+					8 . 8	86.5			**	9 2
Dew Point		2673			390		73.4				532	+-					. 7	68.0				93
	<del>'</del>		-																			

USAFETAC FORM 0.26 5 (OLA) BENSED MEN-

PATA PRICESSING GRANCH USAF ETAC AIR FEATHER SERVICE/FAC

# **PSYCHROMETRIC SUMMARY**

102	- TAPA:	Ac Irt	TL ATATS			6.7	-72			LANS				v . Mon	
										_		PACE	1	1800-	- 2 <b>Q</b> Q
Tenn F			7 - 8 9 - 1		TEMPERAT					Tan ailin		TOTAL		TOTAL	
8/ 87	0 . 1 . 2		•	•	.13 - 14 .15	- 16 17 - 18	3 19 - 20 2	1 - 22,23	. 24 25 - 26	27 - 28 29	30 - 31	35		Wet Built	Dew P
36/ <b>85</b> .			10.3 3.							'	1		35 124		
14/83				<u>.76</u> 2		. 4	 2	- :	·	•	•——	200	200	2	
2/81.		• . •	4.6 1.			2	C-4					120	123	19	
C/ 79	• •	1.0 1.7		17 A 7 12	1 87	9 Fc.		.	•		•	2.0	28.	88	
8/ 77.	. 9	8 4		. 4			1	ĺ	:	!		12.	10.		
6/ 75	2 4	# 95 # 75	•			•		f	•		•		. ₩.	120	1
4/ 73.							ĺ			1				58	i
2/ 71	• • • • • • • • • • • • • • • • • •								,	1			•	29	•
0/ 69					!		1 :							5.	
8/ 67	• •		•	•	.	. —						*		3	
6/ 65					!		!							2	
4/ 63					•					•	•	• •	•	*.	
2/ 61							1 1								
7 59				i i	i		1		-	• • •	•		. •		
3/ 57						1		İ							
4/ 53		•								!			,	•	
TAL .	. 1.5	8,343.9	29.610.	8 3.1	1.9	.6	2			:			520		5
				,	` ;	į						517		517	
							<del>  </del>			<b>.</b>					
							Ĺ		1	i :			1		
							<u> </u>			<b></b>		<u>.</u>			
		ļ				ļ			1	:	1	1			
					<del></del>		<del>  -</del>			ļ- — ļ		· ·			
		!			į	1	1 1				1		1		
							+			<del></del>	<del></del>	ļ			
				1 1	-	İ									
							+	-+		<del>  </del>		<del> </del>			
				1 1			1				į		ţ		
		1 . !		+ +	ļ <del> </del>		<del> </del>			<del> </del>		<del> </del>			
		:	1	1							[		j	!	
		+					<del>  </del>	-+		<del>  </del>		ļ ļ	· ·	_ 1	
i				- 1										1	
ment (X)	Σχ'	<del></del>	Zz	¥	•	No. O	he l			Magn No. 1	f House mit	h Temperatu	<del></del>		
Hum.	2774	- +	37651	~	7.887	+	517	10 F	: 32 F	≥ 67 F	2 73 F	> 80 F	• 93 F	1 .	- otol
Bulb	3610		43313	83.3			520	- U F	= 32 F	93.0	93.0	·	+	<del> </del> '	
* Bulb	3029		39554	76.5	2.130		517		<del></del>	92.6			T		
w Paint	2809		38069	73.6	2 417		517		<del> </del>	99.4	66.6		<del> </del>		
•	2007	737	30007	7.5 . 0	9.01/		7 L F		1						•

AC HORM 0-26-5 (G. A) REGERMENCES ESTAINS FOR EMAIN

MATA PROMESSING MRANCH USAF ETAT AIR EATHER SERVICE/MAC

**41**02

STAFA: AB FHAILAND

## **PSYCHROMETRIC SUMMARY**

		4 Y 2	2 I.¥.\$		185		73.7		~ 7		23		+		,	. 6	67.9		<del>4</del>	÷	ģ
Dry Bulb Wer Bulb	1		702U 4781		430 398		74.1	2.4			27		+-			. 3	93.0 85.2		4		9
Rel. Hum			1930		400			6.5			23	. 01		32 F	- 67	+-	≥ 73 F	→ 80 F	• 93 F	_  _ т	otal
Element X	•	Σχ			Z X	·	X	<b>₹</b>		No. Obs	·				Mean	No. of	Hours wit	h Temperot	re .		
						' 	1				1			1		1	5				
					. :				<b>!</b>	-				ļ ·	1 .	-	÷			•	
					!					1					1		1				
							<u>+</u>	ļ		1				-			·	ļ.,			
				1		. –	 I			1					T			·	•	•	
								:													
							•	,	•	+				-	+	+	·	••	•		
										;						ı		į			
								4	•					L	+ - · -	·		· +			
	•		•		•	•	•	•	<b>-</b> -	+		4		<del></del>	·	•	•	: 1	4	·	
										İ		l				1		i .			
								• -		ļ+				<u> </u>	•		•	•			
																1		523		523	
1		2.5	20.7	53.0	19.5	3.3	1	. 4	١	ļ i	i					<u> </u>			527		5
56/ <b>5</b> !		•			•	-	• • • • •	·	-	4 +				:		<del>-</del> -	- <del>+</del>	•	•	- +	
სე/ 5∘ 56/ <b>ე</b>											}			į		!					
2/6						•		· ·	·	+ +				•	•	:	•				
54/6		•					•			1				1		•	•		•	2	
o≘/ 6!														<u></u>	<u>.                                    </u>	:				2	
727 <b>6</b> 9 047 5						<del></del>		· 1		+-+				<del> </del>	•	<del> </del>			•	17.	2
12/ 1	-				·			1							:			. 1		19	•
142 7.			,			. 2		<u> </u>	· •						ļ	<u>.                                    </u>		. 2.	2	-	. 1
707 <u>1</u> 767 73		. <u>∗</u> €	2 <u>4</u>	المالة. الحاف	,			<del>-</del>		<del> </del>	<del>}</del>			† - ·	<u> </u>	1	•	. <u>3</u> 7. 10∶	40 10		ì
857 79 787 <b>7</b> 1			4.2					•			1			İ	i		1	75 37	77	73 171	
92/ B)		· ·		24.9		- 4		- 2		$\perp = \downarrow$				L	ļ			206	207		
84/ 8			3.8	16.6	_	• 2	<u> </u>			+ -						†	1	129	129	2	
867 B			1.5	4 . 13	1.7													4 2	1 4i 4 8:		
887 81	••• O	1 - 2.	3 - 4	5 - 6	•	9 - 10	11 - 12	13 - 14	15 - 16	5 17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - :	30 - 31	D.B. W.B.			Dew F
Terr			. ,		,					E DEPRE				·	T	T		TOTAL	1 . 1	TOTAL	
																				HOURS	
																		PAGE	1	2100-	

high 0.26.5 (C\_A) strostomers as tonight into high swint

AFETAC HIM SAFES STATES

NATA PRUCESSINA BRANCH USAF ETA AIR EATHER SERVICEMENC

# **PSYCHROMETRIC SUMMARY**

4102	TAPA AS THATLASSED STATION NAME VERS		A PR
		PAG	E 1 0000-0200
Tens	WET BULB TEMPERATURE DEPRESSION (F)	TOTAL	Dry Bulb Wet Bulb Dew Point
88/ 87	• N A• 4 1•U	51	51

Dew Point		- 1 /	3477	-	3683			2.			513		-+-		90		81.2	1.			3 9
Wer Bulb		271 309	69 <u>30</u>		424	-	<u>82.7</u> 77.7				513 513		-		90		90.0 H7.7	75. 19.		<del></del>	9
Rel Hum Dry Buth in		2.	4845		4066			5.			513	: 0	F	32 F	90		73 F	* 80 F	> 93 F		01 <u>91</u> <b>9</b>
Element X	,	x'		:	ž <sub>X</sub>		Ī.			No. C		l <u>-</u> -				-		Temperat	· · · · · · ·	- 10 - 2	- ; -
								-	<u> </u>	1		<u> </u>	<u> </u>	L	<u> </u>				<u> i</u>		
·				·	•				1		i						l i		i	i	
									<u></u> .										i		
		•			•			•	İ								† <i>-</i> †				
						,											1 1	ļ		- 1	
				•		•		•	÷ -	+	+	-					<del>  </del>			4	
									1										i		
									•	ļ		-	ļ							•	-
					•	•		•	•		1	1		**************************************							
										i	:	1		ļ				-	,		
						,			• •	÷ -	· ‡ · · · · ·		:				<del> !</del>				
											į			i				į	1		
								•		·	.1	+	i	: •			L		1		
					•	•		•	•			1				· · · · · ·		•			
												1	;	į ,				i			
								ļ	•		<del>-  </del>	-		-		-	<del>  </del>		<del></del>		
								i	1	1			İ		İ			1			
								,				<u> </u>	i	i			<u> </u>	- • •			
2 * 2 . <b>L</b>	•4	21	( * <b>a</b> ±	. 79 14	10.1	1.1		<b>+</b>	•		†		!	<u> </u>			-	513	-13	513	
A/ 67		. 9	, , &	>	1 1	1 4			1	i							!	i	513:		•
177 52.									·		₩	ļ		· 			<u> </u>				
72/ 71		•			•					+				!			<del></del>			13	
167 75 147 72	• 7.	1.0	1.2										1	i			1 .	1.2	1 4	2.8	1
10/ 77.	_			4.1						1		ļ ·		<u> </u>			† <del>-</del> †	35 12	35 12	1 <u>78</u>	1
10/ 79				3.9													i	50	50	143	
2/ 81		1.4		1 4							į	i	 					27	97	52:	
99/ 85. 94/ 83				( / <b>a.3</b> ; (21),14	4.4			•	·		+	<del> </del>				·	+	176	176	2	
88/ 87					1.4	1.0						1						51 92	51 92	:	
	٠.	1 - 2 .	3 - 4					13 - 14	15 - 1	6 17 - 1	8 19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	≥ 31		Dry Bulb	Wet Bulb [	Dew P
Tera											ESSION				r		l	TOTAL		TOTAL	

PATA PROCESSING REANCH **PSYCHROMETRIC SUMMARY** USAF FTA AIR EAT & SERVICE/HAC STATION NAME 67-72 PLOE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL WET BULB TEMPERATURE DEPRESSION (F)

1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 -31 D.B. W.B. Dry Bulb Wet Bulb Dew Poin 88/ 87 36/ 65 1.0 Jest 2.9 64 84/ 83 9,013.7 11 4 115 2.210.010.2.2 .d 5.1 0.9 0.3 .d 2.9 6.9 1.2 1.4 2.2 2.9 3.5 1.0 .2 2<u>0.</u> 139 92/ 81 80/ 79 118. 7.3 32 78/ 77 76/ 75 159 14<u>0</u> 157 01 ... 61 120 14/ 73 12/ 71 42 112 43 16 70/ 69 58/ 67 10 7 66/ 65 04/ 63 2 TOTAL . 510 510 510 510 .213.338.438.6 4.2 No. Obs. Mean No. of Hours with Temperature 41541 81.5 6.349 41524 81.4 3.224 39257 77.0 2.559 3404153 Rel Hum 510 3385158 3025121 288784 Dr. Burb 90.0 90.0 53.9 90 **51**0 Wet Bulb 510 90.0 84.9 14.6 90 38358 88.4 78.2 90

USAFETAC HIST 0.26 5 (CLA)

MATA PRIMESSING BRANCH USAF ETA: AIR EAT E: SERVICEMIAC

# **PSYCHROMETRIC SUMMARY**

41C2 STATION NAME 61-72 PACE 1 \_0600=0800

Temp.			WET	BULB 1	TEMPERA	TURE	FPRES	ION (F)			<del></del> -		TOTAL	_	TOTAL	
(F	0 1 2 3	- 4 5 - 6 1							- 22 23 - 2	4 25 . 26	27 - 28 29					ew Po
907 89	• •		• G • 6	*·									<del></del> -	6		
88/ 67.		- 44	4.3 2.0	1 .		;							34	34		
86/ 85		91 4	4.5	d						1			100	100		
34/ 63		412.3		٤.				į					110	110	2	
827 81			1.4 .2			-:	1						102	102	42	
80/ 79		9 2.2						. İ		!		. 1	68	68	1.34	5
787 77	4.5	1.1	. 2 . 4				[	1					46	46	165	11
76/ 75.		1.5 . O	, d		·			i_					42	42	102	18
74/ 73	. 4	• -	<del>-</del> -										3!	3	37	9
72/ 71				<u>.                                    </u>							·	· · · · · · · · · · · · · · · · · · ·			17	4
701 69				! .						r		1			A.	
64/ 67.		·- ··		<b></b>	L										. 4	
667 65				1 1	· L		1	Ţ		į i	i		i			
64/ 63.			•	: :	j.				+	<del></del> -	ļi	;+	<u>i</u> _	i		
627 61		4.2	1			i	i	!	1	1		1 1				
fÿTat j	. 414.931	F ■ 835 # 점3	2.7. 4.3	4	Ll	1.						+		<u>&gt;11</u>		51
								1		ļ			511	ļ	511.	
				· •	i-					·	<del> </del>					
				i .	1			i			i	1		!		
,					•	<del>-</del>	+			·		-+			+-	
							1	1				,	i			
				• ;			<del>-</del>			+	<del></del>	-				
				Ϊ.			1	- 1	-				1			
		,		•					-	1	<del></del>			- +		
			!			1		1	1	-			1	1		
,	• •									<u> </u>					•	
				:												
					<del></del>	- 1						1 1	<del></del> ;			
		ĺ		,							1		i			
		. ,	•							1				:		
				L i											'	
•	•			1											-	
		<u> </u>							i							
Element (X)	Σ Χ,	Σ		X	σ <sub>χ</sub>		No. Obs.					f Hours with	Temperatur			
Ret. Hum.	23453	49	41169	30.0	7.48	11	51		* 0 F	+ 32 F	≥ 67 F	≥ 73 F	- 80 F	→ 93 F	_	- inte
Dry Buib	<u>34351</u>		41860	81.9	3,43	36	51				90.0				-	9
Wet Buib	32513		39464		2.64		51				90.0		15.7			9
Dew Point 1	29049	- 4	3850d	75.3	2.88		51				88.1	78.2	. 7		1	9 (

4102 - TAPA - AB T- ATLATE

MATA PROFESSION SHANCH ATE EAT HE VERVICEN AC

#### **PSYCHROMETRIC SUMMARY**

Te-p	•••										DEPRESSIO						TOTAL		TOTAL	_
. F	. 0	. 1	. 2	3 - 4	5 - 6	7 - 8	9 - 11	0 11 - 12	13 - 14	15 - 16	17 - 18 19 -	20 21 - 2	2 23 - 24	25 - 26	27 - 28 29	- 30 - 31	D.B. W.B.	Dry Bulb	Wet Built [	Dew P
<del>01-40</del>									i	. <del>  </del>	_	i		1			,	<del>-</del>	_	
4/ 93								_, 4.5					:	ļ		·		<del></del> .		-
2/ 91								4 5.4					i	1	1		24	2 9i		
0/ 39							111.				4		·				1 - 94.	99		
87 87				. 4.	-	11.2.						1		1			156	146		
6/ 85 4/ 83				1,6	•		2 2 .				ļ .			4 :		•	. 111.	111		
						<b>.</b>		-			1		1				5.7 1.9	5.2		
2/ 81 0/ 79			1 2	1.4			<u>u</u>	02	2	+				<del></del>			14	. <u>. 19</u> .		
8/ 77			4 # 64 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4.3				<i></i>		1			j		:		11	11	125	1
6 / 75		•		E		4				*				· · · · · ·			<del></del>	<del></del>		ì
4/ 73			•	•					1 1			ļ						,	15	•
2/ 71		•		•	-	•								1		- •		•	Īï	
1 69																			4	
87 67									i						· · · · · · ·				1	
6/ 65	,								!		: 1			<u> </u>	·				4	
4/ 63	1								ĺ			1					; ·			
4/61										i		-	+	<u> </u>			·			
C/ 50	,							_				1					1			
T∴⊑			5 <b>F</b> Ü	() = 3!	] ( ) <b></b> .	432+	433.	1 1-2	2.2	1.2	2		÷		·			<u> </u>		5
									Ι,	1		1		i			507		507	
						•				- 1	= 4	- +	-	<del>                                     </del>	<b></b>					
		•		•				•	· ;	·		- +	<u> </u>	·		1		•		
							1		-	1	1					1				
			•			•	1 .									— <del> </del> · ·	·	•		
														i						
						!	•											•		
						!		1 :	i				<u>.                                    </u>	L l			1			
										İ							1	i		
							1							l	_		ii	:		
								-	; j			ĺ			!		i			
		7.				Ŧ	<del></del>				No Obs	<del></del>	Ш.,		44		1 T	نـــــــــــــــــــــــــــــــــــــ		
espati(X). Li Homo		Σ,	•	641		Z X	301	_ X _ AG A			No. Obs.	+	e 1 -	32 F	Mean No	2 73 F	th Temperati	· 93 F	. [	otal
Builb			•.				954	86.5	8.0			: 0	+	JZ F			<del></del>	+	+	orgi
			2 ′ Q	187Q					3.1		506 507	<del></del>	- +-		90.0				<u>• 4</u>	
+ Buth	,		117	35 C ଖ		3.0	77a	79 %	2.4											

USAFETAC \*\*\* 0.26.5 (c. A)

HATA PROFESSING FRACEH SAF ETA: 418 HAT HE SEFUTCE/MC

# **PSYCHROMETRIC SUMMARY**

4102 - Month STATION NAME 1200-1400 Hours ...s. MACE I

Temp						WET	BULBT	EMPERA	TURE	DEPRES	SION (	F)						TOTAL		TOTAL	
dF i	0	1 - 2	3 - 4	5 - 6	7 8 9	- 10	11 - 12	13 14	15 - 16 <sup>1</sup>	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 . 28	29 30	31	D.B. W.B. D	y Bulb	Wet Bulb	Dew Point
94 / 93	•	•	•	•	+-		. 4		. 4								† '	٠ ،	45		•
92/ 91.				į	1.0	0.7	7.9											77.1	71		
90/ 89	•		•				5.1		. 4	. 4				i	,		-	117	117		•
58/ 87				2.0	13.91				. 2					İ	1			165	165		
35/ 85	•		, Bi	3.7	4.1	1.4		. 4										53.	53		
84/ 83			1. *	2.9		. 1	. 2											3.5	32	_16	
02/ 81			. 8	1.0	. 2	. 2		Ī		l				[				14.	14	125	16
307 79.		4	1.2	. 2	.4	- '		1						<u>i                                     </u>	j			11	11	194	64
18/ 77		. 15	. 8	- 14				_						:	!!!		•	12	1.2	115	103
767 75.	- 2	. 24	. 6											<del></del> -				- 6	<u>.</u>	<u>8 (</u>	170
741 73		_	-	-	•	- :	- 7		į					İ						12	100
12/ 71.								!						1				·•		9	. 34
75/ 69						1	:		į					İ	į į			i			11
u8/ 67.						i								<u> </u>	ii		·	<del></del>			
66/ 65					1		i	ļ	1	į				i	: 1		•				1
647 63.					· · -•-	:-				i											3
TETAL	. 2	1.8	5.5	11.2	69.63	5.4	16.3	4.1	1.0	. 4								. !	509		509
													<u></u>				<del></del> -	509		509	L
									į						[ [		1	i	:		
								:	i	·				ļ —			- i		i		
								- 1		į				i	į		i	į			
										. — i							·				· •
													l		. ;						
							- :							ļ	ii		- <b>-</b>				
								į	ł	i					i		1	į	i		
								;						ļ							
							1		1					1			1 :				
				,									<u></u>	-	<b> </b>		<del></del>				ļ
							- 1		1	- 1				[	1 1		i !		i		
							1		+						<b> </b>		ļ				1
								1									i i				
								+						<u> </u>			+		·		<b></b>
					1				-	!							1		,		!
Elerini X		E x '		<del></del>	x .		X	σ <sub>B</sub>	<del></del>	No. Obs					Mega N	lo of h	Inura wish	Temperatur			-
Re H,	•		,00 j		3453	- 4		8.4	_		0.9	·	F	1 32 F	. 67		≥ 73 F	≥ 80 F	 -93 F	. 1	_ ··· Total
Dr. Burb		-	2544		4464	3	7 7	3,5	7.0		09		+	- J4 F	90		90.0		1,3		90
Wer Built			019		4020			2.2			09		-		90		88.4	38.4			90
Dew Pant			1119		3852			2.7			09		-+		89		50.1	3.7			30
		C . (	117		2026		12 a f	4.	7	2	77				07	2	V17 a A				<del>7</del> (

CATA PRINCESSING SKANCH SAF ETAC AIR (EAT 48 SE) VICE/MAC

# **PSYCHROMETRIC SUMMARY**

<u>2461!</u> 38730		44553	HA.B	J. XUU	212							. 21	90
20.4.1	515	35325	68.9	7.532	513 513	5 0 F	£ 32 F	90.0	73 F	87.2	+ 93 F	<u> </u>	otal
Σχ'	Z,		X_	₹ ,	No. Obs.								
									_[ ]	_		i	
• • • =			+ -		+	++							
			i i									1	
	ļ ļ		1										
		;	-1:	<del>-</del>	+	<del>                                     </del>			1				
		T.								i	i		
			:					-					
			†						1	-			
	1	1		į							1		
			}			<del></del>							
	•	·	1		1	1							
			i						-	ĺ		(	
		•	1 +		<del></del>		<del>-  </del>			513	<u>i</u>	513	
.2 1.4	3,317,520	6.439.	<del>ق. عالة</del>	1.4	. 2 . 4						513		51
	1	1					1	!		i	1	;	
	. :	:				<del> </del>		l <del>-</del>		+	4-	i	
	:		1		+++	+							<del>-</del> 1
		1	1				1	1	1 !		i	1.4	11
		-	! ;			$\bot$				2	2	72	17
		• **			<u> </u>	<del>                                     </del>			+	- <u>1 3</u>	<u>  1.5</u>		$-\frac{4}{10}$
. 2,	.4 2.1	٠2							1 :	1.5	15	91	,
						<u> </u>			 - <del>  +</del>	49	49	_ <u>a</u> _	
								i			,		
				. 4	. 2 . 4					101	101		-
		. 4	او. ر	• 4						1	1	:	
0	- 4 5 - 6 7	- 8 9 - 10	11 12	13 - 14 15 -	16 17 - 18 19 - 2	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 = 31	D.B. W.B.	ry Bulb 1	Ver Bulb I	Dew Pa
		WE	T BULB T	EMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
										PASE	1	1500.	170
	STAT	IGN NAME					YE	ARS					
	24 .6 .2 .2	0 1.2 3.4 5.6 7  8 0.4 91  8 0.4 2.1  9 0.4 2.1  9 0.4 2.1  9 0.4 2.1  9 0.4 2.1  9 0.4 2.1  9 0.4 2.1	0 1.2 3.4 5.6 7.8 9.10	WET BULB T  0 1.2 3.4 5.6 7.8 9.10 11-12  4.31.3 2.9  4.31.3 2.9  6 0.81 4.3 5.7  6 0.81 4.3 2.9 1.6  7. 4 2.1 2  4.3 2.9 1.6  7. 4 2.1 2  7. 4 2.1 2  7. 4 2.1 3  7. 7. 8 2.9 1.6  7. 8	### BULB TEMPERATU  0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.  4 31.1 2.9 .4  2.913.517.0 9.3 .4  .6 0.8 4.3 2.9 1.6  .7 .4 2.1 .2  .6 1.4 3.417.320.439.01() 1.4  .2 .2 .2	WET BULB TEMPERATURE DEPRESSION  0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20  4 3 3 2 4 9	#ET BULB TEMPERATURE DEPRESSION (F)  0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23	WET BULB TEMPERATURE DEPRESSION (F)  0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26	** ** ** ** ** ** ** ** ** ** ** ** **	#ET BULB TEMPERATURE DEPRESSION (F)  0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 .31	STATICA NAME  WET BULB TEMPERATURE DEPRESSION (F)  O 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 -31 D.B. W.B.	*** STATION MAME**  ********************************	*** PYEAS**  *********************************

TATA PRIICESSING RANCH JSAF ETAT AIR EAT FO VENVICE/MAC

## **PSYCHROMETRIC SUMMARY**

41021	HATAPAT AN THAILAND	··7=72			ΔPR
5'A' . 4	STATION NAME		YE ARS		HTMCM
				PACE 1	1 # 00 = 2000 HOURS IL. S. T.I

		<del></del>								0.00.544:0							HOURS IL.	. S. T.
Temp.					— , т					DEPRESSIO		23 - 24 25 - 26	Tax salss	20 - 21	TOTAL D.B. W.B. D		TOTAL	) P-
- •	0	1 - 2	3 - 4					13 - 14 15	- 16 ,1	17 - 18 19 -	20 21 - 22 2	23 - 24 - 25 - 26	27 - 28 29	- 30 - 31			#e1 Bulb D	
907 89					1.2			_1	1	ļ			1	i !	11	11		
82/ 87.				1.21		0.4			:		· <del> +</del>		···		93	93		
86/ 85							1.0		- 1	1	i i	!	1	1	215	215	-	
d4/ <u>83</u> .		:			2.4	La:	d.	•	•					· ·	123	123	3	
82/ 81		_	3.1	4.3	1.4								i 1	1	4.8	4 8	46 178	:
89/ <b>79</b> .			1 . 4	1.0					+				÷ †	- <del>-</del>	15	15	190	
78/ <b>77</b> 76/ <b>7</b> 5		a Úl	. (4	• 4					1	i i	i	!		:	2	2	75	1
<u>197.12.</u> 147. <b>1</b> 3.		·•	- "					- + -	+		++	<del></del>	<del> </del>				20	1.
12/.71.								1	į		l i		1				3	
70 / 69							•				-		·				٦.	
6/ 67								ı	!	- 1								
11.71 17.7 81.		1.61	2. 47	14-64	5.0	14.5	1.2	. 2					<del>                                     </del>			515	•	5
[		1.01		/ T   14.		, , , , ,	4 7 8 24	• 4		}	- } - }	ļ.			515		515	
			•	•			•	İ					+					
											1 1	}		1				
•			•	-	•	_	• -	1	•	- 1	1		<del></del>			•		~ -
•		•	•	•	•		• • •	•	•	+ -	+							
									1			i	'	,	1			
•			•	•	•			•	*-					+			*	
									1		'		1		i			
•				•	•				1									
									į		. i . 1			ii	L			
			•	•	•		•		Ţ	,								
					į				i	!			<u> </u>			1	i	
				•	- 1										i		1	
								i	1									
•		•		i	•							[		[		-[	T	
				1			1 1						1					
					1		1 i	į		į		Ì	1		Ì			
					. ↓		L1						<del>  _   _   _   _   _   _   _   _   _   _</del>					
					1		i !									1		
le rent (X)		Σχ²			×		X		+	No. Obs.	+		Mean No.	of Hours with	Temperatu	re :		
el. Hum.	-	- <u>- 2</u> 638	767		310	ə <u>⊒</u> -		0.41		515	: 0 F	1 32 F	≥ 67 F	≥ 73 F	≥ 80 F	• 93 F	To	otal
y Bulb		3689			435		84.6			515	+ <del></del> -	· · · ·	90.0	<del></del>				1
fet Bulb		3136			401		78.0	1.95		515	+	+	90.0					- 1
Dew Point		2932			388		75.4			515	+		90.0					

NATA PROCESSING BRANCH USAF ETAC AIR EATHER SERVICEZMAC

## **PSYCHROMETRIC SUMMARY**

41026 STATION	U-TAMA 1 A	STATION NAME			67-72		Y F	ARS				Δ P	
		S A TON MAINE								PAGE	1	2100-	
Temp.		WE	T BULB TEM	PERATUR	E DEPRESSION	(F)		,		TOTAL		TOTAL	
(F) ←	0 1 - 2 3 - 4	5 - 6 7 - 8 9 - 1		14 15 - 16	17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 - 31				Dew Pon
86/ 87 86/ 85	و	.410.3 1. 512.5 8.4				1	- 1			123	63 123		
34/ 83 34/ 83	. , <u>&amp;.</u> . 5,	512.5 8.4 . 121. 7.4 1.	2			<del> </del>			<del>-                                    </del>	178	178	1	
02/ 61		1 3.2 2.1			<u> </u>					86	36	34	
80/ 79	1.4 1.	3 3.1 .2			1	1 1				34	34		3
78/ 77.	1.0 1.				+	┼					23		
76/ 75 74/ 73	.41.	u	ĺ		j [		1	!		7	7	94 31	170 _11
72/ 71	. — +	<del></del>			+	<del> </del>			_ <del></del> -	<del>                                     </del>	i		4
79/ 69										<u> </u>			
TUT AL	4.116.	945.929.0 3.	1							i	514		51
		<del></del>	<del></del>		<u></u>	<del> </del>				214		514	
		ı ł				1			:				
		• • • • • • •	i		+	1				<del> </del>	<del></del>	<u>+</u>	
		1			1			]_		L1			_
•		,								i			
	•			i	.					-			
			1			1			ļ				
i			-:	<del></del>	<del></del>	<del> </del>		<del>    -</del>	-+	<del> </del>		<b>-</b>	
			1	:	1						ļ		
•		i i i			1	1							
		1	:		J	<del>                                     </del>							
					1	1	İ			1			
					<del> </del>	<del>  -</del>		<del>   </del> -		<del> </del>			-
	:	! }						ļ <u> </u>			Į.	- 1	
•			-tt		<del>                                     </del>					1			
•										1		Ţ	
1	:	-l			+			<del></del>		ļ		‡	
											į		
Element (X)	Σχ'	ZX	X	- I	No. Obs.	<del> </del>		Mean No. of	Hours wit	h Temperatu	re	<del></del>	
Rel. Hum.	306518		77.0 5		514	₹ 0 F	* 32 F	≥ 67 F	≥ 73 F	≥ 80 F	+ 93 F	T,	otal
Dry Bulb	358014	7 42877	83,4 2	.582	514			90.0	90.0		<del></del>		9
Wet Bulb	310695		77.7 2		514			90.0	39,1	18.9			9
Dew Point	293210	3 38803	75.5 2	. 327	514	<u> </u>	<u> </u>	90.0	20.2	ومليا	<u> </u>		9

NATA PROGESSING ARANCH USAF ETAT AIR "EATIE" SEEVICE/FAC

#### **PSYCHROMETRIC SUMMARY**

STATION NAME WOW H Part t U000-0200

Temp						RE DEPRESSION				. , .	TOTAL		TOTAL
·F·	0 1 . 2. ,	• -				16 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 + 31	O.B. W.B. (	bry Bulb 1	Wet Bulb Dew F
88/ 87			1 8.1 1		1	1		- }		1	6,4	6.5	
86/ 85		4.310.	7 9.6 3	4	<u> </u>		L l-				192	193	
84/ 83		10.111.		- 1	1 1		1 1		1		127	130	4
82/ 81	2.1	2.6 3.	74		· · · · · · · · · · · · · · · · · · ·		J	- <u>-</u>	·	· •	63.	£3.	<b>5</b> 8.
80/ 79	3.9	4.1	4 .2	1	.		1		i		46	46	215
78/ 77	.2.1.5	1,5	$Z_i^i$				i l				S.C.	₹Ç.	158 1
76 / 75	.2.1.5	1.3			İ	[		1 1	i i		16	16	77 1
74/ 73	4 4				1		<u>i</u>				4.	4	17
12/ 71					,								5
70/ 69					. <u>.</u> 1								
TOTAL	.6 9.9	27.333.	d20.6 5	1 1.	1,						1	537	5
					7				)		534		534
			-									_ •	
						1	1	_ <u>_</u>	:	_L i			_
•		•	•									•	•
						i_ i							
	• •	•		F									- '
			İ		i i								
•		•			1						1		
					i [	1							
•		•	•	•	11								- ·- ·
					:					1	i	'	
		•					<del>                                     </del>	<del></del>					
			1		1					1 1	ſ		
			1		•		<del>                                     </del>						•
					:						i		
		• •	1 1				1 1					+	•
	i		į i										
	·		1 1							1			
	,	,								i i	ĺ		
	• • • •		1		1		<del>                                     </del>						
ļ		j	1 1	ì				1			-		1
Ì	• +		-		1		<del>                                     </del>						• -
	:	i.									[	1	
Element (X)	Σχ'		ž <sub>X</sub>	X	O'R	No. Obs.			Mean No. of	Mours with		re	,
Ref. Hum.		8806	42024		7 7.707	534	± 0 F	: 32 F	≥ 67 F	≥ 73 F	≥ 80 F	• 93 F	
Dry Bulb		3207	44805		4 3.014	537		<u> </u>	93.0	93.0			
Wet Bulb		4599	41739		2.012	534			93.0		22.6		
Dew Point	309	4041	40629	76.	1 2.297	534			93.0	85.2	1.0	1	1

CATA PROCESSING BRANCH SAF ETAL AT ER SERVICE/MAC

STAPAL AB THATLAND

4102

# **PSYCHROMETRIC SUMMARY**

F L.Y

<del>-</del>				WET	1111 B T	EMBERA	THEE DE	PRESSIO	N (F)						TOTAL		TOTAL	
Temp (F)	0 1.2	3 · 4 · 5 ·		9 - 10 1	1 - 12	EMPERA 13 - 14 15	5 - 16 17	18 19 -	20 21 - 2	2 23 - 2	4 25 - 26	27 - 28	29 - 30	2 31	D.B. W.B.	Dry Bulb		Dew Po
88/ 87		· ·	· N 4 · 3	. 2					-		1			1	27	27		
86/ 85		2.117			. 6		Ì				L	1 1			146	147		
84/ 83	. 2	0.214	. / 2.1				I								123	123	1	!
82/ 81	3.4		1 2.3				;		.	<u> </u>	<del></del>	ll		i	96	86	25	
HC/ 79		3.4 2					i					i l			53	60		
781 77	$\frac{7.1}{3.2}$	<u>3 - (i</u>	±4	· i	}		;					++		<del></del>	59	59		
76/ 75		1,3		!		1	1					1		1	65	27 6	136	
14/ 73	<u> </u>		· · · · · · · · · · · · · · · · · · ·			<del></del>		~ -		+	<del> </del>	+ )		+	- 7	6	7	
10/ 69												: 1		ļ			,	i
117 1L	719.9	22.235	316.2	4.9						T						535		53
											<u> </u>				532		532	
		,			- 1					1		i į		1	[		•	
					+				<del></del>		<del></del>	1		i	<u> </u>			•
			' Ì	[			ŀ	1		Ţ		: 1		1				
						l	+			+		-		<del></del>		· · ·		<b>+</b> ··
			1					-						1	! !			
•							+		+		<del>                                     </del>	1		+			•	
							1											
	••	•	•		1					-	1			+	† <b>-</b> †		• ·	
			i		ļ		İ.	1		i	<u> </u>	i					l •	
•		•			i.		j											
					↓						<u> </u>	ļ		.1	l			· · ·
			·		į	į	1	1			1				į		i :	
~ .				<del></del>							<del></del>	1						•
					i	ł												
			+				+-	+	<del></del> -	+-	<del></del> -			+	<del> </del>		i	<u> </u>
				i			-			1				1			I	1
•		•	•							<del> </del>	1	1			1		i	
			i . i		1		1											! _
·	•	: -	i						T-		1			7			:	
<u>i</u>				1					<u> </u>			لــــــــــــــــــــــــــــــــــــــ		<u> </u>	<u> </u>			
Element (X	<u>Σχ'</u>	- 1.5	Z x		X			o. Obs.	+	+-					Temperati		- r	
Rel. Hum.		5766	427		0.4	8,62	<del></del>	532		0 F	1 32 F	- 67		2 73 F	→ 80 F	+ 93 1		Total _
Dry Bulb Wet Bulb		<u> 5787</u>	440		2.3	3.24	_	535	+			93		73,0				9
Dew Point	319	7697	412	07 7	7.5	2.04	4	532	f			93		91.8	15.	4		. 9

FORM 0.26.5 (C.C.A.) Brisks MENTOS ED.

USAFETAC

DATA PRHICESSING BRANCH USAF ETAC 418 - EAT-FR SERVICE/MAC

# PSYCHROMETRIC SUMMARY

41025	U-TAP	AC AB I	HA ILAHI	0		67-72			ARS			_	P'AY
5:4: 04			STATION NA	ME				**	AKS		PACE	1	0600-08
Temp.	,			WET BUILD	TEMPERATI)R	E DEPRESSION	(F)				TOTAL		TOTAL
(F)	0 1-2	3 - 4 5 -	6 7.8			6 17 - 18 19 - 2		- 24 25 - 26	27 - 28 29 - 30			Bulb 1	
90/ 89			. 1	. 2	•		•	· ;		1	5	5	-·· •
88/ 87			.3 7.3	2.1.1.1	·		4				63	63	
36/ 85			1.0 7.9					}				151	•
82/83		. (.U. ! 8 6.4 4	17 4.5 19 4.5	1.2			!		;		<u>109.</u> <b>79</b> .	109	5 <u>1</u>
80/ 79	رة رق		. Bi			í	`	-	Ĺ	1	62:	62,	168
78/ 77			<b>*</b> = 1 .	•	•				İ		40.	40	151 1
101. 75		1 0									10	. 22.	132 1
74/ 73		Ċ				}	1	1	i		4	4	16 10
72/ 71					!		<del> </del>	- <del>i</del>	·				3, 4
	1.410.	924.627	. 627 . 2	7. 3 ) . 1	1	( )	1 1					533.	. 5
4 14		*.* : #. <b>*</b>	INCAIN.		•	,					532		532
										ļ			
					'	į		1 1	}	}			
				•	. ! .		+			+			•
						I				1 1			
}				•		• •	1				*	•	•
(		- · ·					+-+-		<u> </u>				
<b>[</b>						: [	1 1	- 1					
			+ •			4	·	-+			•	٠	•
}						1							
{				•	. , .	i			•				,
						+				. 1			1
}		:						1 .	1		1		
}		•			• · · •	*	- <del> </del>	+	<b>.</b>	+	* * *	*	•
}					: !		· ·						. — .
				1				1		i			i
}	,		1 1			<b>†</b>	<b>∔∤</b> .			4 4			
<b>{</b>	1			1		, ,	1			1			}
Elementix	Σχ'		2 x	¥		No. Obs.	<u> </u>		Mean No. of H	ours with	Temperature		
Rel Hum		05183	423		8.861	532	- 0 F	+ 32 F		73 F	• 80 F	• 93 F	
Dry Bulb		67732	441		3.362	333	<del></del>	<b></b>	93.0	13.0	74.5		
Wet Bulb Dew Point		22848 63360	403		2.369	532 532		<del> </del>	93.0	72.7	21.2		

DATA PROCESSING SRANCH USAF ETAT AIR EATSER SERVICE/PAC

# **PSYCHROMETRIC SUMMARY**

4102 0-TAFA : AB [LIA] LABED 57-72 FARS MONTH

PAGE 1 9900-1100
HOURS ILL S. T.

VERS WET BULB TEMPERATURE DEPRESSION (F)

						we. T	0111.0	75485	0.71105	DEPRE	CCION A							TOTAL		TOTAL	
Temp.		1 2	2 4		,	, 7E,	, 11 13	12 14	15 14	17 - 18	331011	21 22	22 24	25 24	27 20	20 20	. 21		Dry Bulb 1		Daw Por
94/ 93			J	, , , ,	. / - 6	. *- 10				17.18	20	21 . 22	23 - 24	23 - 20	27 - 26	29 - 30			6		
92/ 91						2 و	. 4		1 .4								ł	33	33		
90/ 89				. –	A	8.9	1 2 -	<u> </u>									<del>                                     </del>	109		-	
88/87					414.6					ୀ • ୯								172			
86/ 85			2.3		3 4,5	2.3	: - <b>-</b>	¥ <b>E</b> -	n,						- ···- <del>-  </del>		<del></del> -	79			
34/ 83			3.2	24	3 4			I.					ļ				!	54		4	:
82 / 81		. 4	1.7	1 1 3	5 .2		1	:	•	•		i i					†	19		110	
80/ 19		2.5	2.3			:		1					!	!				27	]	188	50
78/ 77		1.9				l .			!								1	2 3		141	
76/ 75		خدا		) _		<u> </u>	<u> </u>	Ĺ	Í	!1		[]						11		72	
74/ 73								1	] -								1			14	
72/ 71.							:	<u>L</u>	i						<u> </u>		<u> </u>	1	!	1	. 3
70 / 69				1	-	1	1	}	1										r T		1,
68/ 67.							ļ	-	ļ	i i		ļ i					1	<u>i</u>			i
66/ 65					İ		!			l i		!						Í			
TUTAL .	. 4	0.2	11.9	14.0	120.4	28.5	7.1	Llei	1.3	1 6		·		·			ļ		531		530
ļ					1		į			i i								530	1 !	530	
ļ .					i		<u> </u>	ļ	l									<b></b>			
1					:		ļ			1								İ	i		
		- •			i	i	ļ	-	-	i							-l	ļ	+ · <del>- +</del> -		
										1			j		1			1			
				•				<del> </del>	·	+							+	<del> </del>	· L		
ľ					1		ł	į				1	1		l Į		1				
				•				ļ	+	+							+	ļ ·			
<b>!</b>					1		ļ	1									1	•			
} .				•	ļ	<del> </del>	<del></del>	ļ	<del> </del>	<del>  </del>		<del>  </del>			<del> }</del>		+	<del> </del>	·		
																			ĺ		
·		•		•		i	<del> </del>	<del> </del>	+	<del>   </del>							+	<del> </del>			
I							1													j	
	•			•	·	i I	<del> </del>	<del>                                     </del>	<del>                                     </del>	†·		1					<del> </del>	<del> </del>	<del> </del>  -		
					1	l I															
		•		•	1		<del> </del>	<del> </del>	_	1					1		<b>†</b>	<del>                                     </del>	ļ		
1							ł	-	1	1			ļ				}	}			
Element (X)		Σχ²			Σχ	<u> </u>	x	٠,		No. Ob	s.				Meon N	o. of H	ours wit	h Tempera	ture		
Rel. Hum.		275	2376	·	378	28	71.4	9,9		5	30	± 0 f	: 4	32 F	≥ 67	F	73 F	≥ 80 F	≥ 93 F	·   -	Total
Dry Bulb		3956	6376		457	90		3.6		5	31				93	. 0	93.0	83.	7	7	9
Wet Bulb			4236	T	417			2.1			30				93		92.8				9:
Dew Point			3814		401		75.7		63		3Q		_		92		92.3		1		9.

USAFETAC FIRM 0.24 5 (2) A) Brook Brook Bollows

DATA PROCESSING ARANCH SAF ETAT AT SECUTOF/VAC

# **PSYCHROMETRIC SUMMARY**

41	, Ç 2	•	, · •	TAPA	I A	<u> </u>		LA					<u>67</u>	-72				YE ARS					M.	A Y
																					PASI	<b>:</b> 1	1200 HOURS	-14 5.
1	Temp		0	1 . 2	3 - 4	. 5	- 6	 7 - 8	9 · 10	BULB 11 12	TEMPEI 13 - 14	15 - 1	E DEP#	8 19 - 2	I (F) 20 21 -	22 23	24 25	26 27	28 29	30 - 31	TOTAL D.B. W.B.	Dry Bulb	TOTAL Wet Buib	Dew I
1 -	241	-											i	-	4	,		!		!				
	6/ 14/					•				2 1.3	1	į	2i -	2 .	4	4	-			+	19	19		
	2/							. 6	2.5	1		1		9	1			i	1		80	80		
	0/2					•		7.0	114.	2 6.6	2.1	l <sub>i</sub>	1	İ	İ				1	į –	158	159		
	18					<u>.</u>	<b>.</b> 8		11.	2.4		•	4	- I	1	1		+	· - i -		128	128		
	6/							2.1	2.	3 .4	<b>!</b>				į.		ı	-	1	i	62	62		
	14/				2,		7					!	+	+						<del></del>	<u>32</u> 22	3 <u>2</u> 22	134	
	0/			1.1	1.	ĩ	- 19					1		1		-	;			1	17	17		
	8/		• 2.	. 6	,	2	-						-	1	1	1	1				5	5	123	1
	6/		2						,		·	ļ	1		-				· · · · · · · · · · · · · · · · · · ·	🛴	2.	2	38	
	4/		. 6							:		1		Ì		í	1		:	j	1:	1	5	_
	2/									:		†	+	<del>-</del>				÷			+			4
	87										İ		,		ĺ		Í		ļ	1	1			
	6/				•	•	•					• •				_				,				
	15										· 								_ + -			!	L	
TO	<b>T</b> 1.(		• 4	2.5	i d.	311	. • -Ni	9.1	34.	U15.7	5.	<b>1.</b>	5 1.	1 .	6 .	. 2		1	1		1	529		5
- }											<del>-</del> -	•				-	-+-				528		528	–
												,		l	ļ	1			1	ř.	1			
1					•		•		•	•	. —	-+ - ·-				1			+-				-	
1									1 .		ļ					<u> </u>			i		· ·			
-									i i			İ	1					į	1		i			
									ļ		<del>,</del> -	<del> </del>	+	- <del> </del>	+-			$\rightarrow$			<del> </del>			
1							i		i		,	1								Ì	1			
- 1			•		•	• •			+ ·		†	1	-	+	<del> </del>					-				
- [										i	i	ļ									<u> </u>			
ĺ							ĺ		1		1	į											į	
1						4 -	4.	-	·	ļ	·	<del> </del>	+		+-						·			
							į		ļ															
E	ement	(X)		Σχ'		-	- 2	x		Ī	0,	1	No. (	Obs.	<del> </del>			Me	ean No. a	f Hours wi	th Temperati	ure		
Re	rt. Hum	· · · ·			R 73	oj.		358	358	57.9				528	-	0 F	* 32		≥ 67 F	→ 73 F	- 80 F	• 93 1	1	Total
D,	y Bulb	, [~	_	4. 9	737	7		46		87.9	3.6	30		529					93.0	73.			. 7	
1	er Bult				556			418		79.2	1.5			528	<u> </u>		ļ		93.0	93.1	44.	2		
[ De	ew Pa-	nt :		3' 4	207	0		400	)54	75.7	2.6	Co		528			L		92.6	84.	2 1.0	5		

SAF ETAL SERVICEY TAC -TAPA AR THATLAGE (1-72 4103 YEARS 1500-1700 HOURS (L. S. T.) PASE I TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . 31 D.B. W.B. Dry Bulb Wet Bulb Dew Poin 96/ 95 . 4 3 94/ 93 2.6 2.0 4.211.2 2.6 714.021.7 2.6 • (3 i 1 37 90/ 12. 104 105 213 213 88/ 87 86/ <u>85</u>. 97 2.0 6.7 4.1 4.5 2.4 4.9 .4 33 39 82/ 81. 80/ 79 . . 2 1 . 3 1 . / 13 18 97 11 237 11 .6 .6 .7 79/ 77 76/ 75 157 4 -4 164 36 5 191 74/ 73 93 20 70/ 62. 10 66/ 65 64/ 63. TUTAL . 1.1 /.514.923.440.3 9.4 2.2 1.3 534 5 14 1 0.26.5 (OLA) Element (X No. Obs. Mean No. of Hours with Temperature 2586697 36911 - 67 F = 73 F = 80 F Rel. Hum. 534 69.1 8.143 93.0 93.0 91.6 Dry Bulb 4070415 87.2 2.831 78.9 1.667 46641 535 1.1 93 Wer Bulb 42148 93.0 92.8 36.1 92.5 86.2 .5 534 Dew Point 3060134 534 93 40458

**PSYCHROMETRIC SUMMARY** 

DATA PRINCISSING TRANSCH

MATA PRECESSING ARANG & USAF ETA ALR REAT THE SERVICE ! AC 4102 - - TAPA - AH - THATLAH

#### **PSYCHROMETRIC SUMMARY**

0002-0001 1 3040

Tere						ET BULB							,		TOTAL		TOTAL	
.F		1 - 2	3 · 4	5 6 .	7 - 8 . 9 -	10 11 - 12	13 - 14 1	16 17	- 18 19 - 1	20 21 2	2 23 - 2	4, 25 - 26,	27 28 29	30 . 3	1 D.B. W.B	О⊶ В∪ в.	wer Bur (	Den Pr
42/10	•								~1						<del></del>	<del>-</del>		
90/ 5					1.1	. 1 . 2	• •			•	•	• •	•	•	1.7	. <u></u> . 17		
8 / 8				. 41											1 25.	135		
85/ 8		•	2.41		3.0			•	•	•	•	• •	•	•	212	213		
84/ B	<u>}</u> .		3.5	$\mathcal{T}_{\bullet}$	2.1.	<b>.</b> 4.									9.5	25.	1,	
52/ 8			2.4	3.7	· 2:							1			41	41	5 A	
807.7		. •9	! 1.7.	1.1					+		<b>†</b> -	+ +			2".	21.	245	
78/ 7 76/ 7			1.3	• 6							:				,	7	161 59	11
74/ 7		•	. 42	• •	•			•				*	•	•		2.	7	1
72/ 7									ſ		i						1	•
70/ 6		•	•	•	•			•			-			•			•	
UTAL		2.1	J. 3 . 3	13,13	13,515	. 6. I. 1			. —	<del>*</del> :						5 14,		5
							!								532		532	
							. :	٠			•	••	· · ·	•				
	•	•			•				• .			**		•				
										_	1							
									l.			•						
	•	•		•	•			•	•	•	+	•	•				•	
											!							
	•	•		•	•			•	•	1	1	++		•		•		
				,					,	į.	1	1 1	į					
				i				1		ļ		1	1					
		•		•	•			•	•	:	•		+	•				
											1		İ					
	•	•		•	•	•		1	٠	4 -	•	•	•	•				
							L	_ ;										
Element ()		ΣX		Z	x	ž	<b>₹</b>	•	o. Obs.	1	,	-		•	with Temperat	,	,	
Ref. Hum Dr. Bulb	· i		0765		47519			<b>=</b> 7	532	+	F -	· 32 F	- 67 F	73 F	•	. 93 F	•	0101
Wet Butb	ļ		7370		45422	78.5	2.66 1.71		534	+		•	93.0				. المرا	
Dew Point	1		2536	-	40410		2.00		<u> 532.</u> 532.	ļ		·	93.0			٠,	•	

1.7=7<u>6</u>

**PSYCHROMETRIC SUMMARY** CSAF ETA ATH FAT HE SERVICE AC ATALA AN THATLAN 27-71 **41**(2) MONTH 1 A 1 1 2100-2300 4.112.7 9.9 1.7 887 87 96, 85 100 168 0,213,5 4,5 4,6 1,1 2,2 5,5 134 134 47 241 83 42, 61 33 2.4 3.1 .7 229 33 63 1 79 166 181 168 100 70/ 75 74/ 73 78 18 72/ 71 3 77.3 6.912 R4.0 2.747 -67 F 73 F 80 F 93 F 93 F 93 F 1 2 4 9 2 7 41379 535 3141170 5 36 4500a 78.3 1.822 76.1 2.347 9 1 93.0 73.0 26.8 3 18 134 535 41872

TATE PRINTINGS THE TRANCH

0 26 5  MATH PRO ESSIBLI PRANCE SAF ETAP AIR EAT EN SERVICEZES

-TAPA AL THATLA STATION NAME

4102

## PSYCHROMETRIC SUMMARY

MONTH.

1.000-0200 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 · 2 · 3 · 4 · 5 · 6 · 7 · 8 · 9 · 10 · 11 · 12 · 13 · 14 · 15 · 16 · 17 · 18 · 19 · 20 · 21 · 22 · 23 · 24 · 25 · 26 · 27 · 28 · 29 · 30 · 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point 867 87 7.62 313.1 3.6 .4 667 85 947 83 229 <u>95</u>. 82/ 81 4, 2 3, 11 . 4 95 79 3,5 106 2 .3 1,8 .9 .8 .6  $\frac{1}{1}$ 73 74/ 77. 201 14 167 75 145 165 10 74/ 73 72/ 71 120 63 707 <u>63</u> 687 67 25 503 6 6.422.534.422.1 U.S Mean No. of Hours with Temperature

-67 F -23 F -80 F -93 F

90 0 90 0 81 2
90 0 89 1 7 5 No. Obs. 38510 76.6 7.720 41622 62.7 2.193 38741 77.0 1.871 Ret Hom. 2978272 303 <u>90</u> 90 Dry Bulb 3446532 503 2785585 Wet Bulb 503 2:04995 Dew Point 74.6 2.380 37543 90.0 69.2

67-72

USAFITAC FINE 0.26 S. A. HOLOMEN CLITTE OF CHANNEL

TATA PRIMESSING SKANCH USAF ETA ATR EAFE SERVICEZMAG

# **PSYCHROMETRIC SUMMARY**

6102 -TAHA AH TOATLASIO 67-72 VEARS FACE 1 \$300-0500

Temp					,	1			MPERATUR					т.			TOTAL D.B. W.B. D		TOTAL	
367 E				•	) , (i)	7.8 . 1.થ 11.7	. 4	- 12 1:	3 - 14 15 - 1	16 17 - 18	19 - 20	21 - 22	3 - 24	25 - 26, 2	27 - 28 29	- 30 - 31	201 104	79 155	Wet Bult 1	Jew Pen
187 T	o 1 79		اُخ. وه و وه	7.40 6.2 2.2	2 4 • 1	0.4	<u>€ 8 €.</u> • 6	···- — • • • • • • • • • • • • • • • • • •							i		17.9 59. 25	149 66. 25	47 192	2 6-3
76/ 7 74/ 7 72/ 7	7 i 71	• "	1,2	1.4						•				. ,	!		17.	17.	208, 54, <u>2,</u>	157 163 97
707 6 687 6 101 6	57		n, ř	>6.70	- 4 1, 9,	72.5	.5 , 4			,								5/ <b>3</b>		20 1 503
	*	•	,	- •				•	· ·	, ,			•		<del>:</del> -		. 9 <u>03</u> .		<u>503.</u>	
							•	!				<del></del>		<u></u> .	· + ·	· • · · ·	-•· ·			
		•			,					•						:				
							,	٠				i			:	- :				
							ė		• .	* · · · ·	. •			+				,		
					!	:		•		·							1	•		
		,			•		•		- <u>!</u> :						<del>-</del> -		i i			
Elerroni Ref. Hur Dry Burb	× .			9929 9929	2	x	X 10 7	7 , 6	7,516 2,071		s. 03 05	10F	<u> </u>	32 F	Mean No. 67 F	≥ 73 F		• 93 F		otal 
Wet Burn				5371 5303		3141	7 76	. 4	2.063	5	0 <u>3</u> 93			+	90.0	89.6	1.1		• • • • • • •	90

USAFETAL TIN 0265

ΔΤΑ PROPESSIME ΠΚΑΝΕΘΕ SSAF FTS: ΔΙΡ ΕΔΤΟΙΟ SEOUTOFY ΠΟ

# **PSYCHROMETRIC SUMMARY**

4102 ATAMA ARE TRANSPORTED PASE 1 0600-0800

Terp.					,		WET	BULB Ţ	EMPERAT	URE D	E PRESSIO	N (F)		,				TOTAL		TOTAL	
		υ.	1 - 2	3 - 4 .	5 · 6	7 8 9	•	11 - 12	13 14 15	- 16 17	- 18 19 -	20 21	22 23 -	24 25 - 26	27 - 28	29 - 30	2 - ≥ 31			Wet Bulb.	Dew Poor
887					,	1.4	• 61 4 • 51			1	!		1		i			4   91			
∂6/ 8 <b>4</b> /			•	2.6		, n				•		- <del></del> -		-		i .		104			
32/			• 4		14.4													133	•	2.	
RO.	19		3.0	-	1 . 4						1		1	:				54	•	64	**
737 767				1.6							.	•	+	+	•	•	•	: 15		216. 188	40 167
141		, .	1.0	• 15							j					:		11	1.1	38.	
121	71	•		•											†·	+			•	2	96
727	<u>c 2.</u>							:					-					<del>-</del>		-	13
Total		• *	0.		** 5 • 1,4	2.4	'• t	٠2			1							. 5 <u>u</u> e	508	508	508
					***			+	•			+-			<del></del> -	•	•	🗷 🖸		.7¥9.	
				,							1				+-						
									i												
				•		•	٠	:		•	•	• • • • • • • • • • • • • • • • • • • •			<del></del>	:	1	•		-	
																•—	+	•			
													1		1						
					•						:				+ -		•	• -			
									•	•	•	•		•		•	i	•			
												•			•	•					
												1				1					
						*		•	•		•	1 -		:	T -		+	• -			
													-		ļ	ļ	4 =	•			
													+	ł		!			!		
							•	•	•	*	•	•	+ - !	1		†	1	•			
													1.	_		<u> </u>		•	! • •		
													1	į		1	•		:		
F	у		Σχ		ž	X		x		N	o. Obs.			<u> </u>	Mean I	No. of H	fours wi	h Tempera	ture		
ke Hue				1214		367±	н :		7.439		503	1 .	0 F _	- 32 F	. 67	F	+ 73 F	- 80 F	- 93 F	' т	otal
D+, B. 6				2874		4105			2.244		<u> 598</u>		. ]			.0	90.0				90
Write.				46 <b>7</b> 6		389			1.547		508	_				.0	, Ø - 6		4	¥	90 90
₽₹ ₩ F U			∠ 0.	2499		3771	7	14.5	1.917		505				<b>9</b> 0	0	70			1	·# (

-ATT PRINTERSIE - HRADCH -SAL ETA LIR EATTE - ELVICEPMAC

+1C2 -TAHAT AR THATLATT

#### **PSYCHROMETRIC SUMMARY**

Dew Paint	2740		36726	74.1	2.021	498			90.0	12.7				9
Drz Buib Wer Buib	30641 2996		38587	85.7 77.5	2,258	499 498			90.0	30.0		· <u>-</u>		- 9
Eternorix Res. H. v	2 \ 72 \	441	34163	X 68.6	1.618	498	: 0 F	≤ 32 F	> 67 F	≥ 73 F	▶80 F	• 93 F	То	ital _
Tenne + 1X	Σχ'		Zx	x -		No. Obs.	<del>, i i</del>		Hee- No -4	Hansa orie	h Temperature			
•	•	•		1		1				-				
					i					į			:	
				-4			<del></del>				1	•		
		٠		•	- ·	·	<del> </del>						:	
•		•									}	•	·	
										· 	<u> </u>		_	
							·		- ;		ļ ·			
						+ +	+	-+	<b>-</b>		<del></del>	•		
		•			•		+	1	+ <b>-</b> -				•	-
	•	•			•					1		•	•	
							1	1		1	i			
				. !	: .		<u> </u>			<u> </u>	4			
					• • • •		<u> </u>			<del></del>	490		49 <u>8</u>	-
i/ <u>67</u> . F.,	7.4	4 . 4	527.944	011.5	1.2	·	<del> </del>	<del></del>	<del></del>	•	•	499	•	4
01 60		•	. •				<b>†</b>						• • •	
4) 73 2) 71.		•											7	1
8, <b>77</b> 4, 75.	1.0	• 4							İ		7	7 3	279 108	_1
1 19	1:0	•									. <u>ĝ</u> :	8.	100	
4/ 53 2/ 61		1.6 1.	크 <b>살•</b> 뭐 . ∎	. <b>4</b> 1 .					-	i :	67	<u>69</u> . 19	4.	
ዘ/ <b>ዘ</b> ን ¢/ ዛን		, h	<u>4.423.</u>		_ <b>₽</b> ₫		<del> </del>		<u>.</u>	<b></b>	167	188		
C/ {9		•	• 2: 1 •	3 1.2	. 4:		7			i	1 4.	1 0	•	
****	1 2 3	4 5 6	7 · 8 · 9 · 1	T BULB T 0 11 12	EMPERATUI 13 - 14 15 -	RE DEPRESSION 16 17 - 18 19 - 20	(F) 21 - 22 23	. 24 25 - 26	27 - 28 29 -	30 € 31	TOTAL D.B. W.B. Dr	v Bulb	TOTAL Wet Builb D	ew P
													HOURS	š, f.
											PAGE	1	0900-	110

**PSYCHROMETRIC SUMMARY** 

67-72

PANE 1 1200-1400

Terrip					ET BULB	TEMPERA	TURE	DEPRESSION	(F)	.,	, ,		TOTAL		TOTAL	
- F -	0	1 - 2	3 - 4 5 -	6 7 - 8 9 -	10 11 - 12	13 - 14 1	5 - 16	17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29 -	30 + 31	D.B. W.B. C	ry Bulb W	er Bulb [	Dew P
927 <b>9</b>						• 4	• 5	1		į	· i	1	3	3		
9C/ 8			<b>+</b>		4 5.2		- · · · · · · · · · · · · · · · · · · ·		·		<u>.</u>	•	- 3 A	8.8		
8 188					-413.0	• 4	1	1	i i	}			251	251		
36/ 6				<u>. al e. 4 5</u>	<u> </u>								<u>) 10.</u>	110.		
447 8 427 8			-	-21.4		, ;	- 1	)	'	i	•			3.3. Q	21	
AC/ 7		1.0	7 * d ==	<u>• 4</u>			i		: -   -	·	!		<u> </u>	7	148	
78/ 7		4		•		i I					'		ź	2	254	
76/ 7									1			:			75	1
14/ 7							1								2	ī
12: 7	1						- 1					7				
20/ 5		•		<del></del>	;	<u>.                                    </u>			L							
08/ 6	7					_ [					( ) ( )			1		_
<u>يا ر</u> <b>⊺</b> د		1.4	2.01.	<u>• 410 • 443</u>	. 411	7.2	• 2				·			<u>&gt; 0 €.</u>		5
								i	:		į		200		500	
	-				4	! l			<del></del>	<del>  </del>	+			+		
								i		1						
	•		•	•	•	• • • •			++							
								1		i			[			
				• '			•									
							1				+	i				
										i	:					
						1 1	1				<del> </del>					
								1						i		
				• • • • • •			-			<del>-   -</del>	<del>  </del>				•	
						;			1 1		1 1			i		
				1 - 1		i sa ii I	- +		<del>                                     </del>		<del>  </del>	-	<del></del>			
				1	i	1	}	1						1	- 1	
	,								1 1							
					i	<u> </u>	4							•		
				1	i		_ [	1					i	i		
									للسن					<del></del>		
Europea (X Res. Huma	٠.	Σχ'		Z X	X .	" K	<del></del>	No. Obs.	- : - :-	± 32 F	Mean No. a	f Hours with ≥ 73 F	+ 80 F	• 93 F	1	otal
Dr. Bulb			287U 8920	32974 43512		7,42		<u>500</u> 500	+ O F	= 32 F	90.0	70.0		<del></del>	-	0101
tel Bulli	1		4842	38948		1.37		500		<del></del>	90.0	20.0				
Dew Poirs	•		442d	17096				500		-	90.0	69.5		†	4	

DATA PROCESSIE GRANCH USAF ETAC AIR EATHER SERVICE/MAC

4102 - - TAPA AS THATLAND

USAFETAC PER 0.26.5 (ULA)

DATA PROJESSING "RANCH JSAF ETAG AIR EATTER SERVICE/"AC

# **PSYCHROMETRIC SUMMARY**

Dry Buib Wet Buib Dew Pain	-		299	4652 8427		42 38:	764		2.21	7	498 497 497			90	.0	90.0 89.8	88.4			- 0
Element i Ret Humi			236 236	4312	. –	2 x 34(	) 8 9	X 68.0	7.26		. Obs.	- 0 F	- 32			Hours wit	h Temperatu 80 F	7e 93 F	:   1	0101
						1										1	į			
	•					•	<u>.</u>	<u> </u>				+-+			ļ	<del>-</del>	ļ		4	-
	•	•			•	1	· -	- <del> </del>	<del>  -</del>			1		†		+	<del> </del>	- •	•	
								İ												
						,		ļ	<u> </u>			1		<u> </u>		_ 	<u> </u>	-+	•	
	•				•	•		1	i —				-	<del> </del>		<del></del>	<del>                                     </del>			
							1									:	i Ţ	·	·	
							·				_			: 	•—		<u> </u>			
		٠				•	Ĺ	·	-		-	++		<del></del>	. —-	+	<del> </del>			
		,					F								•					
							İ				İ		1		1	İ	ļ i			
							<del>-</del>	<del>-</del>	tt-	<del>-</del> -		+		<del></del> -	•	+	-			
	*				•		:	i	1				:		• !		1			-
								i					i			į	497		47/	
() <b>T</b> ↑ !			1.0	1 4.4	ļ <b>2</b> ⊕.	323.9	35.	11.1	3.4			+					497	49 <u>8</u>	497	4
681 C					+ -			•				1	- :			:		•		
72/ 7 79/ 6							İ	i						1					1	
74/ 1								<del></del>											. 4	1
76/	75		_1_				<del></del>					<b>†</b>		-+		•	<del></del>	1	105	2
807 7 787 7			• ¿		-	L.	1		•								3 7.	3.		_
82/ 9				. 1.4	6.	Ó es			ļ <u>.</u>					.		1	≧1.	21.		
54 / 5	33	•		1.2	1	3 2.0	3		1	+	- + -	1 1		!	†	1	73	7.3	•	
8 168 8 168				. !	4 7.	4.4 215.		5 8.5 7 1	8					1	:	į	174	122		
90/ 1							من	غملية	2.4						<u> </u>		35	35	·	
927 0	:1	٠		, 7.			+!	1	0.2	31.00	10 17 12		23 14 23	10,17	1		1.	1		
Temp.			1 . 2	3 - 4	,	7.8			TEMPERA				22 24 25	24 27 29	20.3	0 31	TOTAL D.B. W.B.	or Bulb	TOTAL .	 Dew f
														_					HOURS	
																	D V L E	1	1500	= + 1,

C FORM 0.26 S (O), A) REVISED MENIOUS Ephones or July 64

MATA PRICESSING GRANCH USAF ETA. AIR EATHER SERVICE/ AC

# **PSYCHROMETRIC SUMMARY**

4102 STATION NAME PAGE 1 1500-2000

Temp	-					WET	BULB '	TEMPER	RATURE	DEPRESS	SION (F)						TOTAL		TOTAL	
(F:	0	1 . 2	3 - 4	5 . 6	7 - 8	9 - 10	11 - 12	13 14	15 - 16	17 - 18 19	9 . 20 2	1 - 22 23	- 24 25 - 20	27 - 28	29 . 30	e 31		Dry Bulb		Dew P
<del>(12110]</del>		• · · · ·					+ <b>-</b> •			† <b>-</b>		• 4		1		1	<u> </u>		:	
88/ <b>87</b>					2.	1 4	2.0	. 2	i	1 1	1	• "	{				39	40	:	
667 85		7	1.1	11 / - 1	19.7					1				<b>†</b>	<del></del>	1	235			
54/ 83					4.4			1		' !			1	1			153			
62/ 81									†: —:					+		;	4^		7	
80/ 79		1.0					i		1		- ;	J	ļ	1	1	1	17		154	–
18/ 77			1.0		·			• • -						1	i		11		226	(
76/ 75		• •								1			1	1			; 5			
74 73			·	·				:	1	1				†					13	
12/ 71						!				!		ļ	į	!	 			ı		
70/ 69			•	+				1	Ī - ···					+		1				
68/ 67					,	!		1			)	1	1	1	1					
1		7.4	4.2	44.4	25.1	14.3	2.6	2				- 12		Ī		•	•	501		4
•									1	í i				i	: L		498		498	
	•	,	•	•				-	1		1			ļ	,		. ———— i	•		
					. 1	l 1		l	l	!			_ i	<u> </u>	!	L	<del></del>	+:	4	
			•		- :			i — –	i —	1							i — - :		•	
									L	<u> </u>				L		<u> </u>				
		•	-	-		l									1	1	Į.	i		
				,	. :				<u> </u>	<u> </u>				<del>-</del>	! #	i	ļ <u>_</u>	L		
					1	1		:			Į	1	i	1	ļ	(	)			
		,						i <u>_</u>	<u> </u>	<u>.                                    </u>				<u> </u>		i +	L	 + ·		
					!		!		i i	1 1		į.	1	:	1	Į.	1	:		
								· ·	!	L				<del></del>	ļ	i	<del></del> -	ļ		
						I		i	I							!	1	,		
				•					·	Li				<del>-</del>	<b> </b> -	<u> </u>		ļ i	•	
				ŀ			ř	1	į		-					1				
					,	ļ	ļ	<del> </del>	<del>-</del>	+						<b>_</b>	L			
							1	İ			1	1	İ	1		i	1			
					!	ļ	<u></u>	ļ	L					<del> </del>		<del> </del>	<del> </del>			
						l	l	ļ	1								1			
				į .	4	ļ		l	<u> </u>	<del> </del>				·		<del>↓</del>				ļ
	1			1	:		1			1	ļ			1		1				
	<del></del>	- <del></del>			<u></u>	٠.,.	<u> </u>	<del>-</del> -	<del></del> -	No. Obs.				Han .	No4 5		Tomacia	<u>.                                    </u>		
lement (X)		Z <sub>X</sub>	345		2 x	-	X 72 6	4		No. Obs.							h Tempera			Total
el. Hum.	·		1423					6,7			+-	- 0 F	: 32 F	≥ 67		73 F	≥ 80 F	2 93 1		
y Bulb	Ì		2404		421			2.2		50			<del> </del>	90		90.0			J 2	
Wet Bulb	1		6299	1	386		77.6	يما		49			ļ	90	.0	30.0		4		(

-0.26 5

TATA PRINTSTNO BRANCH **PSYCHROMETRIC SUMMARY** SAF ETAL AIR LEAT IN CELVICEY 4C

---- John STATION NAME 2100-2300 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 7.8 (9-10) 1 2.7 1.44 1.44 (96 Hg/4 5.7) 4.72 (1111.4 4.5) 2.4 (5) (19.7 2.4) 9.4 1.8 3.5 1.0 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wet Bulb Dew Poir 88/ 87 19 867 85 13-130 84/ 83 242 243 68 32 48 82/ 81 32 122 80/ 79 1.6 78/ 77 75/ 75 223 129 67 196 74/ 71 72/ 71 25 2 126 69 137 62. 657 67 14 TOTAL 508 508 Element (X) 75.2 5.828 83.4 2.100 77.3 1.716 74.7 2.158 2:92699 38177 508 -67 F - 73 F - 80 F Rel Hum. 3541353 3633015 90.0 90.0 90.0 89.6 85.0 90 Dr, Bulb 42443 507 Wet Bulb 39243 508 6.9 90 90.0 90 2:38600 37958

USAFETAC

#### PSYCHROMETRIC SUMMARY

JUL.

U000-0200 Hours ... S. T. PACE 1 WET BULB TEMPERATURE DEPRESSION (F)

1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 3 1

2 - 3 - 3 - 3 - 3 - 3 - 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | 3 - 2 | TOTAL 67 867 85 61 .2 1,522,213,6 2.4 14/ 83 229 228 .27 81 .8 5.818.4 4.4 102 162 1 45 2.4 2.4 2.4 5<u>2</u> 20 <u>2</u> 190 . 2.3 Sed 8.1. .4 787 77 20 216 24 . ti . ni 76/ 75. 74/ 71 150 208 230 727 71. 707 69 121 TUT,L -2 6-213-951-422- 1 O.J 531 *7* 4 Mean No. of Hours with Temperature 40355 43637 531 · 32 F -67 F -73 F -80 F -93 F 93.0 93.0 83.9 93.0 73.0 2.1 93.0 66.7 3 91995 76.0 6.742 Rel. Hum 3105295 Dry Bulb 76.3 1.871 76.3 1.500 74.0 1.962 93 531 531 93 Wet Bulb 40599 1.962 531 93 39285

67-72

TAC Name 0.26.5 (1.5) Resemble to the term of the series

PSYCH	RO	MF1	RIC	SUM	MA	RY

TATA PROBLESSING BRANCH LSAF LTD AIR EAT FR REMYTOFF NC -TAMA " AU THAIL NO . 4102

96=7<u>2</u>

FACE 1 0300=0500

Teva	•							EMPERAT				1	, ,	,	r ·	TOTAL		TOTAL	
*		0	1 - 2	3 4		•	0 11 - 12	13 - 14 15	- 16 17	- 18 19 -	20 21 - 2	2 23 - 24	25 - 26	27 - 28 29	30 + 31	D.B. W.B.	- •	fer Bulk D	em Po
867					l e	. J						1	į ;	i		12	12		
64/ 82/			j	ا ان م	. /	8.1 1.			•	-•		† ·	<del> </del>	-·· •		234	235		
°€/ 80/			3.5	7,117	/ . d		۷						1		i	99	99	16	
79,			4.6	3.3	4	2.5		•	•			+	•	•	i	57	5 C	174	1
767		. 4	, ,	-	•					1			: :	:	!	7	7	297	14
747		•	• •			•		•	•	Į.		Ī			•		••	74	250
72/												 						1.	12.
707			_										,						2.
.TAL		4	813	2.83	56.51	7.4 1.	보		•				<del></del>				563	543	56,
										İ			i			567		562	
						• • • •	• • • •		,				•	<del></del>		+	•	•	
											1				į	į	1		
						•		i	•	•	٠						+-	•	
							. :		,			<u> </u>	·	:					
											·		;	:					
						,					-	*	•			<del></del>	+		
														i		1			
						•			•	•	• •	•		٠		ļ			
																1			
			•		•	•	• •	٠	•	•	•	•			•	· ·- •	•	•	
																!			
						•		•	•	•	•	•	•	•	•		•	•	
			,									-+	•			+ ;			
																1			
					•					•	i	1	1 1 1	- 1		+ .			
					j							'				:			
					•	•			•	•	•	•		+	4		•	•	
												1	i	i					
	•		•			•		•	•	•	•	•		i	•		•	•	
						- 1.							·						
lement			Σχ	— الجامدات	Ž		Ř	°4	å.	Obs						th Temperatu	,	1	
el Hur				1432		43554		6,418		562	1	F	• 32 E	- 67 F	73 F	80 F	93 F	i Te	otal
Dry Bulb	1			5960		4577g	21.3			. 563		- +		93.		<u>0</u> 78.3	*		_ <del>_</del>
Wer Bult Dew Poi	,			9403	-	42661	73.0	1.36		562 562	•	‡		93,	0 12. 0 68.		·	1 -	G.
		_	304	0033		71304	(3.0	127	<u> </u>	207				73.	<u>vi 1:0 a</u>	2	<del></del>		

ATA PRI PSSIMO ARANCH SAF ETAL SIR EATHER DERVICEZMAC

# **PSYCHROMETRIC SUMMARY**

417	· ~1APA	Δ ξ . T · Δ	ILAHA		-	66-72	<del></del>	YE	ARS				را <u>ل</u> MONT	
											MACE	ì	0 to 0 0 €	080
T;	0		WE	T BULB	TEMPERATUR	E DEPRESSION 5 17 - 18 19 - 20	(F)	24 25 . 26	27 20 20	20 21	TOTAL D.B. D.	AI.	TOTAL	. P.
867.87			•	2 2		1 1 1 1 1 2 1	. 21 - 12123	24 23 20	27 28 27	, - 31	†	.ر در		
06/ 85.		1.4	2.14						, 1		. 64	66		
34/ 83			1 .4 1.			1		<b>V</b>			2 ,4	207		
42/ 81	4	0,563,2		2			1	L			20/	209		
807 <b>79</b>	6.1	0.3 4.7	. 1			1	1 1	1		}	В н,	3.6	34	
7"/ 77	12 3.2	4.3 .4								-+	3/	36		;
767 75	• ८ • • •	• *				1	1 1	i	i l	i	0	9:		10
74/ 73.	¥4 .				l	+	+		·		<del>. 1</del> .		48	_27
72/ 71				i	i	1				1	1		7	13
70/ 69.					ـ	+				+	<del></del>			
- <del>C</del>								:	1		1		-+-	
Ti Ti	$\bar{\tau}, \bar{\tau}, s_i$	6 252	18.8 4	7 3		+	+		<del>  </del>		•	018		61
		·· • • · · · · · · · · · · · · · · · ·		• 4	!		1 1	-					4 1 7	0 1
						+ +	<del></del>			į			. 2≛*.	
					i			!			:			
						<del></del>			<del></del>		<u> </u>	•		
						1	1		!!!	-				
*	•				· ·- ·					1				
			,		·	i			<u> </u>	. 1	4			
		•		- •									•	
							1			- +				
				1		! [	1	-	:	ļ				
			+			<del>-</del>			<u> </u>	_ ļ				
		i	1	1	1					!	i			
				•		<del> </del>	+		<del></del>		•			
		;		:		!				į				
			:	+ .		<del></del>	+		<del></del>	<del>-</del>	÷		·	
			į	i :						1	!			
•		. 1	ı	1 .	. †	† †	++-			·	÷-~	- •	4	
				-						į	1	i	1	
•			- •		. = 4	*	† <del></del>			1	*····	•		
									<u></u>	<u> </u>	<u> </u>	1		
Element X	Σχ'		x	Ĭ.		No. Obs.			,		h Temperatur	•		
Rel Hom	3, 33		47512	77,0	7,489	617	_ : 0 F	• 32 F	- 67 F	≠ 73 F		+ 93 F		tal _
D-, Вb	4136		50544	81.0	2.159	618		ļ	93.0	93.0			. : •	9
Wet B., 1	3585	•	47025	76.2		617		-	92.8	92,5			🕴 📖	5
Dew Point	3106	892	4555d	<u>/3.8</u>	2.201	617			92.8	_71.1	<u> </u>			r

USAFETAC MAN 0.26.5 (S.C.A) Resto

MATA PROCESSING MRANCH USAF ETA AIR EATHER SERVICEM OF GLC2: :-TALA AD TRATLAND

# **PSYCHROMETRIC SUMMARY**

PASE 1 0900-1100

Temp	,						WET	BULB '	TEMPER	ATUR	E DEPRE	SSION	(F)						TOTAL		TOTAL	
. Fit		0	1 - 2	3 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	6 17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 3	10 231	D.B. W.B.	Dry Bulb	Wet Bul	b Dew Point
42/ 9	1							. 2	. 2					ĺ					,		2	•
907 89	9.						1	تعدا								L			1. 15	15	<u>.</u>	
887 8	7					1.1	16.3	ນ. ປ	. 5										153			
467 4	<u>.</u>				2.9	15.3	10.4	1.6		<u></u>			<u> </u>			L	1	<u> </u>	223	223	!	
84/ 8	1			اد .	1.5	30,0	3.7	4	:				Ì	1		ì		ĺ	137	137	<b>'</b>	
321 E			خ ۽	1.4	4 9	1.6	ł	i		ļ			: •		ļ., .	<del> </del>		_i	53			
807 7º	9:	• 4	• B	. 5	• 19	(	i .	l .			- [		į	ĺ		i		1	14			-
19/1			1.3	ال و		<b>!</b>	+	<u>.</u>	<u></u>		<u> </u>		<b></b>		·	ļ . <del></del>	+		11	11		
76/ 7			• 4			I		1	. !	1	1				1	İ	!	•	1	1		
74/ 7			- •					-					<del>  </del>		<del> </del>	<u> </u>	<del></del>	<del></del>			. 2	
12/ 7						i	1	1						ļ .	ļ	ł				•		136
70/ 6	9			, -			1	+		L	<u> </u>	<u> </u>	<b>├</b>		-	<u> </u>	ļ	•	ļ			28
T-17. L		• 4	2.0	2.9	10.3	154.0	37.1	11.2	1.0		1 1		ł			1	1		}	616		615
									·		ــــــــــــــــــــــــــــــــــــــ		<del> </del>			<del></del>		- i	-012		61	2!
							!	1			i					ļ		1	I			
									{}	!			<del> </del>	<del></del>	<del> </del>	<del> </del>	<del> </del>		<u> </u>		<del>-</del>	
							i	I		!	1		ĺ		!	1		1				1
							4		<u>.</u>				<del> </del>		-		ļ		<del> </del>		+	+ · · - ·
														1		1	1		!			1
			•			•	+ -	•			+		<del> </del>		<del> </del>	<del></del>	-				•	•
							1		l i	İ				1	İ	1						
						•	· · ·-						<del> </del>		<del> </del>	<del>!</del>		<del></del>	<del> </del> -		• • •	•
							İ		l í	İ	i		1				į	-				
	*						1.	*					<u> </u>			1	-	<del></del>	<del> </del>		•	•
							ł			í							1					
	•	•	•				<del> </del>	<u></u>	·		-	h	<del>                                     </del>			<del> </del>		<del></del>			†	•
				'			ı	1											1			
		•					<del> </del>		1				<del> </del>						1		†	•
									!								}		1			
		•					+		1		1		<del> </del>		<del>                                     </del>		· · · · · ·				†	•
								1	; ;	İ			ļ				}			i	I	
		•				• • • • • • • • • • • • • • • • • • •	. —	÷ - ·	-		<del>-  </del>		† <del></del>		t	†				<del></del>	!	1
						!	i i						i								i	
Element X	1	2	C X 2			ΣX	$\top$	x	**************************************		No. Ob	s.				Meon I	No. of	Hours wit	h Tempero	ure	•	
Rel Hum.	•		293	6623		422	59	68.7	7,3	14	6	15	. 0	F	: 32 F	≥ 67	F	≥ 73 F	≥ 80 F	e 93	F	Total
Dry Buib	1 -			2363		524			2.3			16				93	.0	93.0	90.	3		93
wer Bulb	j			9608	· —	473			1.3			15					.0	93.0				93
Dew Paint	•			3/01	-	452		73.6				15					.0	68.2		1		93

1500-1400 WET BULB TEMPERATURE DEPRESSION (F) D.B. W.B. Dry Buth 961 95 -2 -> 1-4 -3 1-3 (-> 1-4 -3 1-3 (-> 4-5 2-420-410-5 1-3 7-40-4 -4 94/ 93 \* <u>2</u>. 92, 91 90/ 83 22 - 0.-. - 3.-. 252 86/ 87 1.1 7.4 7.4 . . 4 1.7 3.4 1.5 86/ 85 84/ 83 170. 82/ 61 80/ 79 78/ 77 14. 11 282 7 H 183 132 151 75 229 14: 75 12 71 70, 69 41 ī ~H/ 67 66/ 65 61" (A. ) 0.265 (... 1 3 1 3 64.7 7.350 86.9 2.499 77.3 1.438 73.5 2.054 - 32 F 93.0 93.0 93.0 93.0 93.0 93.0 2-1-186 - 80 F - 93 F Rei. Hum 613 92.1 4 01519 1.4 Dr. Bush 53853 620 93 Wet Bulli 47800 618 5.3 3 13: 900 618 94

**PSYCHROMETRIC SUMMARY** 

TATA PRICESSING SRANCH

AIR EAT -- SELVICE AC

-TALA AB TERMINA

JSAF FTAI

# AT PP USSE HAME S S F F T TE EST F F SERVICE PSYCHROMETRIC SUMMARY

•11:	⇒ † Δ+ μ = 3	to the ATT wash	1.7.	· · <b>4</b> 6-,		( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )
					· : F 1	1 -00-1700
Ť.,			TEMPERATURE DEPRESSION	F - 21 22 23 24 25 - 26 27 28 29	TOTAL	TOTAL h Wet Buth Den P
967.95		7 6 7 6 <b>V</b> 10 1 2	13: 4 13 18 14 8 14 16	21 22 23 24 27 26 27 26 27	1	1
94 91			14. 14.		4.	4.
97 / 91 9. / 59		.5 .6 .2 1.1 2.5			1.6 1.6 6.4 4.6	
58 87	•	3.216.3 3.6	1.3		196 193	
067 85 047 83	•				$rac{152}{130} + rac{18}{130} + rac{18}{130}$	
12/ 61					35, 35	5. 11.
40 79 76 77	. 3 1.	,	-		$rac{1}{2}$ , $rac{1}{2}$ , $rac{1}{2}$	
10/ 1	. 111	<u>4.</u> <u>16.</u>	• • •		$\frac{1}{\epsilon}$ $\frac{1}{\epsilon}$	2 174 18
74/ 73. 72/ 71						1º 23
70, 6)						
67 67						
- <b>0</b> 57 - <b>0</b> 5 T∷T⊹i	.6.5.	017.927.549.012.0	5.0 1.0 .2			61
						. 619.
						•
•	•	•				
	-		• • • • •			
					• •	
			,			
					• •	
Elevini X	Σχ'	Σχ χ	σ <sub>R</sub> No. Obs.	Maco No.	of Hours with Temperature	
Rel H.	2 9164		7.864 619	- 0 F - 32 F - 67 F	73 F 80 F 93	- •
Dr. But	454601	Q 23020 35.7		93.0	93.0 90.6	2
Dew Pant	3690409 306089		1.498 617 2.035 617	93.0 92.8	72.8 4.1 09.4	9 9

THE PROPERTY RANGE

1 (		_ T ,	Λ · Λ	ń, t	t.	AIL	r a ·						ç6 <b>-</b>	72				;,	<u> </u>		_		-		3.	
																							O. E. C.	1	1, 20.	-2 <b>0</b> 00
۲, .								WET	BULB	TEMPI	ERATU	RE DI	EPRE	SSION	(F)	22.22			27 20	120		. n	OTAL		TOTAL Wet Build	
	₩Q	. '		3 - 4	. > .	. / .	8.9	- 10 .	11 - 12	.13 · 1 F	4 .15	16,17	- 18	. 19 - 2	0,21	- 22,23	24.2	75 - 26	27 28	, 29	30. • 3		ئ	, BUIL	Wer Dulb	Dew Fo
of /	£7,						• 7. 4	بدمك										•			•		74	24.		
147	63					-17	. 4 € •4 ]	. 3	• 4	•													167	),32 199		
1127	81	•		5.7		7 1		ė <b>•</b> ′.			•	•				•	•			•	٠	•		327	5	
100	77		. 1	۷,4		4.						,											2 + 1 ×	24	.95	
167 167			. 5	1.4																			1 4	13	284 140	34 215
74	7	•	•	• .	•	•	-+	•			•	•			•	i	•	•		• · · · ·				- 7.	โ๋เห	Žni
16,					•								-		-+					· ·					1.	7.3
, T	r- +	1	1.5	2.2	45.			٠,	2.4					1										543		54:
	•			•	1	•				•	•	• -								•	•	•	14.7		543	
															•					•						
																	1					,				
								•		•	•	•		. –	•	-						•	•			
							-							-	•					•						
											٠	,			٠	• -						•				
															• -											
															-	İ										
							•			•	٠	٠		·	1		—÷	•		-	•	i	•		•	
						,								<b>-</b>	1	-	- 1				• -	1				
						ì								i	i	1	1					i				
		-	•			*	•	•		•	٠	÷		1	1	. 4	İ					1		•		
			,									_ 1			1 .	ļ				i +		· . i				
													i	ı		ļ	1									
E:r · · · ·	× .	Σ×				Σχ	_		X		'a .	N	o. Ob		i _	<del></del>					Hours	with T	emperatu	re		
Re Ha				7635 1028			269 5340		74.6	<u>0.</u>	553			43	1	0 F	ļ ::	32 F	+ 67		- 73 F		80 F	- 93 F	: T	arai Šių
Dr. Bu Wer Bul	- 1			7176	+		7 447 1 457	<b></b>	13.5 11.1		2 9 429			43	+		<del> </del>		93		<u>.</u>		1.2	ł	•	•, :
Dea Po	+			1 3 7 6			42		74.4		765			43	-				93	• 0						r) )

# **PSYCHROMETRIC SUMMARY**

#11 / A	TALA STATES NAME		7-7-	YEARS		1
					(7.7)	1100-2300 Hirs U.S.
Term	0 1 2 3 4 5 6 7 8 9	WET BULB TEMPERATURE			TOTAL	TOTAL
	1 2 3 4 5 6 7 8 9		17 - 18 (9 - 20 2) - 22 23 -	24 25 - 26 27 - 28 29 - 30 > 31	bid. w.b. Dry Both	Wet Bulb Dew Po-
66 63.		ء <u>أ فعلا فحو</u>		ļ :	201 272	
447 83 627 81	1.9/0.0 6.1 / 2.51/.0 6.5	* • 2. • 4:			139 139	
A. 79	2.5 4.2 2.3 .4	•			48 47	
11 / 77. 76 · 75	201 100 00 00 00 00 00 00 00 00 00 00 00				. 22. 22	
14: 71.					<u> </u>	L 37 17
7.7 22.		·· ··- · · · ·			<b></b>	. 1. 2
667 67 TgT	.2 4.015.25 .119.1	i Granton		:		. 52)
Sia i et .	AG TEMINAL, TEALERS.	<del>/ 1 4 1 1 1                             </del>	· · · · · · · · · · · · · · · · · · ·		1 421 11	521
		· · · · · · · · · · · · · · · · · · ·		<b>.</b>	• •	
		! .				
						•
			• • • • • • •		:	i i
					•	
					1	
			1	į į	1	
					1	•
	· · · · · · · · · · · · · · · · · · ·				<u>i</u>	
					1	
F (	Σχ. Σχ	χ σ <sub>g</sub>	No. Obs.	Mean No. of Hours w	th Temperature	<del> </del>
No Hill Div Bir	3/1/630 39470		. <del></del>	· 32 F · 67 F · 73 F	80 F 93	
Wet B	3161425 4306 3167493 39969		521 ! 521	93.0 93. 93.0 92.		9
Dew Poor	2-73559 3867		521	93.0 74.	6	9

į

- LAS B AS THEFT STATES 615 A. T M. N. H 25-71 0000-1200 BARF 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL WET BULB TEMPERATURE DEPRESSION (F)

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 + 31 D.B. W.B. Dry Bulb Wet Bulb Dew Pan 4,113,1 6,41,3 -27 81 307 79 78 77 196 78 48 6<u>2</u> 217 205 7.9 3.7 240 12 74 73 78 77 16, 75 14, 73 4 185 152 19 2+5 23. 22: 56 782 71 702 50 125 14 542 1017-224-23/1014/13 3.1 -2 747 542 Mean No. of Hours with Temperature

OF -32 F -67 F -73 F -80 F

93.0 93.0 71.2 542 79.6 8.115 3673134 43154 93.0 92.8 12.6 D-, B. -44115 81.4 2.380 70.5 1.032 542 3:92089 زة 93.0 2.1 Wet 8 , : 3173647 542

PSYCHROMETRIC SUMMARY

USARETAL TIME STATE TO RECEIVE TO A TOWN

ATT PROFESSEL KANCE

PIT EAT IN TENTOIT DE

. SAF ET

FETAC Notice 0.265 C. A. Hilliam C. N. H. Controvers P. C.

16.		<b>-</b> . <u>I</u>	ĀνĀ	<u> </u>	e lay	A I L A	AME				Ç	6=71					ARS						۸ <u>۸ ۲</u>	ć,
																					t-VVF	1	€3 <u>0</u> 0-	- <u>05</u> 00
Tra:		_ ,		3.4		7.8		T BULB						22 23	3 24	25 26	127 2	. در اه	30 .		TOTAL	u Bulb	TOTAL Wet Bulls I	Dew Poin
v6/		•			. l.,	. 4		2	. 13 - 1	• .13 · .	J . 1.7 -		!	- 22:23	, 	23 20		1			9.	9		
:2/			. 7		41 1 e. 513 e	<u> </u>		<u>7</u>		•	•	-+	-	•	-		<del>-</del> -		•	-	221	222		
$\mathfrak{g}(\cdot)$	79.		5,3	ь,	<u>l</u> 0.		-						1 .	1			i • •				<u>9</u> 9.	99		1
767 767		_				<b>'</b> ¬						i	1								36.	8 I 36	182 251	44 192
741	73		7			•	•	•	•	•		i	•		:		ļ	1.	•	•	ť	6	87	175
12/ 70/				-			•		•	:		+				·		- <b>.</b>					$-\frac{3}{1}$	112
681		•									• -						·			· <b>-</b>			•	2
TOT LE		• 42	( . (	23.0	. و ∷ 3 د	2.1 4 , 1	1 1.	3		1											244.	545	544.	544
	•	•		-			† -		+						•			•	•	•	2		- 11,	
					•					i - ·			٠	٠			•	•	•		•			
									: -	.i	- •	. i					i							
												:												
	•					•		•	•			i					-	•		•	•	,		
							•			•	• –	+-		+			•		•	• • •	•	•		
											· • =	_ 4 .		- !			-							
										1		1	i											
						•		•	•	: -	- <b>,</b>						•		•	į	·	•	•	
						•	•		•	:	•		-				†——	†		- +		- •	•	
						i		4 .	•	!	- <del>i</del>	ļ					 	1						
								-		İ			!							1				
		,				•	•	•	•		1		1				1		•	1	· ·	*	•	
						•	•	•	•	<del> </del>	+		<u> </u>		ŀ		1	1	- 1	•			•	
Eleven		<del>-</del> -	x ·			ZX		-	+	۲,	<u> </u>	Obs.	<del>-</del>		·			No. of			Temperatur			
Fel Hon		-		6326	si i	436	94	Ř Αυ,	7.			544	. 1	. 0 F		32 F	- 6	7 F	73		80 F	• 93 F	1 т	0101
Dry B. 6	Ì			7278	1	438			2.			545	<del></del>		-			3.0		• 0	<u>4.5</u>			- 93
Den Fo	.,			347) 347.		412			1 10			544			<del>-                                    </del>			3.0	:1 70		a 6)		•	93

ATA PAULISSII - HANCE USAF ETA AIR EST ES OFFUTCIVOSC

4112 -TAPA AN TO STATION NAME

## **PSYCHROMETRIC SUMMARY**

ew Point			99 <u>28</u> 6632		4045		3	1.8			545 545				93		75.4				9
e Bub	-	317	9719		4418	1 Ag		2,6			546				93	.0	93.0	65,9		_	9
ieront X el Hom		Σχ' 355	4474		z <sub>x</sub> 4379	์ Xั เมื่อเ	- +	8.1	2 8	No. 0	545		F , .	32 F	- 67		dours wit	h Temperatu > 80 F	• 93 f	.   <sub>T</sub>	atal
						<u> </u>	1				1	· · · · · · · ·	Ĺ			<u></u>	,	-			
							i.	<del> </del>		1		i		<u> </u>		<del>.</del> .	1	· ·	•		· · —-
								ļ				1		!	ļ		1		1	:	
						†		.		+	ļ 	ļ.,	ļ -—	<u> </u>	İ			ļ '	-		
						•	• •				<b>.</b>	+		<u>.</u>	ļ			ļ	•		
			,		. ,		•	•		i	1			i				i -		•	
												į.			i						
										· ·	•			•			ł				
						•	٠	•		<u> </u>	• -	<u> </u>		<del>!</del> -	•			<del></del>		-	
•							•	•						1	'						
																i 					
								•		£.		<del></del> -		Ļ		<del></del>	·				-
						٠	:	!		-+-		<del></del>		<b></b>	•	·					-
•		•		•							• •	• • • • •	•	·	•	-		T	•	•	
											7	1			•	:		ł			
٠,	•							·			ļ -	ļ				<u> </u>		545.	, 417	545.	
1/ 67.					13.9			.			ļ	+					·	+	546		5
27 71. 77 69							- •			+	<del> </del>			+	<u> </u>	-	<del>-i</del>	+	:	· - <del></del>	
1 73		1.1				•	•	•		•	1	• • • • •		!	ļ	, :		5:	<del></del> 6i	51	1
: 17 :/ 75.	7	7.J	4.2		,			'				1					-	े <b>5</b> तें इंति	5 3 3 6		2
?' 81 ./ <b>/</b> 9.	. 4	_7. u	1 い。8   シェ乙			• (x						+		<u> </u>	ļ		1	14.71 1 <u>97</u> 1	<u> </u>	40.	
1 83.					5.7	1.3		1			<del></del>	<del>-</del>	<del> </del>	ļ	<u> </u>		· <del> </del>	. 125	12C)		
6) 64°		! · 2 .			. /	7	12;1	3 - 14	13:10	2.117.118 	19 - 21	21 - 22	23 - 24	+ <u>43 4</u> 0	27 - 28	29.3	. 731.	45	45	•	Dew 1
Teng				· · <u>,</u> – · ,	, ,;	WET BU									Tan 22	132 3		TOTAL D.B. W.B. p		TOTAL	<u> </u>
																		P, CF	i	₩ases Ω (• Q Q •	
* A * * *,				5	TATION NAM	'E								,,	AF5					Wow	

ATA	PRINCESSING PRANCH
544	ETA
ATR	FAT FE SENVILE/ 14C

## **PSYCHROMETRIC SUMMARY**

4102	STATION WINE VERS	A LIC
		PANE 1 0900-1100
Ť 6 = 1- #	WET BULB TEMPERATURE DEPRESSION (F)	TOTAL TOTAL 29 - 30 - 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point
927 91	. 44	31 31

72/ 75 72/ 71 72/ 69 60/ 67  UT = 2.2 7.420.620.427.4 9.4 1.4 .2	- •	176. 160 56. 11. 23. 136 5. 204
01-2 2.2 7.420.427.49 9.4 1.49 .2	<del></del>   <del></del> -	2 181 22
	554	554 5 <b>5</b> 4
	•	
		•
Tx' Tx X		93 F Toro

USAFETAC Firm 0.26.5 (L., A)

USAFETAC MIN 0.26 \$ (C\_A) BOOK MENDOROW OF DEPONDENT & FR

Rel Him

Dr. Bulb

Wet Bu ti

2446013

4145250 331°201

LATA PRINSISSING RANCH

PSYCHROMETRIC SUMMARY LSAF FTA ATH EAT & SERVICE / AC -TAPA AS THATE AND STATION NAME 4102 1700-1400 Hours ... s. t. WET BULB TEMPERATURE DEPRESSION (F) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL D.B. W.B. Dry Bulb 961 95 941 91 97/ 91 .5 1.6 L.1 21 .5 4.517.813.1 1.3 .7 5.5 9.6 9.6 3.3 .2 1.6 4.4 3.1 1.6 - <u>/5</u> - 205. - 60 75. 20/ 69 206 83 / 87 86/ 85 100. ٠. 84/ 83  $\frac{21}{163}$   $\frac{217}{135}$ 82/ 81. 40/ **7**9 14. . 5 b 16 787 77. 767 75 . 2 4 . . 128 174 <u> 147 13.</u> 112 72/ 71 701 69 43 66/ 67 TOTAL . 2 1. 3 3.113.217. d34. 324. 3 4. 7 551 55 l

551

552

551

36463

47832

40738

66,2 7,820 86,7 2,521 77.6 1,708 73,9 2,373

.

. ...

Mean No. of Hours with Temperature

93.0

93.0

93.0

-67 F -73 F -80 F -93 F

93.0 12.0 56.2 .3

91.8

. . .

. - 1

USAFETAC New 0265 LL.A.

MATA	PRI	ESSTE - MRANCH
. 541	ETA	
114	1.1	F. F. VICE/IAC

# PSYCHROMETRIC SUMMARY

102	<b>-</b> ₹ #	Α •	i.t.		E A A!	-				<u>66-</u>	71_				YE ARS					<b>∧</b> ₩3	ijΙ, √₹₩
																		phi	E 1	1500 Houses	-170
Ters	0 1	2 .	3 4	5 - 6				EMPERA 13 - 14 1:					2 23 - 2	24 25 - :	26 27 - 2	8 29 -	30 - 31	TOTAL D.B. W.B.	Dry Bulb	TOTAL Wet Buib	De - P
94/ 93							1	• 4	. 2		1	i						1	3		
907 <b>91</b> 907 <b>99</b>				•		ن <del>اک</del> و افروا	1.0	<b>.</b> .2≝	- 4 9		1	÷	<del>-</del>	-	<del></del>			3/	10 30		
88/ 87								1.9		-	1	1	·	_ <del>!</del> _ <del>+</del>		+ -		1 151	151		
367-85 847-83			1 . 1		، <b>د.د</b> . ، ج.و	-	1.0			• (	"	1		i				173	173 119		
62/ 81		. 2	2.6		18	: # 47	•	•	•					- + - ·	ŀ		•	49		้ 8	
807 /P.	:	٠.	• <sup>1</sup> .	<b>a</b> 2.	-•			•			<del> </del>	+	₩-	<del></del>	-	<del>-</del>		. 10	. 10		
787 77 767 75.	• 2	• 2	<b>a</b> 4.					į					}	1		'		1	2	249 140	1
74/ 73			•	•	• •	٠		;	·					1	-	-				23	1
/2/ 71. 70/ 59											+	<del> </del>	<u> </u>	- <del>!</del>	·	į	٠	•		1.	
F/ 67												i I		1						. 1	
oc / 65								į			:			-		i		·			
267 <b>55</b> Tu	. ,	. •,	4.62	. (13	) . 1.2	7 . din	0.4	4.0	 1 . 5			<del>i</del>	<u> </u>		<del></del>	4	***	· · · · ·	548		5
	••	•	• • •					• • • •			*! •		-	!		ļ		<u>. 548</u> .		548.	
											Ì	ļ	į	İ		ļ					
			•	•	•		٠				<del> </del>	<del> </del>	†	+-	:	: -		·			
												<u>.                                    </u>		<u> </u>	<u>.</u>			·			
											1	!	!	i			1	1			
	*		•		•	•	•				*-·	<del> </del>	<del></del>	†	<del></del>	•	<b>-</b> - · ·		•		
								•					1-	-	<del></del>	+	-	- <del> </del>	- <b>-</b>		
											1										
		•		Ī	•	•	i	•				1				1 -	-	1			
							į				<del> </del>	<del> </del>	+	+	4	+		<u> </u>			
									]		l	1		1	1_						
																	į				
le ····································	Σχ	. —	-	ž	x		X X	o z		No. O	bs.				Mean	No. of	Hours wi	th Temperat	ure		
el Ham		11	2 3 <u>1</u>		37629			7,93			544	• 0	F	- 32 F		7 F	₹ 73 F	- 80 F	e 93 F	1	Total .
Fer But		1.12			42341	-		2.47			54!! 54!!		+			3.0	33.1			'رد •	
Dem Pane		) : <b>7</b> 3 ) : 01			40534		4.0	2.38			<u> 2명인</u> 54명				9	3.0	72.		<u>-</u>		·

"ATA PRIMESSIE" MARICE USAF (TA) WIR (AT F. SHEVICE) AC

#### **PSYCHROMETRIC SUMMARY**

410 STATE A AN THEIL AND STATION NAME Find [ ] 1 100 = 2000 Habita 1, 5, 7.

Tenr		WE1	BULB TEMPERATU	JRE DEPRESSION		o de la comp	- nailas	20 21	TOTAL		TOTAL	ο.
88/ 57	0 1 . 2 . 3 - 4 . 5	· 4 1 · 10		16 17 - 18 19 - 20	0] 21 - 22 <sub>5</sub> 23 - 2 -1	24 25 26 2	7 - 28 29 -	30. > 31	14	14	שים מיעם ישיש.	ro
st / 85	. 7 8			i !					124	, ,		
54/ 83		.3			<del></del>		- ;	•	12.	223	•	
627 81.	9 9.310				1 i		1		. 142.	142	6.	
807 79	1.3 2.8	. 7		- i	1	İ	ļ		26	26	111	1
78/ 77.		<b>9</b> ''.			4	- <del> </del>	+		· 7.	7.	207	7
76 / 75	• '*				1	! !	l		. 7	2		22
<i>141   13.</i> 127   71			· · ·		+	++					$-\frac{1}{3}$	1.5 5
79/ 62.					1	,					,	1
06/ 67		·	- !			1 :		<b></b> -	•		•	•
TOTAL .	. Z. d13. 751	. 922.4 1.	2 9 7		<u> </u>			· - •— - ·		239.	. !	53
		,		! _		i i	-		539		539	
				• - •				· · - —	4			
				1	1					- 1		
	•	•						<del></del>	<del> </del>			
				i			ļ	i	1			
•	• • •						1			-		
								i	<u> </u>			
									1			
							4		<del></del>			
						! .					!	
					<del> </del>			+	<del> </del> +			
				1	l	!						
•								1	1			
				ļ		1			1		4	_
		1		i i				ĺ			ļ.	
				- +	+	++	· <del> </del>		<del> </del>			
• • • •		!	1 "	ļ					!		I	
•		- }	• • • • • • • • • • • • • • • • • • • •	· ·	<del> </del>				•i	- •	1	
Elevent /X	Σχ	Σχ	Xx	No. Obs.					h Temperatur			
Re: Hum	3114 bnq	<u>4283U</u>	75.0 6.376		: 0 F	1 32 F	≥ 67 F	≥ 73 F	80 F	• 93 F	Total	-
D., Buib	3/3090g	44832	<u>83.2 1.900</u>		ļ		93.0	93.0				9
Wet But Dew Point	3212997	<u>41607</u> 40284	77.2 1.512		f <del></del> -		93.0	92.5	2.4			9
Dew Foint	3/12/020	40544	79.1 1.470	227	<u> </u>		73.0	40.7				<u>_y</u>

USAFETAC (From 0.26.5 C), A) RESIDENCE OF CHESTONES OF CH

∍AŤ.,	PROLESSING	FRAGE
USAF	ETA	

### **PSYCHROMETRIC SUMMARY**

4104	-TA+A	Λb	TOATLE	<u>st • 71</u>	YEARS			A Line And Agricus
					o <sub>A</sub> ,	7 E	1	2100-2300

Terr							WET	BULB T	EMPERA	TURE	DEPRESSI	ON (F)						,	TOTAL		TOTAL	
F		·	1 2 .	3 4 .	5 6	7 - 8	9 - 10	1 12.	13 - 14 1	5 · 16.	17 - 18 19	. 20 21	- 22 2	3 - 24 2	25 - 26	27 - 28 2	9 . 30	, ≥ 31	D.B. W.B.	Dry Bulb	Ver Burri	De≖ Pole
	65.			<b>.</b> 9.			۵۰. <u>ق</u> مل	4.				.1						! <del> </del>	. <u>22.</u>	و .ياد		
(4); (2);	83 81		2.2	-	17.4 15.9		4.7					!	:		:				199 192		า	
	70	•	3.7	4,5	(i		•		•	٠		:			•	1			57 . 21.	5.7	78 218	25 96
767	75	. 2.	1.9		<u>. ii</u>		-	•	•	•	ļ	:		- 1	1	<del>i</del> !		•	12	12	181	175
74/		,					•		- •												44	125
197							• •			•		<del></del> -	-				<b>-</b> -			·- ·· ·		13
Tับู้ที่ (เ		14	u a	:5.2	19. <b>7</b>	14.	<u>6.44</u>	4	•	- +		-			+			•		534	534	534
ı							•		•	1	:								4ر ځ		<b>774</b>	
								į								+			<b>.</b>			
ı																						
		•		•		•	•		•	•	•			1				•	•	•		
	٠		•				•	•	• •	!	.+	<del>-</del>	- •		•				•	•		
							•		•	<u> </u>	•	-				•		•	•			
	•		,				•		•	•		+	+			- •		•			•	
									- · •	# i						+			<del></del>		٠	
					!		•		i										<u>.</u>			
			,		!			- 4					_					ļ 	: •=			
İ						. ;						1_				‡		! i	, ;			
								į		Ì		1	!	İ		İ		j	1			
Element		1	X.			Z X		X	**	- +	No. Obs.			. ,					Temperat		,	
Ret Ho				5319		416			7.47		534		: 0 F	+ :	32 F	- 67 F		73 F	- 80 F	+ 93 F	T	otal
D / Bull	1			<u> </u>	-	438 409		82.2	2.11		534 534			+		93.		93.C		9	. •	93
Dew Po				43 <u>34</u> 2498		398			2.31		534					93.		32.3 73.3		7	- 4	93

USAFETAC The 0.26 St. . R. HOLMON ST. TO THE STREET

ι, Δ.Τ.ς	PK	13511	FRANCE
548	ETA.		
416	· F A 7	1 . S.F.	- V1611 16

#### **PSYCHROMETRIC SUMMARY**

-TAPA AC TAILAND SEP

Terra	-			_				WE	T BULB	TEMP	ERATU	RE DE	PRESSI	ON (F)	. 1	,	1	1			TOTAL			TOTAL	
361	u <b>s</b> .	¢ .	1 2	. 3	,	5 6	7 - 8	•	) 11 - 12 36	13	14 15 -	16,17	. 18 19	20:2	1 - 22 23	- 24, 25	. 26 27	7 - 28 2	9 - 30	- 31	о.в. <b>ж</b> .і 2	•	Bulb w フピ	let Buth [	Dew Po
44/					٠/ [يرو	/ • 4	أعلا						Į.								13		133		
F21			•	+ 1	, · • · ·	ا و د ) مد	2.2						1			1					14	-	141 106	1 29	
897 757		• 2	D ·	7 ' 5 )		3,4	<b>9</b> 4€			•	•	•	•	•	į.	•	•	•			7		7 B	217	3
76/		• -3	2.0	2. 1	• 1.								j		ļ						. 4	4.	4. <u>4.</u>	<b>22</b> 6. 53	19 22
14 / 12 /		• 4	• ′		• '						,											7		4.	7
101				L 1 1	, .		4						ŀ										<u> 535.</u>		<b>5</b> 3
1.64	-	1 . 2	22.	4.4 !	# A.	? .: <b>.a</b> ??	2 4 3	Z.	<b>J</b>		•	•					•				- 53	<b>r</b> ,	# £ £	535	ر <b>و</b>
										•															
														1		•	·								
											1	1		i											
									•	ł	:		- • -	+							·	•	•	•	
						,		,				:													
													i.	!		:				L	:				
											Ť	-		İ	i	i I	1				!	:			
				•					•	• -	•	+ + -	1	- 1 -	· · · <del>- · · ·</del>	<del></del>		•		i - · · ·	<del></del>	1			-
													+					_ :	-			4 -			
								1					1				_ !	Ĺ		l			:		
			,						-				ij	Ţ									:		
						1		•	•	•	1	<del></del>	- †-				- †-		i		·	 1			
									i			i	- +	_ ‡-				-+			ļ 	+			
												:				1	İ	1			1	:	1		
			,		•			•	•	•	j	•	1		1	i		i			Ì	Ī			
Element	- X -		Σχ'				Z X		Ī		σ <u>.</u>	, No	. Obs.	. [			, N	Aean No	. of Ho	ours with	h Tempe	rature			
Rel. Hor					AB		437		81.7				535		10 F	• 31	2 F	+ 67 F	$\rightarrow$	73 F	80		· 93 F	ļ T	otal _
Dr. Built			3)				401		76.2				535 535			1	<u>-</u> -	90.		20.0		• Q • Q			9
Dew Por	nt		20				397		74.4				535					90	0	77.0				· · ·	9

THE DESCRIPTION OF THE PROPERTY OF PROPERTY OF

ATA PRINCISSION RANCO

167 H5 047 53			1. 1.2		. 4. . Z 4.						$\frac{6}{6}$ 61		
827 81 807 79 787 77 767 75 747 73		.4 5. 5.2 0. (.9)2. 9.4 2.	418.5 4 / 25 2 - 27								192 152 194 104 129 129 71 71 11' 11	12 <sup>6</sup> 204	15 15 25 9
707 67 ut/ 67. Tit	ii	7,607,	549,3	1.3		, =   					534		1 53
										- • • -		· · · · ·	
									<del></del>	- • · · · · · · ·	•		-
			•			•							
				· .				,		•		• •	
			•							• •		• • • • • • • • • • • • • • • • • • •	
Element X Res Mam Dry Bush Wet Bush Dew Paint		x <sup>2</sup> 3/1531 337284 304308	4 1 6	2 x 44324 42415 40304	79.4 75.5	8,248 2,693 1,446	534 534	, a F   -3	90.0 90.0	90.0	80 F . 93 5		91

USAFETAS DIE 0265 E. R. POSCHIO GEORGE CONTRACTOR DE CONTR

PATA PROFESSING THANCT SAF ETALL
AIR EAL FORE VICE/ 4C

#### **PSYCHROMETRIC SUMMARY**

4102 -1APA AN TOATLA 66-71 VEARS PAGE 1 CAQU-C800

Ten.;	6 1.3	3 · 4 · 5 · 6	7 . 8 9 . 10	T BULB 1	EMPERATUR	RE DEPRESSION	I (F)	24 25 . 26 2	7 . 28 29 . 31	T( 0' 31 D.E	TAL J. W.B. D.,	Bu b W	OTAL et Buil D	or Pa
867 85 547 83		1.	2.1	ي الآ				74 75 70 7	7		24 67	24 87		
52/ 81 36/ 79	6.0	2 3.11/.	1 .2		•				:		142	142	17	
78/ 77 76/ 75	4 6,8		3								62.	108 62.	148 254	2 13
747 73 727 71. 707 60	⊸n t∙l							·			10 ·	10	99 12.	24 11
05/ 67.	. 1.5.0	525.834.	αie.∋ ż.	3 . 2	į			_·			-· - ·	5 10		53
	•			•				-	!		<b>33</b> <u>0</u> ,		530,	
			•	•		• •	· · · · · · · · · · · · · · · · · · ·					•		
						:	<del>-   -     -   -     -   -   -   -   -   -   -   -   -   -   -   -   -   -   -  </del>		-		•	•		
												•		
			• •				<u> </u>	· +			i•			
							+	. <u>.</u>			:			
			•		• • • -			+		- 4 =	+			
	•				• -	<u></u>		++	-		· · :			
			- !	•	· ;		-			-	- •	٠	•	
		· ·				· - · · · ·				<u> </u>	·			
Erement (X) Ref. Hum	Σχ' 3t (	73221	2 x 4 3 4 7 9	Σ 92.0	8.327	No. Obs.	: 0 F	- 32 F	Mean No. of F		mperature 80 F	• 93 F	Τc	otal
Dry Buib Wet Buib Dew Point	غز <b>د</b> غر <b>د</b>	34 <u>22</u> 0 32531 30131	42326 40033 49127	79.9 75.6 73.8	2.769	530 530 530			90.0 90.0	70.0 86.0	46.7			9

i

"ATA PRIM SST - IRANCH 12 ENT 5 ENTICEN 40 **PSYCHROMETRIC SUMMARY** -TAFA AF TILLY PICE I 6900-1100 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 23 1 D.B. W.B. Dry Bu b Wet Buil. Dew Point 14. 9 -4 .2 -4 1.3 1.3 -4 1.3 1.3 -2 4.71 .712.4 1.7 .6 1.511.3 9.4 2.6 -3 3.2 7.7 .2 2.1 6.4 2.1 427 31 140 150 od, 3 ? 0/ d5 n4/ p3 132 42 63 827 H1 15 / 77 21 21 <u>د ۽ ۽</u> 17. 15 3. 42 142 **2**10 239 767 72 197 15 ıΩ. 121 71. 103 73/ 67 21 66 64 54/ 0) 4.51., 125, 921, 425, 3 9.0 2.3 533 E ... x 71.1 9.072 84.3 2.599 70.9 1.667 2/39734 533 , - 67 F - 73 F For H . 3790gi 80 F 90.0 89.8 84.1 90.0 49.0 3.4 90 44950 0.8 % 3195224 533  $\widetilde{\mathbf{a}}_{C}$ 90.0 3150453 40909 533

39340

# 93	94 93 92/ 91 90/ 89 85/ 87 40/ 83 	. 1.2 . 1.1	• ₹ • ₹ • 4; • • 1; • • 1; • • 5;	・ 多・分 コッショ フ・コ	7 - 8   9 - 3 - 11   2 7 - 3   2 3 - 5   2 - 6	. 10 11 - 3.0 4 3.411 2.7 1	12 13	1-14 15 • 2i • 4i • 7 • 1	5 · 16 ] 2 2 4 9 1 • 3	17 - 18 11 * ∰ • ⇔	9 - 20 2	. 22 23	. 24 25	26 27	28,29	30 . 3:	D B. W.B	2 16, 74 169 137	₩ <sub>#</sub> , 6	Ten F
73	94. 93 92/ 91 99/ 89 85/ 87 10/ 83 12/ 81 81/ 79 10/ 77 76, 75 12/ 71 11/ 69 96/ 67	. 1.2 . 1.1	• ₹ • ₹ • 4; • • 1; • • 1; • • 5;	・ 多・分 コッショ フ・コ	. (q. ) 5. ) 12 7. ) 1 5. ) 2 . 4	3.0 4 3.411 2.7 1	.5	, 2; 3, 3 1, 2	ے. 9 اور ا	* 6					·		13.	2 16, 74 169 137	. 4	
7 89	007 89 657 87 407 85 147 83 177 81 617 77 76, 75 74, 75 72/ 71 77, 69 68 67	. 1.2 - 1.1 4	. ₹ . 4; 4 . 1. ≧ . 1. . 6;	کی ایکی پیری کینا عدد	5. 112 7. 51 5 3. 51 2 . 4	3.0 4 3.411 2.7 1	. 5 . 2	s.¥ Le⊇	1.3	. (1							1 1	74 169 137 12	4	
7 87.	85/ 87. 30/ 85 14/ 83. 32/ 81 61/ 79. 76/ 75 74/ 75 72/ 71 76/ 67 66/ 67	. 1.2 - 1.1 4	. ₹ . 4; 4 . 1. ≧ . 1. . 6;	کی ایکی پیری کینا عدد	5. 112 7. 51 5 3. 51 2 . 4	3.411 2.7.1	. <u>.</u>	1.2		-							1 1	149		
7 83	307 83 347 83 377 81 827 79 767 77 76, 75 727 73 427 75 727 75 67 67 67	. 1.2 - 1.1 4	. ₹ . 4; 4 . 1. ≧ . 1. . 6;	کی ایکی پیری کینا عدد	7.9 5 3.5 2 .4	1.7 1	د ه						•				1 1	13/		
	77 61 61/79 76/77 76/75 74/75 72/71 72/71 76/69	. 1.2 - 1.1 4	4.1 ≤.1 .5	انوژ تعدی		2 <b>. 2</b> 						•					•	-		
7 79 1.0 2.1 2.2	81/ 79. 10/ 77 76. 15. 42 74. 75 12/ 11. 10/ 60 60/ 67	. 1.2 - 1.1 4	4.1 5	قد ۽				,											, ,	
777	76, 77, 42 76, 75, 42 74, 75 72/ 71, 77, 69 66/ 67	4 1.1	. ts		•		•	*												
2	76, 75, 44 74, 73 72/ 71, 77/ 67 667 67	<del>,</del>	_						•	•	•	•	•							
/ /1. / 67 / 67 / 65 / 65 / 65 , a 3, 2 0, 615, 515, 928, 917, 7 6, 5 2, 4 1, 1 , 2	72/ 11. 10 / 60 08/ 67	ž t	•					:		i.							•	•		15.
1 69 2 67 7 65 7 65 , a 3, 2 9, 615, 515, 928, 917, \$6, 5 2, 4 1, 1 , 2	71 / 69 687 67							1		i										
7 67 7 65 7 65 , a 3, 2 0, 613, 515, 928, 917, 7 6, 5 2, 4 1, 1 , 2	081 67			• -		•	•													-
7 6 5 7 6 5 .0 3.2 9.613.515.928.917.7 6.5 2.4 1.1 .2																			ı	•
5 (c) 1,2 (c) 6 (d) 7 (b) 6 (d) 7 (f) 6 (d) 2 (d) 1 (l) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	56/ bi				•			į		•	•									
	647 bi				. 6															
	T 1T	1 1.2	0.01	3.51	3.450	1.917	• "	O • .>	2.4	1.1	• 6							• • •	+ .,	2 11
					•		•	•		•	•						-		٥,	
		•		•		-		•		•										
	•				٠				•			•								
			-	:	•	•	·	•		•		•	·							
											٠									
	•				•	•	•	•		•	•	•	•							

**PSYCHROMETRIC SUMMARY** Sar FT. IR EFF E 1. 1221 ... TOTAL ON NAME 1-00-1700 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 5 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 31 14 .0 1.0 2.0 2.1 1.5 4.3 1.4 2.3 1.2 (1.21), 5 .7 .2 <u>۔۔۔</u> ۲۶ 1<u>u."</u> 152 , \* · +. 21 1. 21 1. 3 133. 55 ...25. ø 2. 55 20. 17 11 38 10, 205 141 185 14 121 11 11, 26 ut i n 947 g.4 2175 527

::

C. A. . . A

527 521 521

90

G.

- 67 F

90.0

70.0

88.6

- 73 F

. 80 F

90.0 86.2 89.8, 4.3

59.3 9.21/ 54.9 4.775

70.3 1.589

36371 44759

40477

30/16

2554041 2 0.509

211 223

ATA PROPERTY RESIDE

0 - 8 - 1

war B

-1/1 A DO 1 THE STANDARD 25.71 Si. 1900-5000  $\mathcal{EM}(F \mid T)$ WET BULB TEMPERATURE DEPRESSION (F) TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Cry Bulb Wet Bulb De 90 7 ु क 647 87 301 35 · 41 63 <u>/</u>1/2. 141 .2, 61 141 l 44. 44. 13 원0. 건**3**유 31.1 79 2.2 4.2 ... ... 75 / 77 75 / 75 74 / 75 1.11. 52 189 132 ے. 25 10 127 11 • 4 707 67 642 51 1 . 66/ 66 (-11/2 53:

No. Obs.

534

230

530

\* 0 F | \* 32 F | -67 F | \* 73 F | \* 80 F | \* 93 F

90.0

90.0

89.8

19.6 62.7

1.5

19.5 74.9 90

90

90

40311 43532

41.71×

3.74219

3/27799 312,969 2:33421 7.305 82.7 2.230

70.8 1.470 74.4 1.901 **PSYCHROMETRIC SUMMARY** 

,

Re H ··

[-- B --

West 8. .

ATT PROGESTS - KANER

S. F. ETA

LATA PROCESSING - RAFE & 501 ET4 ATR EAT FO ECUTORY OC 410,5 STATION NAME

#### **PSYCHROMETRIC SUMMARY**

3 L p

<u>∠100-2300</u> 027E 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 23 1 D.B. W.B. Dr. Bulb Wet Buil Dew Por 387 87 • 4 1 867 65 15C 2.210.6 0.1 .010.110.4 2.4 6.5 8.9 0.4 15 % 547 84 160 169. 927 81. 36 : 79 187 77 76/ 75 LOA 100 38 3 251 198 52 . 5.2. 59 .4 4.5 V.L .G 221 197 53 14 .2 1.3 1.1 45 141 73. 12/ 11 707 60. FOTA: .n. 3.278.543.016.64 3.4 5.17. 537. No. Obs. Σx Σx Mean No. of Hours with Temperature x - 32 F · 67 F 2 73 F 80 F 400 H . 42955 43652 80.0 7.195 346 745 537 10 F + 93 F 81.3 2.371 70.5 1.444 90 Dr. Be 5 59.6 3: 53954 531 90.0 30.0 90 wet Bir 3143394 41078 237 90.0 29.2 . 5 Dew Pares 90 2184839 40025 90.0 20.9

26-71 \_\_\_\_

. : 9.50 1.3

USAFETAS

USAPETAL TIME 226 STOLD PORTER OF THE OFFICE OF THE ACT

CATA PROCESSING PRACTOS USAF ETA AIR EATHER ENVICEZ OC	PSYCHRO	METRIC S	UMMAR
4132 - IAI AT AB 1 AIL AT STATE ON NAME	66-11 YEARS		1.5
		PACE 1	0000-020

innint of Hom y Buib er Bulk ew Pain	i		c 41 <u>92</u> 3341 3√77 2766	599 174	•	4745 4745 4292 4119	54 B 29 7	X 0.0 7.6 4.6	6.444 2.377 2.332		552 552 552 552	· 0 F	: · · · · · · · · · · · · · · · · · · ·	32 F	93 93		273 F 273 F 274 7 28 4 7	80 F	93 F		otal _ 9 9
Tenna!	<del>, -</del>	- ·			<del></del> ;	Z x		-		No. O	· ·	1				· ·		h Temperati			
							:		<u> </u>		!				<u>.</u>		1	 <del> </del>			
									,	-	!			_	<u> </u>		<u> </u>		+		
					,		•			; †	<u> </u>			-		-	<u>.</u>				
														-	<del></del>	<del> </del>		! !			
									!	•-		·		<del></del> -	• = .						
									•		<u> </u>			<del>'</del>	• · · -			!  -			
									:		ļ	!			•	:					
												<u>                                     </u>				. – -					
								_ +			ļ		<u>-</u> _	<del></del>	<del></del>	· • ·· -		† •			
T : [		' د و	7,9.	₹.J.	} ₹•¢ı	( i • ii) 	• 4ı					: :							55Z	552.	5 5
67 <b>6</b> ≩7 <b>6</b>			_	•	<b>-</b>						ļ			•						3	1
( / E	-				• (				-						· 		·	1	1	16	4
4) 7 21 7		•4		•	1.5				,	· 					ļ	i 		3°	30 <u>1</u> .	142 57	18
67 7 67 7	77	آ الأنامية	5.61 2.71	1.4		, j					1							172	172	105 208	4 13
	Bl	•		5.3	3,3	- 44	- 2		•						!			11	57 118	12	
67 8 47 8				1.3	+9 ₹ <u>+7</u> .		. 2					; i		 			1		2 24.		

HATA PROFESSING BRANCH AIR EAT FO EFVICEM AC 4102 - A AB LOATLASE STATION NAME

## **PSYCHROMETRIC SUMMARY**

្នុទ្ធក

* ;									E DEPRESSION			·		TOTAL		TOTAL	
		. 1.	2 . 3 - 4	•				13 - 14 15 - 1	16 17 - 18 19 - 2	<u> 21 - 22 23 23 23 23 23 23 23 23 23 23 23 23 </u>	3 - 24 25 - 26	27 - 28 29	30 31	n.s. w.s. D	ry Bulb 1	Wet Built D	Dru Pa
(47 8) (2) 8			. s . s .	) 1.					i i			: !		ე. ე.უ!	27		
10 / <b>7</b>				شعف ک خہاے اج					•			<del>*</del>	•	1.	70	1	
6/ 7			715.						4					196.	196	47	
61 7	5	.717	.012.	) ),	4	1					ľ		•	187	188	20.5	1
4/ 7			. 4 . 4 . 1		. • 4		. :			1 -				<u> 51</u>	<u>5</u> 1.	159	1
2 / 7			• • • • •							i	İ	1		7	7	94.	1
[] / Q] B / 6		•	13 n.						- <del></del>			<del></del>		<del></del>	호.	- <u>25</u>	. !
6/ <b>b</b> :									1			1				1.2	
4/ 6		•	•	•			· · · · · · · ·			1-1-		+				ž	
21 6												L	4				
<b>T</b> 1		1.446	.0.9.	1	100	• :	>	1	-:		:			ì	553		5
								- 1				! . <b>.</b> .		. <b>55</b> 2.		<u>552.</u>	
							1			1 :	1	; }	i				
							. !	ļ	·	<del></del>		<del></del>		+			
								1		-							
	٠			•				†		1					•	•	-
										<u> </u>		·——— -		<u>.</u>			
								1		4 !	i						
								•		·				L			
									j	i i		·		•			
				•	•				- †	ļ		i — i —		÷ · •			
								!	1		i	[					
	•		·													•	
												ļ					
					İ		į		1		-		-				
				•			. !	-+	· <del>   </del>		+			<del></del>		- •	
						ı		į						!	1	:	
	٠			•	•	•				-†				T			
								<u> i</u>				<u> </u>					
r X		Σχ		·	Z X		×		No. Obs.		,			h Temperatu		1 _	
l. Hom			1312		478			0.062	552	- 1 0 F	- 32 F	- 67 F	≥ 73 F	* 80 F	€ 93 F	· T	0101
y Bulb • Bulb	i		6170		424			2.252	553	-		93.0			· · · ·	- 1	
er Duri.	l.		_1599; 006866		407		72.5	2.944	<u> 552</u> 552	<del> </del>	+	91.7	59.6	2	<del></del> -		

. ATA PHINESSING MRANCH USAF ETA. AIR EATH- SENVICTION 4102 C-TALA AN THATLAND

## PSYCHROMETRIC SUMMARY

410 <u>2</u> .	·- <u>.1</u>	ALA_ A	1 + Λ [ L. 5 TA * 10	N JAN			<u>96-7</u>	1			£ ARS				I C	Ť
													PACE	. 1	0600-	0800
Trivi.	0 .	1 - 2 3 - 4	5 - 6 7 -				16 17 - 18 19		22 23 - 2	24 25 - 26	27 - 28 29	- 30 <i>e</i> 31	TOTAL D.B. W.B.	Dry Bulb	TOTAL Wet Bulb D	ew Po
867 85			• **	, 4			1	1					7	7		
64/ 83		. 1.	1. 4.2	• 11	4	• £¦ .	. 4		+		<u> </u>	<del> </del>	2.8	28		
827 81		5.	č <sup>a</sup> l gora. U	•9 •/			1		1	}		i	66	66		
607 72.		1 . O . O . I		• <u>(</u> • • • • •					i	•		- + -	104	104		_
78/ 77	. 21		3 2.7 2						1		1	÷	158	158		. 2
74/ 73	• 11	1.71/ 2.2 /	ት ረቃን 3 1•ን	• [j. • &	• .				1 .	• •	,	+	. <u>145</u> 38	145		12
12/ 71.	• 4			• "					!				اهد	3 8. 4:	87	19
70 / 69						, –			<del>-  </del>	-	+					6
66/ 67		• •						1	į.					٠.	16	3
667 65		•				. [				+	+ - +		+		3	2
24/ 61.							l						1		2	_
52/ 61					• •	•				-			Ţ	•		
50/ 59.											4 = 4		<u> </u>	<b>.</b>		
UTLA	1.32	0.941.	31 6 9	.5 2.0	i • 4	. 2		1	1			1	i	555		55
					. :					·	<u> </u>	<del>-</del>	355		555	
								i	1	1	1	i	1			
								+		- <del></del>	<del></del>		<u> </u>			
							1			i						
										- •	4 4				- •	
							· I	1	1	ĺ		1				
	•		•	•					<del></del>	<del></del>	÷	· ·	1			
								1	İ				1			
				•							1		Ţ	•		-
							i .				1	i				
		•		•		ì				T		<del></del>		·- ·· •	•	
						:				1	ļi	1	· i	•		
			1						1		1 1					
			. :				1		· -	J	i	i	ļ	+		
						ì		İ	1			1	1 1	i	1	
	4				٠.	ļ.,					· i	<u>+</u>	<del>   </del>			
						ļ			1	1						
Elerent (X)	Σ	x '	Σχ		x		No. Obs.	<del></del>			Mean No.	of Hours wit	h Temperatu	l		
Ref Hom.	_	^ 3942636	•	659j		8.201	55	5	0 F	• 32 F	± 67 F	73 F	→ 80 F	93 F	T.	tal .
Dr. Built		336424		3185		2.683	53		+		93.0			1		9
Wer Buib		305000				2.015	55				92.2	70	3 .2	t		ç
Dew Point		272727			72 5	2 202					97 0	57		t	1	o i

ATA PRINCESTNO NRANCH LSAF ETAT ATR EATHER MERVICEN AC

#### PSYCHROMETRIC SUMMARY

#102 -TAPA 46 THATLAND 06-71 YEARS PAGE 1 0700-1100 HOURS 1.5.5.5.5

		1 - 2 .	3 · 4 .	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14 15 -	16 17 - 18	19 - 20	21 - 22 2	3 - 24 25 - 26	27 - 28 29	30 31	D.B. W.B.	Dry Bulb	Wet Bull.	Dew Po
									• 4			i	'		. 1	1		
						&	·			-•	- ;	1	1		1.	1;		
						Lati	-		. č				i		L i	19		
				• 7	2.6	<b>⊕</b> • 8	2.3	<b>≖</b> .2!	. 2					:	. 35.	25.		
			. • !	3.7	1 .4	0.4			. 2	1					139.	137		
			1 6			. = 54			٤,		. ;	. •.			. 12.	125.		
			2.7		6.1			- 1	. 2	-	i		i		1.4	94	12	
	• •				1.5	<b>_</b>	<b></b> 11			+	<del></del>		·		45.	<u> 49</u> .	98	•
				-	• '#	• 4									-			
									. —	<del> </del>	<del></del>		+		•——			
		• 6		•				1							,	6		-
		_ ·			•		· -· · - •	•		+	+		<del>-</del>		• · · · •			
										'	: 1	,					5	:
			•	,		•	•	i	•		:		· · · ·		···			•
												1			1			
	•	-			•				•		<del></del>				<del> </del>			
												i						
	•		•	,	•	•	•									·		
		3,0	11.3	24.1	22.7	21.9	16 d	4.0 1	. 1	į	1					547		. 5
		- •									1		1		347		547	
									- 1		· · ·		· i	4				
									1		1		1	i	' i			
							. ,	·	- L		L			ļ	· i			
									ļ	į				1				
							. ,		+				+-+	<u>-</u>				-
										1			1	İ				
				,				·	ļ	+	<u> </u>		+		ļ ļ	··		
				i					i	:	!!!				į	1		
							,		. +	+	+-		<del>                                     </del>					•
							1		ļ	1	1 1							
								• -		i				_ +	ļ — — - <del>ļ</del>			
									i	İ		į	1			1		
	Σ	¥1			ž <sub>v</sub>	<del></del>	v	0.	No. O	bs.	<del></del>		Mean No. o	f Hours with	Temperati	i		
			บรมรั	-		5 1	-					₹ 32 F					1	Total
* ···		_										+			•	<del></del>		
¥.										<del>+</del>		+						
												1				7	1	-
			Zx' 2/5' 3:3 3:7	Zx' 2/50/7/89 3:30/7/89 3:30/7/89	2x' 2750789 3:30775	2x' 2/50/785 364 3:30/755 457 3:30/755 457	2x' 2/50785 3:30775 3:71,853 45797 3:71,863 41025	2/59789 36451 70.3 3:39779 45797 83.7 3:71663 41029 70.1	2x' 2/59785 3:39779 45797 83.7 3.165 3.311.82**.122.721.91υα 4.α 1	2/5/7/5 26451 70.310.2C8 3:3:775 45797 83.7 3.105 3:71863 41025 70.1 Resid	$z_{x'}$ $z_{x}$ $z_{$	2/5/745	2/5/7/5 2645) 70.210.208 547 :0F -32F 3:7/1863 41022 70.1 Relig 247	2/5/7/35 45797 03.7 3.105 547 93.0 3.711.324.122.721.410.0 4.00 1.1  2/5/7/35 45797 03.7 3.105 547 93.0 31/1863 41023 70.1 2.816 547 93.0	2/50745 45797 83.7 3.165 547 93.0 93.0 93.0 93.0 93.0 93.0 93.0 93.0	2/5/745 2x	2/5/7/2 2x x x x x x x x x x x x x x x x x x	2 2 3 3 3 77 7 457 97 03.7 3.105 347 93.0 93.0 12.1 .2 317 1863 4022 70.1 2.616 347 93.0 93.0 93.0 73.0 2.1 .2 317 1863 4022 70.1 2.616 347 93.0 93.0 93.0 73.0 93.0 93.0 70.0

USAFETAC New 0.265 to At British

TATA PROGESTM CORADON

#### **PSYCHROMETRIC SUMMARY**

SAF FTATAL SERVICE AC

6177 -1ATA AR THATLAND 06-71
STATION NAME YEARS

PANE 1 1200-1400

CCT MONTH

Terr	0 1.2	3.4 5.4	WE	T BULB TI	EMPERATURE	DEPRESSION	(F) 21 - 22 23 - 24 25 -	26 27 . 28 29 . 30	TOTAL	TOTAL	L Dow Pos
947 93			ا اد		.4	J ~			4:	18	•
907 69		• -	• 5 5.		2,9				142	73	-
387 87. 867 85		.9 4	4 4 4 2 2 4 4 2 4 4 4 4 4 4 4 4 4 4 4 4	9 3.2	2.4 .4				143	142	
74/ g3. 82/ 81	. 2			2 .5	<b>a</b> .£.	. •4 . •			+ · · · · · · · · · · · · · · · · · · ·		9. 6
397- <b>19.</b> 787- <b>77</b>	1.3	7.7		2		-			27:	27 11 13 16	a. 6
167 7 <u>5</u> 147 73		• + -		· ·	;		<del>                                     </del>		<del> </del>	7. 1 <u>5</u> 5	8 14
737 - 71 707 - 63										. 1	7 9
087 <b>67.</b> 667 65			•	. ;	• -	- <del>+</del> •	ļ	-+	. <u></u> !	•	2
94/ <b>53</b> .									<u> </u>		1.
54/ <b>5</b> 3.		•				· · · · · · · · · · · · · · · · · · ·					
Ç. <b>T</b> gr.	2.8	7. 114.	•41°•528•	010.6	7.2 2.5	1 44 4			554	<u>554</u> 55	. 5:
		•		. ,			ļ — - <del></del>		, 1 2341 + + +-		7
		ř		. 1					·	· ·	•-
		,	. !		÷ .	· · · · · · · · · · · · · · · · · · ·					
			,								
				. 1.	<u>;</u>	ļ. ļ. — —					<b>.</b>
				1	· L						
F e	Σχ'	1126	57214	X 47 7	5,33	No. Obs.	± 0 F   ⋅ 32		ours with Temperatu	re   • 93 F	Total
No. 1 House		1/0	2/214	0 ( • 4)	10.532		- 0 - 32	+	73 F 00 F	- 73 F	_
Ref. H. s Dr. Bulb Wer B. s	256) 4061 3∠71	935	47423	55.0	3.422	554 554			73.0 56.6 58.3 13.4	. 7	9

FETAL TIME DIMES . S. B.

USAFETAC MEN C

<u>*</u>
•
ž
į
1
ž
=
4
26.5
0

**PSYCHROMETRIC SUMMARY** 

TATA PROFESSIO GRANCH SAF FIA AIR EAT HE SERVICES AC

41 TALA AN THAT HAVE

CCT MONTH 1500-1700

Σ,			Zx			: : : : : : : : : : : : : : : : : : :	- +-	lo. Obs.			Med	in No. of I	dours wit	h Temperatu			
							; ; -   -   									· +	
							: : : : : : : : : : : : : : : : : : : :								•		
					•		· · · · · · · · · · · · · · · · · · ·										
					•	· · · · · · · · · · · · · · · · · · ·	: -										
				•			· · · · · ·									+	
		٠		•					-	-	-	+	<del>-</del>	· · ·			
								1	1	,	II.						
				•	•			!			İ	-					
																_ 4.	
											+	-:	<b>-</b>	··			
•			•	•	•				!			•		= = 2.	*	* E ¥.	
• 7	5.011	. 321 .	آداد به علا	D.31		3.4	, D		!		1		1	550	<b>)</b> (( <b>( (</b>	55¢	5
		ain.	i di		ć.				+								<b>E</b> 4
	-			•	•	1			<del></del>				•-			•	
						1		i								3.	j
	-	•	• •						4			•				6,	
14		• • •				.			1		· · - · • · · -			· <del></del>	4.	12	_ <
	1.0	•9	ř			i			İ					•	-		1:
4.4	2.2.2		> 4						<del></del>				· · · · ·	34	14	180	
					• 4	. 2	16	+				•	•	<u></u>	\$.2; 5.1	93	1
		• .	9 6.4	5.3	• 9	• 4	3	i	ĺ		*			120	120	<b>.</b>	
		و د ي	1 5.3 3 5.4	4.2	3.5	1 • 1i	• •		:	i į.							
			4	3.2		1.2			<u>.</u>	1 -				33	32	·	
٠.'			, / - 0	, 10 ,1		3 - 14 . 1	3 . 10 . 17	10,17+2	0,21.22	23 - 24, 2	) - 20 27 -	20127:3	0. 731	1	., 56.5		
	, ,			WETB	ULB T	EMPERA	TURE D	EPRESSION	(F)	22 24 29	24 27	20 20 2	n		Blb.'v	TOTAL	a P.
	***   ***   ***	1.0 3 4.2.2.2 .2.1.6	1.0 /. 2.5 va 1.0 /. 2.5 va 1.0 /. 2.5 va 2.2 /.5 2.2 /.5 2.2 /.5	1 3 4 3 4 3 4 5 4 6 4 1 6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6	1.2 3.4 5.6 7.8 9.10 1 2.3 4 5.6 7.8 9.10 1 2.4 3.4 5.4 5.2 1.6 7.4 6.4 5.3 2.5 8.4 2.2 2.2 1.6 3.5 3.1 .5 .2 2.2 2.5 .5 .4 2.1 1.6 .9 .2	1.0 3.5 3.1 5.6 7.8 9.10 11.12 1  2.4 3.4 3.4 3.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4	1 · 2 3 · 4 5 · 6 7 · 8 9 · 10 11 · 12 13 · 14 1  - 2	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2  2 3 4 9 10 1 1 12 13 14 15 16 17 18 19 2  2 4 3 4 9 1 1 2 3  2 4 3 4 9 1 1 2 3  2 4 3 4 9 1 1 2 3  2 4 3 4 9 1 1 2 3  2 4 3 9 8 9 1 2 3  2 4 3 9 8 9 2 2 3  1 0 3 0 3 0 3 0 1 0 0  2 4 2 2 2 3 0 0 0  2 4 3 0 0 0 0  2 4 3 0 0 0 0  2 4 3 0 0 0 0  2 4 3 0 0 0 0  2 4 3 0 0 0  2 4 3 0 0 0  2 4 3 0 0 0  2 4 3 0 0 0  3 6 0 0 0  3 7 8 10 10 11 12 13 14 15 16 17 18 19 2  4 1 0 0 0 0 0 0  3 8 9 1 0 1 0 0  4 1 0 0 0 0  4 1 0 0 0 0 0  4 1 0 0 0 0 0  4 1 0 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0 0 0 0  4 1 0	- 4 3 4 4 5 1 1 3 4 4 5 1 1 1 4 4 5 1 1 1 4 4 5 1 1 1 1 4 4 5 1 1 1 1	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 21 22 23 24 21 24 25 25 25 25 25 24 22 24 22 24 24 24 24 24 24 24 24 24	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	1 2 3 4 5 6 7 8 9 10 11 32 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 3  2 3 4 5 6 7 8 9 10 11 32 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 3  2 4 5 7 6 2 4 5 7 6 2 4 5 7 6 2 4 5 7 6 2 4 5 7 6 2 4 5 7 6 2 4 5 7 6 2 4 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 4	1	1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 D.B. W.B. Dry Bulls of the state of	1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 0.8 W.B. Dry Bulb Wer Bulb O

ATA PRO SSHIP SHAHE PSYCHROMETRIC SUMMARY STATION NAME <u>45-71</u> . . \_ آ ي پنتيتير 1 100-2000 Hours - . . s. T. PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Bulb Wet Bulb Dew Po 767 35 847 83 117 1.417.7 1.4 2.7 2. 2.4 2.4 2.4 2.4 4.4 3.5 4.4 3.4 4.4 117 . Z 139 #2/ 81 857 79 757 77 6 78/ 77, 76/ 75 74/ 73, /2/ 71 2.4 3.4 .5 변요. 37 80. 59 6.4 3.4 .4 193 90 28 37 168 154\_ 57 47 79/ 69 38/ 67 10 66/ 62. 60/ 59 6 551 1áT∷<u>,</u> 0.26.5 Mean No. of Hours with Temperature 79.3 8.434 80.9 2.854 75.8 2.296 USAFETAC Rel Him. 551 3500858 43074 23.0 56.4 65.5 44250 93.0 92.5 91.5 Dr. Bulb 3605484 551 00.8 2.296 551 3171508 Wet Burt. 1.4

0.265 ... A

**PSYCHROMETRIC SUMMARY** USAF ETAL AIR EATHER SEMMICEZMAC <u>. [ C ]</u> TAPA AB IMALLAND t/6 = 71 FACE 1 2100-2300 TOTAL WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B. W.B. Dry Bulb  $9 - 10 \begin{bmatrix} 11 - 12 \end{bmatrix} 13 - 14 \begin{bmatrix} 15 - 16 \end{bmatrix} 17 - 18 \begin{bmatrix} 19 - 20 \end{bmatrix} 21 - 22 \begin{bmatrix} 23 - 24 \end{bmatrix} 25 - 26 \begin{bmatrix} 27 - 28 \end{bmatrix} 29 - 30 \rightarrow 31$ Wet Bull Dew Po 467 85 54/ 83 32/ 81 76/ 77 76/ 77 76/ 75 74/ 73 0.511.6 /.8 12.710.2 3.6 18.4.5 6.7 1.5 143. 131 19¢. 49 74: 13 160 222 175 121 72/ /1 76/ 69 46 195 41 68/ <u>67</u>. 66/ 65 64/ <u>63</u>. 1.1 3 1 62/ 61 1 507 59. Total

550 55<sub>0</sub>

Mean No. of Hours with Temperature

72.4 63.0 75.4

-67 F - 73 F - 80 F

93.0

15.5

93

83.7 6.499 78.9 2.336 75.1 2.173

45041 43370 41312

2017321

1422916

3165650 2776760

- ATA PRESESSING CHANCH

Ret Hom

Dr. Buib

Wet Byili Dew Pont

. 501 - 18	EAT	Er SE	v ! ( ; /	40										PS	YCH	RO	MI	ETRIC	SL	JMM	AR'
41:		-101	1 10	1 - 1	11					·. 4; = 1 ]				YEARS						Agu Mon	
•						•								*! ##3				PΔ′E	!	0000-	-0200
Τ.							BULB TE											OTAL		TOTAL	
١,		0 1 2	3 - 4	5 6	7 8	9 - 10	11 12 1	3 14	15 16 17	18 19	- 20 21	22 23	- 24 25	- 26 27	28 29 -	30. *	31 .0.			Wer Bult (	Dew Po
	ب بر 1 د		2 6.1	_	• ′		• 6					i	İ		1			۱, ۱ و	2. 21		
30	7 7	. 4 4 .	5 5.9	4.7	1.4	•6				•	-•-		i		i		•	17	1.9		,
	77.		7:3.2	. 2 € 2. . 1 € 9		e Q							!		i			164. 133	164.	37. 101	9 53
	73	.6 2.	5 5.5		1.9	• 5 • 6						1						137	70	119	95
	71	. ?	• 4		1.3	. 4	. 4			•	•	·	1	•	•	٠		2.2	₹2	116	106
77	69. 67			. <b>1</b> 6.	1.7.	£ 4.			****	- +		+					• -	13.	13.	74. 21	9.5 69
1	97.			۰۰۰ مداد ال								1.						<u> </u>	t.		30
	61	,							,	i					-· •	•		-	·	17	12
<u>0</u> € ;	<u> 61</u>				•		•			• ·	-									12	10
58	57																			3.	3
56																					
24) 22	5). 51									٠			•				•	•			13
T:T		1.116.	339.7	20.7	11.5	3.1	1.2				•						+.	524	5 ] 4.	524	<b>5</b> 24
									•	•	•	•	• • •		•	٠	•		•		
													• •								
												1									
					•			•	•		•					٠	•	•	•	٠	
				. ,		,				:	1	ł	+	+							
				- 1						1		İ	1								
						•	•	:	-		- •	į į	•		•	•	•	•	•		
												<u> </u>	! .	-		•					
1								1				1	1	1		1					

Electron X Re Hum

Ory Burto Wet Burto

3405427 3-57179 2714079 2557523

X 7, 80.1 9.317 70.3 2.634 71.9 3.251 59.7 5.190

No. Obs.

. 97 0

3.7

AFETA:

26-11 U-100+0500 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Buth Wet Bult Dow P 121 01 3.7 5.71 122. 110 111 122. 170 107. 761 74. 73 73 94 72 - 71 1.1 44 93 93 702 603 11.4 61 7 14 11 17 66/ 65 04/ 61 e Ch 11 667.50 12 7 5.0 57 <u>i</u> 4 50, 55 547 54 347 51 TOT ... 16 1.315.44.1.122.14 Mež Z.1 1.2 525

Obs

525 525 525

Mean No. of Hours with Temperature

75,9 32,4

73 F

86,9 79,5

- 80 F

3.1

• 5

**PSYCHROMETRIC SUMMARY** 

90

90

90

90.3 9.289 74.9 3.233 70.7 4.215 53.4 5.399

42159 39344 37093

3497**6** 

2 .5 .954

Žr 300 53

2471 972

WITE PROFESSION SHAMES SAN ET ST STR FAR EN SHAVICEZ SC

Fe H -

\*\*\* B. .

WET BULB TEMPERATURE DEPRESSION (F) 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 2 - 25 - 26 27 - 28 29 - 30 - 7 .4 " 3.1 17 • 5 141 73

2 5...

437 47 4" 45 T .

76.610.501 75.6 3.652 73.6 4.494 67.1 5.926 317 2419 4-612 4-12-7 A 5421 1 17405 2 5 561 35936 2 - 55174

530 53 53

06-71

· 67 F 80 F . 73 F 76.41 14.0 17.8 87.8 78.5 , 2 60.8

**PSYCHROMETRIC SUMMARY** 

 $\mathbb{P}(\mathbb{N} \cap E = 1)$ 

TOTAL

0 ±. ,, }

. 7

: 4

, ç

37

1.3

1 3V M 410

0600-0800

21

79

rt

94 73 70

35

6

و ۽

TOTAL

102 105 95

20 10

No His Cr. B →

wn 8

9.0 :

USAFFIA

ATA PROPERTY SKALLS

THE EAT OF SE WILLIAM

- TATAL AS THE TATE ON NAME

15 A + 5 TA

410,

12,

557 647

150 587 50%

54. 52. 5′ 51

67 65

63

e C

90

**PSYCHROMETRIC SUMMARY** 

F F 1 2900-1100

										DEPRESSI					,		TOTAL		TOTAL	
91	١٠.	1 2 .	3 4 .	5 6 .	7.8	9 - 10	11 - 12	.13 - 14		17 - 18 19	- 20_2	1 - 22 23	24,25	- 26,27	28,29	30 - 3	D.B. W.B.	n, Bulb. -∆	Wet Builty (	lew Pon
)					. 🚅	4		a .		<b>.</b> ≥.					•			_ <u>35</u>		
1 1				<b>,</b> ≥.	 	4.0	0 . I	. 4.0	/ ۱۰ ا خوال	10;	,						, <u>1.2</u> .	1_2		
			• **	3.0	A	1.0	4		1.								103	103 75		
n / 74			• ;	1	٠. ١	2.5		. 4	1.7				•				4	43	21	
11 77	,	1.9		<b>9</b> %,	7 - 7	******	1 ·	1.			٠		•	٠		•	· - \(\frac{\lambda}{\lambda}\)	2 <u>!</u> 23	122	12
7/2 /3	* 4		<b>±</b> €,			14	, '		• 4.	<b>.</b>			•	٠			12	. 14.		6 h
1 / 50		* *					•		•		ļ	1	* * *				2.	Ĩ.	_	7 .
0 1 65																			. E	1,
2 61																			13	33
20 57										•			•	•			•		1	11
30 5%										•	•			•		•			1	1,
34, 54													-							1 *
5 / 46												٠ -		- •						;
44 44																•				1
T T	• .	1.9	1.9		1 - 52	5.9	24.1	20,0	1.	1.1			• •	+-			,			525
											1	. !					5 14		326	
										•	1	İ	•		•	•	•			
									-	•	٠		•	,	•					
F		Σχ			x		x .			No. Obs.					ear No a	f Haars >	n th Temperatu			
97 14.1		1 3	4424		3138		59.7	10.6	99	526		· 9 F	3.		F	73 F	. 46 F		• .	11
Tell Book			7554 3301		4493			و. <u>د</u> 1 و 4		<u>520</u> 526			• • • •		ું. છ્ કું. <b>3</b> ,					<b>ਹ</b> ਾ ਹੈ.0
Dex E 1		242	7730		3560	0	67.7	5.9	0.4.	526					58.7	. 1.	. ^			Ο.

UNCLASSIFIED	OCT 73	US-81/020	REVISED UNIF	CHNICAL APPLICATIONS CENTER EVISED UNIFORM SUMMARY OF S SBIE-AD-E650 030								
5 · 5												
		FND										

DATA PROCESSING BRANCH USAF ETAC AIR PEAT ER SERVICE/MAC

#### **PSYCHROMETRIC SUMMARY**

TAPAT AB THAILAND NOV YEARS PAGE 1 1200-1400 HOURS (L. S. T.) WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 \* 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point 94/ 93 1.9 1.5 1.9 7.2 4.0 1.7 7.0 4.4 2.1 7.0 1.7 1.3 .9 .6 92/ 91 90/ 69 .2 3.0 4.9 .8 5.5 9.5 1.1 7.4 6.8 118 118 88/ 87 155 155 86/ 85 131 131 84/ 83 82/ 81 80/ 79 40 40 . 6 1.1 1.5 26 26 . 2 18 18 78/ 77 . 2 91 3 10 3 141 118 76/ 75 68 90 74/ 73 . 2 1 72/ 71 68 70/ 69 23 94 68/ 67 77 10 18 52 64/ 63 62/ 61 22 60/ 59 58/ 57 8 8 56/ 55 54/ 53 52/ 51. TUTAL 18 528 1.1 1.3 2.1 3.617.623.725.215.5 8.0 1.7 528 528 528 3 S. 0.26 5 Element (X) Σχ' Z X No. Obs. Mean No. of Hours with Temperature 29157 45739 55.210.520 86.6 3.238 74.2 3.642 68.3 5.647 USAFETAC 1665415 528 ≥ 67 F ≥ 73 F ≥ 80 F ≤ 32 F Total 3967753 90.0 85,7 Dry Bulb 90.0 90 528 Wet Bulb 68.0 2916402 39194 528 85.1 3.2 90 36074 19.4 90 2461452 528

4102A U-TAPAD AR THAILAND 66-71

## PSYCHROMETRIC SUMMARY

PAGE 1 1500-1700

Temp.				-		WET	BULB	TEMPER	RATURE	DEPRE	SSION	F}		_	-			TOTAL		TOTAL	
(F)	0	1 . 2	3 - 4	5 - 6	7 - 8					17 - 18			23 - 24	25 - 26	27 - 28	29 - 30	≥ 31	D.B. W.B.	Dry Bulb		Dew Poin
92/ 91	ļ							1.1	. 2	. 8								11	11		1
90/ 89		. i	i	l	2	. 8	3.4	3.2	. 2	2	6							44	44		L
88/ 87	-	1	1	i	.6	10.9	9.0	3.6		. 8	. 4						-	140	141		
86/ 85	L_		. 2	. 8	2.8	10.4	8.7	4.7				İ				l		147	148		ļ
84/ 83		;	. 2	2.4		5.6		1.3	. 8	1.3								100	100		
52/ 81	<u></u>		9	9				2.4	1.5	1.3	L							58	58	. 3	1
80/ 79	į	. 2	1.1	. 9	. 2	. 2	. 8	.4									]	23	23	29	
78/ 77			1.1	2			[	l		1	ĺ							7	7	128	12 50
76/ 75	1		. 2		Ī													1	1	162	50
74/ 73	i			1	i					1	l									106	113
72/ 71										1										45	96
70/ 69		<u> </u>					L		L		L									13	
68/ 67									T											22	44
66/ 65	_	1		Í	i 1	<u> </u>			i	1	L							Ĺ		13	38
64/ 63		1																		10	
62/ 61	1	i.	!	l				L									_	]		i 	18
60/ 59			1							T											9
58/ 57	1	1 _	l														ļ	ĺ			10
56/ 55		T					i			1											5
54/ 53		i	İ	1	ĺ		l .	i .	1		l		1				ŀ				9
52/ 51	i																				9
TUTAL		. 2	3.8	5.3	10.4	29.2	24.4	16.8	4.5	4.1	. 9				.				533		531
				1														531		531	
	i.		İ							ì				!							
	·	1								T											
	1	1	1	1	1	ł	ł		ļ	ł	1						ì				:
																					· · · - ·
		i			l			ļ			i										
				1			1														<u>,</u> –
	į	!		i	ļ						Į.										}
	+ 			i					T								l			• - · · · · · · · · · · · · · · · · · ·	
	ì	-	}	}	ļ	l	}		Į	1	1	}	, ,				j	}			}
		1		1													-				
	1	i i		i		ì		1									ļ			1	1
Element (X)		ZX'			Z X		X	•,		No. Ol	5.				Mean N	lo. of H	ours with	Temperat	ure		
Rel. Hum.		197	4838		318	92	60.1			9	31	= 0 1	F	32 F	≥ 67	F .	73 F	≥ 80 F	• 93 1	-	Tatal
Dry Bulb			8027		454		85.3				33				90	• 0	90.0	86.	1		90
Wet Bulb	1		5088		395		74.5				31				86		72.5				90
Dew Point	† ·		2589		249		40.				31						30 3				9/1

DATA PROCESSING PRANCH USAF ETAC AIR EATTER SERVICE/HAC

DATA PROCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

## PSYCHROMETRIC SUMMARY

102	) 	2	-TAPA	AD	51	ATION I	NAME				66-7	_			YE	ARS			<del></del>		MOI	OV NTH
																			PAG	E 1	1800 HOURS (	-200
Temp											DEPRES								TOTAL		TOTAL	
(F)		+	! - 2	· 3· 4	5 - 6	7 - 8			13 - 14	15 - 16	17 - 18 1	9 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 31	0 - 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dew Pa
88/						i	1.1		) 1	١.	) }		1	ļ	ļ	]		1	8	8		1
86/				·	_4.2	3.0			4									+	62	-62		
84/	-		:		7.6			2.			1 1		1	,	J			1	144	145		j L
82/		• · · · ·		4.4		5,4		1	• • •		<del>  </del>		<del> </del> -		<b>-</b> -			+	136	137		<del></del> -
BC/			1.0	4.4	204	4.		3 1.5			1		1		ł	ĺĺ			87	88		
78/ 76/			. •0	1.7	6.5			9 . •		2	<del> </del>		<del> </del> -			<del>├</del> ~─-}	L	<del></del>	38	38 34		
74/			• 0	/		• •	•		1.0		)		] .	}				1	39		استا	
72/				<del></del>		•		يو ٢			<del>                                     </del>		<del>                                     </del>	<u> </u>	<del> </del>	<del>                                     </del>		+		<del>- 7</del>	·	
70/					,	•		2 .	7				1		1	! !		1	7	7	13	
687			·•				<del></del>	+	j }		ļ <del></del> -		<del> </del>	<del></del>	+	<del></del>		<del>                                     </del>	<u> </u>		16	
66/					1		!	1					[ ]		[	1		1	;		17	
64/							-	<del></del>	<del>                                     </del>				<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>		<b>†</b>	<del> </del> -		10	1
62/							;									} }		1			6	
607			•			•	ì	•	<b>†</b>		- <del>  </del>		<del></del>	<del> </del>	<del> </del> -	<del>                                     </del>		+	<del> </del>		2	
58/	-						!		1				1		1	1 1			1		1	
56/	-	•	•	•		•	1 -	•			!		+	ļ —	<del>                                     </del>	<del>                                     </del>		+	1			<u>1</u>
54/							1	1	1				1		1	1 1		1	l i			•
52/		•	•		•	•	1	··•	+		† <del>-</del>		1			1		1	<del> </del>		<u> </u>	
-344				_				i .	_		i l		1			1		Ĺ				
rut'.L			2.3	114.7	26.0	21.	22.	u 8.	3.8	.6					-			1		526	[	52
					. :		i	1					L	<u> </u>	L_	1		1	523		523	L
						1			i		] [		j			1 1			-1		, 1	ı
				. ,			<u> </u>	1	ļ		LL		<b></b>	ļ	<u></u>	<u> </u>		1	L ¦			·
					,				1 1		1		{		1	1 1		1				!
						L	<b></b>	+	ļ		ļ <u>.</u>		<b></b>		<u> </u>	<b></b>		<del></del>	i		·	<b>.</b>
					j			1		1					ĺ	[ ]		1			i	1
								L	<b>↓</b> i		<b> </b>		<b>—</b>		<b></b>	<b> </b>		<del>↓</del>	<b> </b>		,	<b></b>
				ı				1								i i			!			i
			1	. ;		l	<u> </u>	+	<del> </del>		<b>├</b> ──		<b></b>		<del> </del>	<del>                                     </del>		+	<b></b> i		ļi	
			1			i	1	1	1				1		}	}		1	} !		j ]	}
		i	•			·	÷	<del> -</del>	<del>-}</del>		<del>  -</del>		<del> </del>			<del> </del>		+			h	
				ļ		:				ı									1			
Element	(X)		Z x'			Z <sub>K</sub>	$^{\star}$	<del>  X</del>		$\top$	No. Obs.			<b></b>		Mean N	o. of P	lours with	Temperat	ure.	i	
Rel. Hus	m.		203	9072		36	720	70.	10.7	06	52		• 0 1		32 F	<b>≯ 67</b>		• 73 F	• 80 F	. 93 1	·1	Total
Dry Bull	ь	[		0900		42			3.0		52					90	• 0	88.8	67,	9		9
Wer Bui			286	4877		34	57	7349	3.6	12	52	3				83		56.9		)		9
Dew Po	int	L	261	0762		306	94d	70.4	3.4	9 9	52			]		76	آ له ـ	36.5		2		9

DATA PROCESSING BRANCH USAF ETAC AIR FEATHER SERVICE/MAG

41028 U-TAPAR AB THAILAND STATION NAME

### PSYCHROMETRIC SUMMARY

N<sub>L</sub>)V

Temp.						WE	BULB	TEMPE	RATURE	DEPRE	SSION (	F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28	29 - 30	≥ 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dew Po
84/ 83			. 4	, 4	, 2				1								1	9	9		
82/ 81	.2	. 2		5.3			9 .4	ď	ł	1 1				1 1	1		}	70	70	1	
80/ 79		3,6		11.9	4.			[									1	169	169	6	
78/ 77	2		12.1	9.1	2.8													147	147	52	
76/ 75	. 2	1.5	7.0	3.6			4 .4	.4	<b>)</b>									83	83	135	
74/ 73	<u> </u>		1.3	i	2.3				L	11							ļ	24	24	141	. 10
72/ 71		1	. 2		1.1		4 .4	H					_		· ]		]	11	11	96	
70/ 69			L		1.3		4	<u> </u>	L	<u> </u>		L		L			<u> </u>	9	9	37	9
68/ 67				• 6	, 6					1							1	6	6	1,5	4
66/ 65							1	<u> </u>		$\vdash$							<b></b>	<b> </b>		16	
64/ 63								}		1 1		,		]	)		ļ	}		11	1
62/ 61				· 				L	L			L			L		<b>↓</b>	1		13	
60/ 59	l		1				-	ĺ	1	{ [		[			1		ì	1 1		5	1
58/ 57			:	l		L	L	L	<u> </u>	1		<b></b>					<b>.</b>	1			l
56/ 55			t	}	1		1	ļ	!									1			1
54/ 53	i	<u></u>	<u>i</u>	Ĺ		L			L			<u> </u>					<u> </u>	4		Ĺ	
52/ 51		i	!		[	ĺ	(	Ì	1	1 1		i I		i i			ł	1 1			i
JATO	6	Bes	36.0	31.4	17,6	3.	2.		<b>h</b>	11		L						1	528		52
	:		ļ	]	1		1		J	] ]							1	528		528	
		1 4	<del></del>	l		ļ	J	-	<u> </u>									1			
	į	į	ì	1			1	ľ	i	1 (		1		i i			1	1 1			i
			ļ				<del>-</del>	ļ	-	<b>↓</b> ↓		<b>-</b>		L	ļ		ļ	1			
			1	,			]	}	ļ	1 1					i i		1	1			
-	1		ļ			ļ	<del> </del>	ļ	ļ	<del>↓</del> ∔							—	<del>                                     </del>			ļ
	1		į	i					i	1 1		1		}			1	1 1			
		: 	ļ	<b></b>		<b>}</b>	<u> </u>	<del> </del>	<b>_</b>	-								<b>}</b> ——→			
	!	i	1	ļ	ļ	}	ļ	ì		1 1							1	1			
	!	ļ	ļ		<u> </u>	<b>↓</b>	<b>_</b>	<del> </del> _	<u> </u>	<b>↓</b>				<b> </b>			+	1			
	i		1	1	ł	ļ	1	l	1	1 1		ł		1			1	1 1			
		ļ	.i	i		ļ	<del></del>	<del> </del>	<b>↓</b>	<b>↓</b>		<b> </b>						<del>                                     </del>			-
		j	i	ļ			1					'					1	[			
	1	ļ	ļ. —.	ļ	ļ	ļ	—	<b></b> -	↓	1		<b>-</b>									
				l	Ì	1	1	1	ł	1 1		1	l		1 1		1	1 1			
Element (X)	<del> </del>	ZX'	ــــــــــــــــــــــــــــــــــــــ		Z	┸-	I X	٠,	1	No. Obs	. 7	<u> </u>		L	Mean N	in. of t	fours wit	h Temperati	ura		
Rel. Mum.			19568		41	34		9,2			28	= 0	F	32 F	≥ 67		≥ 73 F	* 80 F	2 93		Total
Dry Bulb	<del> </del> -		10448		41			2.5			28		+		90	_	85.6	<del></del>	<del></del>		
Wer Bulb			16941					3.0			28				82		57.1	200			
Dew Point	1		10791 10434		384		70.4	_			28				76	_	35.1	¥			<u>9</u>

0.26-5 (OL A) BEVISED MENNOUS EXTROMS OF THIS FORM ARE OBSOLETE

SAFETAC 1014

DATA PROCESSING BRANCH USAF ETAC AIR FEATHER SERVICE/MAC

والهايدينيس بالمستجافا

#### PSYCHROMETRIC SUMMARY

41023 U-TAPAN AB THAILAND CEC MONTH 0000=0200 HOURS (L. S. T.) PAGE I WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 231 D.B. W.B. Dry Bulb Wet Bulb Dew Point (F) 84/ 83 82/ 81 .2 2.4 .2 5.7 3.1 3.7 4.8 2.4 6.5 2.2 8.7 8.5 1.9 5.4 69 69 80/ 79 1 78/ 77 76/ 75 28 96 15 62 95 95 152 73 152 73 57 3.5 70 73 <u>68</u> 74/ 73 .9 3.7 4.1 .9 4.8 3.5 72/ 71 57 56 76 55 70/ 69 59 59 68/ 67 66/ 65 13 50 58 . 6 57 54 51 40 64/ 63 51 62/ 61 27 60/ 59 58/ 57 56/ 55 29 10 54/ 53 10 52/ 51 TOTAL 3.913.926.928.118.9 6.3 2.2 540 540 540 540 0-26-5 (OL A) No. Obs. Mean No. of Hours with Temperature Element (X) X 42011 77.611.3.4 40527 75.1 3.383 37856 70.1 4.769 30432 07.3 6.250 3339127 3047721 2666384 Rel. Hum. 540 267 F 273 F 280 F 293 F 70.3 92.5 Dry Bulb 540 4.8 93 Wet Bulb 68.2 33.9 54.3 25.1 540 93 Dew Point 2479000 93 540

66-71

DATA PRUCESSING BRANCH **PSYCHROMETRIC SUMMARY** USAF ETAC AIR WEATHER SERVICE/MAC 41023 U-TAPAR THATLAND DEC 66-71 0300-0500 HOURS IL. S. T. PAGE 1 W. T BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 31 D.B. W.B. Dry Buth Wet Bulb Dew Point 82/ 81 8C/ 79 24 78 24 78 2.8 8.010.6 3.7 4.8 .9 2.8 8.010.6 3.7 4.8 .6 9 .4 4.5 5.6 3.7 .7 1.5 2.0 2.2 5.4 1.3 2 .7 5.4 2.0 1.5 1.5 2.0 2.2 .7 10 78/ 77 . 6 168 34 72 76/ 75 168 74/ 73 72/ 71 . 2 87 87 68 75 67 67 56 61 56 61 70/ 69 56 68/ 67 35 35 67 32 66/ 65 .9 1.1 17 58 48 . 2 64/ 63 52 47 45 55 39 16 60/ 59 58/ 57 46 56/ 55. 20 54/ 53 13 52/ 51: TOTAL 537 4.515.327.423.621.2 6.3 1.3 537 ã 0.26.5 (OL No. Obs. Mean No. of Hours with Temperature Element (X 2 1 Ŧ 77,711,824 73,7 3,467 68,8 4,942 66,1 6,494 41736 267 F 273 F 280 F 293 F Rel. Hum. 3318692 537 10 F 1 32 F 39562 36972 35489 2921064 89.7 Dry Bulb 537 62.3 73 2558580 93 Wet Bulb 61.7 537 26.5

93

20.1

Dew Point

DATA PROCESSING BRANCH PSYCHROMETRIC SUMMARY USAF ETAT AIR EATHER SERVICE/MAC STATION NAME 4102. 66-71 DEC 0600-0800 PAGE 1 WET BULB TEMPERATURE DEPRESSION (F) TOTAL 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 D.B./W.B. Dry Bulb Wet Bulb Dew Point 84/ 83 3 1.3 4.7 4.2 .4 1.3 3.4 3.8 1.9 2.1 1.5 1.4 4.0 6.3 2.5 4.7 2.1 1.1 4.0 4.3 4.0 4.2 1.3 .9 3.2 4.7 2.1 82/ 81. 80/ 79 66 66 • 2 18/ 77 76/ 75 71 126 37 126 74/ 73. 72/ 71 70 78 68 63 59 64 64 70/ 69 3.8 4.0 57 57 33 33 70 33 2.6 1.7 59 00/ <u>65</u> 64/ 63 41 <u>.2 1.5 1.4</u> 50 • 2 60 62/ 61 44 52 20 29 49 58/ 57. 26 56/ 55 54/ 53. 52/ 51 50/ 49. TUT:: 530 530 3. Z10. U24. Z25. 323. Z11.3 Z.1 .0 530 530 ã 0.26.5 No. Obs. Mean No. of Hours with Temperature Rel Hum. 40005 530 267 F 273 F 280 F 293 F 3093037 75.511.760 74.2 3.906 68.8 5.097 65.7 6.682 89.7 62.6 60.9 27.5 93 Dry Buib 2925168 2519027 4.2 39320 530 Wet Bulb 36439 530 93

530

43.9 19.0

93

Dew Paint

2313070

DATA PROCESSING BRANCH USAF ETAT AIR "EATHER SERVICE/MAC

# PSYCHROMETRIC SUMMARY

41024 STATION		<b>j-</b> 1	TAPA	r: AB	THA	TATION N	D AME				66.	-71			YEAR	\$				MON	E C
																		PAG	E 1	0900	<b>-11</b> (
Temp.							WET	BULB	TEMPE	RATUR	E DEPR	ESSION	(F)					TOTAL		TOTAL	
(F)	0	<u>'</u>	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14			19 - 20	21 - 22	23 - 24	25 - 26 27	7 - 28 29 -	30 ≥ 31	D.B./W.B.		Wet Bulb	Dew P
92/ 9		1											]			ļ		2	_	1	
90/8							4	. 2	1.		4 .		1				_	20			
88/8						. 4	3.7	3.7	2.1		2 .	2 .2						67	67		
86/8		<u>_</u>			1.3	, 9	2.6			2.								75	75	i	
84/8		ŀ	i	.4	3.0		3.0	3.0	3.	1.	7 .	9 .	1 1		ĺ	1		103			
82/ B				6.1	3,7		2.2	4.3	4.7	3,		4	ļ ļ			<del></del>		113			
80/ 7		i	. 6		_	,	2.6	2.2	2.2	3					ļ	1	İ	62	62		
78/ 7		-	_ 6		4		1.9	12.1	1.7		4	<u> </u>	<b>├</b>					44	44	74	
76/ 7		• 2		. 2		.6			• 7	7	-			-		ţ		29	29		
74/ 7		.6		,		• 2	. 6			<b>\</b>		<b></b>	<b>  </b>					13	13		
72/ 7		- 1	'	ļ		. 2	.7	.4										7	7	72	
70/ 6		- ;				<b> </b>		. 2	ļ	Щ-		↓	<del>                                     </del>					1 1	1	74	
68/6		1	,	į		! !	1			Í	1	1	1 1	1				1		66	
66/ 6						,			ļ	<u> </u>		<del>↓</del>	1				_	<del> </del>		48	. !
64/ 6			1	ļ						1		1	1		1	ļ				30	
62/ 6	* · · · -							<u> </u>		<u> </u>		↓	$\vdash$					<del> </del>		12	- 4
60/ 5						[					1	1			1	ŀ	i	l	!	2	4
28/ 5		+				ļi			ļ		-	<del> </del>	-					1		1	
56/ 5						ļ į		j												ļ	:
54/ 5		:		!		ļ		ii	L	ļ		↓	ļ			-				<b></b>	1
52/ 5		:	- 1												İ						
50/ 4	9:	٠	į								4							<del> </del>			
TOTAL		. 7.	1.1	9.5	9.3	7,8	19.0	22.2	20.0	111.	9 3.4	1.3	1		l				536		5:
			•			<del></del>			-	-	+						-	536		536	
		1															i			į	
						ļ		<u> </u>		<b>├</b>	+	+						<del> </del>		<del> </del>	
		1	!			1						1		- 1	1			}			
-		\.					ļ	<del> </del>		├—	+	+	1					1	ļ		
											1			- [				1			
		+				<del> </del>		<del>                                     </del>	-	ļ	+	+	1		+	_+		<del> </del>	<del></del>	<del> </del>	
			j								1	ł		- 1				İ			
						<del> </del>		<del> </del>		├-	+	-	1	-+	+	_+-		<del> </del>	<u></u>	<del>  </del>	
						1					1	1					-	1			
Element ()	0	1	x,			ZX	<u> </u>	X	•,		No. O	bs.				lean No. o	f Hours wit	h Tempero	ure		
Rei. Hum.	Ī		190	1370		311	98	58.2	12.6	40		536	± 0 F	• _ •	32 F	≥ 67 F	≥ 73 F	- 80 F	▶ 93	F T	Total
Dry Bulb	T			8686		441		82.3				336				93.0	91.6	72.	7		-
Wet Bulb	1			3276		382		71.4	4.	_		336				76.9	40.1				•
Dew Point	1			5889	_	352		65.7				536				41.6	21.0				•

DATA PRICESSING BRANCH USAF ETAC PSYCHROMETRIC SUMMARY AIR EATHER SERVICE/MAC U-TAPAU AB THAILAND 66-71 DEC 1200-1400 PAGE 1 Temp. WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 | 3 - 4 | 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | 2 31 | D.B./W.B. Dry Bulb Wer Bulb Dew Point 94/ 93 92/ 91 90/ 89 . 2 1.3 3.2 3.7 7.5 5.4 4.3 2.4 63 63 139 88/ 87 2.8 138 4.1 3.5 8.d 2.6 1.3 1.5 3.2 6.2 3.0 2.2 .2 1.3 2.4 3.2 1.1 .2 .5 1.3 .6 .9 1.5 86/ 85 130 84/ 83 82/ 81 106 105 80/ 79 12 78/ 77 84 76/ 75 74/ 73 72/ 71 77 83 58 86 50 70/ 69 . 4 1 70 51 68/ 67 49 55 66 64/ 63 55 47 60/ 59 58/ 57 26 32 56/ 55 22 54/ 53 12 52/ 51. 4 .2 1.7 3.9 3.014.717.427.817.0 9.9 3.0 TUTAL 536 538 536 536 a 0.26.5 (01 No. Obs. Element (X) Mean No. of Hours with Temperature

= 0 F

536

538

536

536

≤ 32 F

93.0

85.9

47.d

267 F = 73 F = 80 F = 93 F

91.1

2.3

93

93

93

92.8

50.3

20.0

53.611.517 85.7 3.107 72.9 4.137 66.2 6.451

28727

46088 39059

35627

Rel. Hum.

Dry Bulb

Dew Point

1610597

3953332 2855437

2390329

DATA PROCESSING BRANCH USAF ETAC AIR EATHER SERVICE/FAC

41C2 ! U-TAPAN AB THAILAND STATION NAME

# **PSYCHROMETRIC SUMMARY**

DEC

Dew Point			2843		363		67.8	5.5	48		36				54		25.5				9
Wet Bulb			9794		392		73.2	3.7	-		36		$\top$		88		53.3				9
Dry Bulb			1969		451		<u> </u>	2.8			36	v r	+	<u> :</u>	93	_	93.0				9
Element (X) Rel. Hum.		1 2 0	4071		2 x 313	8.1	<u> </u>	10.6	, Q	No. Ob	36	± 0 F	T .	32 F	Mean N ≥ 67		lours with 2 73 F	Temperatu	- 93 F		otal
	i.																				
1																	-				
	· <del> </del>																-				
	i •	- 4									L										
																			<u>i</u>		
	į		• •					<del>  </del>									<del> </del>	536		536	
14/ 53.	.4	1.5	1,3	6.0	7.6	21.8	29.9	20.3	7.5	3.2	. 6						+-		536		5
6/ 55	•	,	•																		
C/ 59 8/ <b>57</b>																					
04/ 63 02/ <b>61</b> .		;			. [															5	
6/ 65.					-												-			22	
8/ 67																	<del>-</del>	ļt		73 42	
74/ <u>73</u> 72/71										-							<del></del>			80 90	
76/ 75	. 4					• 2		- • -									1	3	3	96	
BC/ 79: 78/ 77		1.1	. 2	. 4	. 2	2.1			. 2			1	ļ					31	31 11	26 104	
12/ 81	<u> </u>		. 2 7	3,0	.4	1.5		5.4	1,3	1,5								106	106	1	
6/ 85 14/ 83		i	- 2	. 9	3,4	5.2 3.5	0.2	4.7	2.1	. 2	. 2							116	116	<u> </u>	
30/ 89 38/ 87	- •				•6	8.6	7.8	2.4	1.9		. 4						<del> </del>	119	20 119		
92/ 91								. 4	. 2									3	3		
(F)	0	i - 2	3 - 4	5 - 6	7 - 8			13 - 14					23 - 24	25 - 26	27 - 28	29 - 30	2 31	TOTAL D.B. W.B.	Dry Bulb	TOTAL Wet Builb	Dew P
Temp.																					

4 0.26.5 (OLA) RIVISED PREVIOUS ES

TAC FORM 0.26

USAF ETAL AIR -EATHER SERVICE/MAC **PSYCHROMETRIC SUMMARY** 4102 STATION NAME 66-71 WET BULB TEMPERATURE DEPRESSION (F) 1 . 2 | 3 . 4 | 5 . 6 | 7 . 8 | 9 . 10 | 11 . 12 | 13 . 14 | 15 . 16 | 17 . 18 | 19 . 20 | 21 . 22 | 23 . 24 | 25 . 26 | 27 . 28 | 29 . 30 | 231 | D.B. W.B. Dry Bulb | Wet Bulb | Dew Point (F) 0 90/ 89 . 4 88/ 87. 96/ 85 1.8 2.2 3.7 .7 4.4 3.9 4.2 3.0 6.1 4.1 8.3 3.3 4.2 5.2 7.4 3.7 4 2.5 3.9 1.5 4 1.8 2.0 4 3.3 2.4 3.0 1.1 44/ 83 82/ 81 80/ <u>79</u> 78/ 77 1.5 76/ 75 74/ 73 72/ 71 70/ 69 68/ 67 66/ 65 64/ 63 62/ 61 60/ 59. 58/ 57 56/ 55. 54/ 53 TUTAL 3.9 8.319.620.530.412.9 3.5 BENISED PREVIOUS 0.26.5 (OL A) No. Obs. Mean No. of Hours with Temperature Element (X 67,610,558 00.7 2.760 72.7 3.803 2536169 542 Rel. Hum. : 0 F ± 32 F ≥ 67 F = 73 F 36647 93.0 92.3

43721

39400

37273

68.8 5.340

342

542

3531891

2871956

2578665

PEC 1800-2000 HOURS (L. S. T.)

TOTAL

17 85

103 8)

90

88

49

16

542

17

75

50

62

75

73

48 31

17 5

4

542

93

93

93

49

92

153

144

64

27

6

PACE 1

49

92

153

144

64

27

61

≥ 80 F ≥ 93 F

61.4

88.0 49.1 60.9 28.8

28.8

TOTAL

Dry Bulb

Wet Bulb

Dew Point

DATA PRHCESSING BRANCH

DATA PRICESSING BRANCH DSAF ETAT AIR FEATTER SERVICE/ FAC

# PSYCHROMETRIC SUMMARY

69/ 67 66/ 65 64/ 63 52/ 61 66/ 59 58, 57 56/ 55 54, 53	\$97 67	\$\\ \frac{69}{67} \\ \frac{67}{60} \\ \frac{60}{60} \\ \f	74/ 73 12/ 71		. 2	1.3		2.4	9		ļ ļ			 		·		 	56 36	36	61 77	3
66/ 65 64/ 63 52/ 61 66/ 59 58/ 57 56/ 55 54/ 53 707, 1 9 8.4.0.830.825.4 9.1 4.6 .4	667 65 647 63 527 61 667 59 58, 57 567 55 567 57	60 / 63	70/ 69				1.0	- 4	. 7	1	. 1					1		İ	1.5	15	83	÷
52/ 61 60/ 59 58/ 57 56/ 55 54/ 53	527 61 607 59 58, 57 567 55 54, 53 TUT, L 9 8,4 0,230,325,4 9,1 4,6 4	52 / 61 60 / 59 58 / 57 56 / 55 54 / 53 (IT )								l—	: }			 	-	<del></del>	-	 1	+ <del>-</del>		46	_ (
60/ 59 58/ 57 56/ 55 54/ 53	60/ 59 58, 57 56/ 55 54, 53 707 L 28,4 0,830,525,4 9,1 4,6 4	6(7/ 59/ 58/ 57/ 50/ 55/ 54/ 53/ 54/ 53/ 54/ 53/ 54/ 53/ 54/ 53/ 54/ 54/ 54/ 54/ 54/ 54/ 54/ 54/ 54/ 54				+				i	<del> </del>			 ļ	ļ	<del> </del>		 · I				- :
56/ 55 54/ 53 'UT, L 9 8.4 U. 83U. 925.4 9.1 4.6 .4 548 !	56/ 55 54/ 53 707 L 9 8.4 U. 83U. 925.4 9.1 4.6 .4	56/ 55 54/ 53 (IT L								; ; ;	ſ 	i			Ĺ	Í		1	!			
54, 53 (07, L 9 8.4 U. 83U. 925.4 9.1 4.6 .4 548 !	54, 53 [07.L. 9 8.4.0.830.925.4 9.1 4.6 4	54, 53 [IT [		·	•	,									1			1				
707.L 98.4.0.430.425.49.14.6.44 548 548	101 L 9 8.4 0.830.525.4 9.1 4.6 .4 548	Element (X)												 	-		<del>                                     </del>	 +	<del> </del>			
347, 748		Element (X) Z X X S S No. Obs. Mean No. of Hours with Temperature		. 9	8.4	JU. 8	30.5	25,4	9.1	4.6	.4			 				 -		548		5
							:			[ [						1			244		740	
			•	•	•		į					i										
			•			٠	-Ĺ		1	i	•		h. ——— {	 	-	+-		 ļ.——	<del> </del> i			
			ě			•	;	; 		! 				 ļ	↓			 ļ	<del>  ;</del>			
							i			i I				,				į.			i	
				•	·															1		
			•							ļ				 	<del> </del>	<del> </del>	-	 <del> </del>				
				1						L				 	ļ	ļ		 ļ			<u>-</u>	
							:				1					1	1			}	1	
			i	•		4								 		<b>†</b>	1	 †	<del>  +</del>		+	

FORM 0-26-5 (QLA) Benist Menious Contons of Inchina Afternation

AFFIAC MA

.,

DATA PROTESSIED PRANCH USAF ETAC ATROLEATIES SEESTEEVAGE

# **MEANS AND STANDARD DEVIATIONS**

WAY WILLE TEMPTRATURES BEG F FORM OBSERVED SERVATIONS.

TEATION STATION NAME STATION NAME YEARS

IRS.(L.S.T.)		JAN.	FEB.	MAR.	APR.	MAY	JUN	JUL.	AUG.	SEP	ОСТ	NOV	DEC	ANNUAL
	MEAN	14.0	10.	40.5	2.7	83.4	32.7	04.7	61.4	84 5	77.	75.03	75.1	79.
00-02	. S D	6.7.51	3.600	3,146	2.243	3.014	2.193	1,011	2.36:	2.679			3.343	4.17
	TOTAL OBS	110	474	531	91:	1.37	7 J 3	7.31	542	5.35	55/	-24	242	0.20
	<del></del>							<1.3	20.					717
	MEAN S D		17.3					1, 103					75.7	78.
da⊷P⊅	TOTAL OBS	2.0	Λ.	4.37	510	535	4.7 % 4.7 %	•	545	7.091 534	7 • 7 ° 7 ′ 7 ′ 7 ′ 7 ′ 7 ′ 7 ′ 7 ′ 7 ′ 7 ′	525	:•4.57 5≥7	4,4) 033
	10171 003					- 122								23
	MEAN	7 . 1	17.	8 , 21	11.0	.2.7	. 2.4	al.3	80°5	70.9	77.3	15.5	74.2	79.
ባይፈርብ	\$ D.	130	4.232	つまられず	3.43%	3,362	2.244	2,159	.'•6e5	1.709	2.64	65	1,71.6	4.5€
	TOTAL OBS	"· <u>C</u> 4	<u>5ر ه</u>	<u> </u>	-11	<u>الإدران</u>	<u>", ()                                   </u>	.; J. b	34%	530	555	<u>530</u>	230.	637
	MEAN		32.	34.5	66.1	46.0	6 * - 7	F 5 . 1	84.8	84.3	83.7	83.	87.3	84.
09-11		• •	•					2.361						3.59
	TOTAL OBS	3.7	473	5,79	5 U.S	531	499		554	533	547	520	136	037
					. 7 7					<b>D</b> 1 C				0.4
	MEAN	7. G			•	_	•	81.9		-		-	85,7	84.
12-14	TOTAL OBS	124	473	7,101	-	529	500	7,499	452	536	3 # 4 C Z 5 5 4	524	1.107 530	3,21
	TOTAL OUS				70	<u></u>	300	20		320				0 3 4
	MEAN	•	16.1	•		•		35.7					84.3	•
117	S D	1.074	3.01	2,737	5.330	2.031	2.217	2,734	2.471	2.775	3.401	2. 39	7,304	3.00
	TOTAL OBS	- 24	<u> 47,</u>	532	513	<u>535</u>	491	<u>619.</u>	54 <sup>5</sup> 1	<u> 527</u> .	<u>"5"</u>	533	536	630
	MEAN		1.5	53.5	34.5	H = 1	44.2	u 3 . 5	83.2	82.7	80.1	H1.3	80.7	B2.
11-20	S D												2.760	7.94
	TOTAL OBS	543	67	525	515.	534	501.	543	539	531	551	520	542	629
	MEAN	1	70.7				43 6	84.7	u = -	4, 1	22.3	77 3	77.1	aņ.
21-63	ř	-	•					2.150			-			3.64
<1-C)	TOTAL OBS	36	4/5	2.710	514	136	5,00	521	534	537	55^	52	543	631
											*		i	
ALL	MEAN	•	-			-	•	83.7			-	•	77.1	
HOURS	S D	- '		-	•	-		- 1	-		-		1.544	
	TOTAL OBS	4181	3777	4223	4093	4270	4023	4"31	4300	4262	4412	4221	4307	5075

1210 WS JUL 64 0-89-5 (QLI)

BATA PROPESSION - KARCH SZELETE ALC EATOR - ENVICEZONE

2

# MEANS AND STANDARD DEVIATIONS

THE THREE TEXPENSIONES OF G. F. FROM THEFT YOU SHAVETING S.

4100 STATION STATION NAME: u4-72

HRS (LST)		JAN	FEB.	MAR	APR.	MAY	JUN.	JUL.	AUG.	SEP.	OCT.	NOV	DEC	ANNUAL
	MEAN	. 7	79.1	15.4	77.7	75.0	17.0	76.5	76.5	14.2	74.6	71.3	7.7.1	74.
00-02	S D	•057	3.20.3	3.246	2.251	2.012	1.771	1,500			2.333	2.551	4.750	4.12
	TOTAL OBS	. 1,	413	5,27	513	5 34	503	531	542	535	357	524	840	5244
	MEAN							71.9						74.6
والموول					-			1.400		-	-			4.400
	TOTAL OBS		4 ( )	531	51	5 32	* v3	267	544	5,34	55	4.24	- :37	51,
	MEAN	15 . 1	12.3	1700	77.	77.5	16.6	76.2	75.2	74.6	74.	7	65.0	74.1
30.	S D												5.097	4.64
	TOTAL OBS	فعات	6 . 5	517	511	532	<b>*</b> 05		545	530	55%	530	830	0366
	MEAN	7	11.2	71.5	78 -	18.7	77 - 5	7 3	77.	76.9	76-1	12.0	71.4	75.7
07-11		-	•	•		-	-	1.307		•		-		4.05
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TOTAL OBS	27	6/5	520	507	530	-	15	554	5 53	547	524	5 9 6	63.5
	MEAN							77.3					72.0	•
10-14			-	-	-			1,438	-		-		-	3.54
	TOTAL OBS	523	473	529	509	526	56≏	613		536	554	<u> 52:</u>	536.	638
	MEAN	1:4	12.3	17.5	78.4.	71.9	77.7	77.2	77.2	74.6	70.4	74.5	73.2	76.
15-17	S D	1.142	2,552	2.550	7.114	1.657	1.410	1.498	1.628	1.549	2.311	3.459	3.711	3.222
	TOTAL OBS	64	677	532.	313	534	497	519	54%	527	55	531.	934	6381
	MEAN	7 1	14.	75.5	78	10.5	77.6	77.1	77.2	76.8	74.4	7:00	79.7	75.9
15-76			•										3.00%	
	TOTAL OBS	2 .	4 (. "	517	515		492	543	537		751	5,21	292.	0232
				2	33 3		77 3	7: .7		74 5	<del>-</del>	18.5	71.0	75.
	MEAN	•	*	• •		-		•						
21=73	TOTAL OBS	۱۳۰۰ م ۱۸۱۹ د دا		923				•	534;			3.002 520	9.2823 5483	3 <b>.73</b> 3
ALL	MEAN	1 .6	•					76.7					71.1	75.
HOURS	S D	-						1. 29						4.004
	TOTAL OBS	4190	3771	4202	4092	4257	4615	41.56	4357	4262	4411	4215	430*	50702

1210 WS JUL 64 0.89-5 (OL.I)

PATA PRODUCTSTE TRANCA-SALETTS STRIPPATER ELVICIVIAL

2

# MEANS AND STANDARD DEVIATIONS

SO WINDS BENDERS STRUCK SET FOR HOUSE HOUSE BOY LIVE BOY CAPE.

tro-7.1 490, PATABLE AS TO ALLAS STATION NAME STATION HRS (LST) MAR. JUN. AUG SEP OCT NOV. DEC ANNUAL 13.1 15.1 16.1 14.5 14.0 74.4 74.4 47. W 17.1 73.7 67. 72.7 MEAN . 94 1, 11 1,044, 2,417 2,297 2,767 1,962 2,643 1,768 2,643 5,197 110 47 327 513 513 536 7,36 3430 4.87 00-02 S.D. TOTAL OBS 12.4 12 . 10 . 16 . 1. 71.6 73. 73.8 64.1 71.5 ) - 5 D 2.738 2.339 2. 63 1.757 1.958 1.670 2.34+ 5.191 537 534 562 503 164 6312 TOTAL ORS 12.0 15.3 15.3 74.5 1:.3 74. 7 71.9 3 + 1 S D 4,771 4,203 7,305 7,265 1,517 9,201 1,371 1,738 205 517 511 537 135 517 545 520 3. 247 4.426 4.66 2 . " . " 4.561 555 TOTAL OBS <u>→ 31.</u> 6354 2 •1 17. 17.1 19.4 15.7 14.1 75.6 74. 75.8 •21 5.301 5.130 3.30, 7.503 2.321 1.600 2.271 2.244 •22 117 525 527 533 400 657 61.1 11. - 1 S D 3.76 7.101 4.151 5.779 TOTAL OBS 63:2 72.7 75.7 75.9 14.2 13.5 77.0 71.7 13.5 71. S D 1..25 6.~25 4.999 2.190 2.606 2.105 2.054 2.393 2.657 3.734 5.647 6.451) 5.372 4/3 569 500 551 TOTAL OBS 521 502 613 536 554 522 030 72.4 MEAN 1:-. / S D 4.755 TOTAL OBS 6331 71.2 75.0 75.4 76.0 74.8 74.4 74.7 74.4 73., 70.4 69.5 2.307 3.017 2.377 2.605 1.944 1.765 1.956 1.901 2.706 5.495 5.346 73.0 MEAN L -20 SD 17.7 .4.5 4.454 TOTAL OBS 315 533 47" 343 531 551 523 0232 74.2 74.5 74.5 74.7 75.5 74.1 74.7 71.7 1:04 6:07 77.9 MEAN 11/4 4,165 3,524 2,327 2,047 2,158 1,977 2,313 1,726 2,565 5,107 7,673 134 475 523 514 535 509 521 534 537 555 522 345 21-13 SD 4.5 16 TOTAL OBS 675 523 514 535 6307 71.4 73.4 75.4 75.0 74.4 73.9 74.7 74.6 73.1 80.6 57.0 6.297 4.354 2.678 2.331 2.100 1.84 2.181 2.074 3.185 2.517 7.276 72.4 MEAN S D 1.106 5. Loc HOURS 4526 TOTAL OBS 4202 4092 4257 4615 4357 4262

1210 WS JUL 64 0 89 5 (OLI)

DATA PROCESSING PRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028

U-TAPAR AB THAILAND

66-72

ALL

STATION

STATION NAME

PERIOD

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	!		PERCENTAC	SE FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN	TOTAL
MONTH	(L.\$.T.)	10%	20%	30%	40%	50%	60°	70°.	80°	90°	RELATIVE HUMIDITY	NO. OF OBS.
MAL	ALL	100.0	100.0	99.6	95.8	85.2	68.9	46.9	20.5	3 • 5	67.8	4190
FEB		100.0	100.0	100.0	99.4	95.8	89.1	63.5	27.1	4.0	73,9	3771
~AR		100.0	100.0	99.8	98.8	96.4	91.6	63.5	21.1	2,6	73.5	4202
APR		100.0	100.0	100.0	100.0	99.5	94.8	65.9	23.8	2.8	74.8	4092
MAY		100.0	100.0	100.0	99.9	99.1	93.7	64.5	25.7	5.0	74.8	4257
אטנ		100.0	100.0	100.0	100.0	99.9	93,6	56.4	16,5	2.0	72.8	4015
JUL		100.0	100.0	100.0	100.0	99.6	92.8	57.0	14.7	1.9	72.7	4626
AUG		100.0	100.0	100.0	100.0	99.7	93,9	65,3	25.1	5,3	75.0	4357
SEP		100.0	100.0	100.0	100.0	99.0	93,4	70.6	32.6	7,8	76.3	4262
OCT		100.0	100.0	100.0	99,9	98,9	92,4	74.6	48.8	11.8	78.6	4411
NDA		100.0	100.0	100.0	97.9	90.5	72.8	50.5	26.1	4.0	70.0	4215
DEC		100.0	100,0	100.0	97.5	87.5	67.0	42.5	22.2	5.2	67.9	4305
τοτ	ALS	100.0	100.0	100.0	99.1	95.9	87.0	60.1	25.5	4.7	73.2	50703

USAFETAC FORM 0-87-5 (OL 1)

DATA PROCESSING BRANCH ETAC/USAF AIR MEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028

U-TAPAR AB THAILAND

67-72

JAN

STATION

STATION NAME

PERIOD

### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	•		PERCENTA	GE FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN . RELATIVE	TOTAL NO OF
MONTH	(LST)	10%	20°	30~	40%	50%	60	. 70°	80	90	HUMIDITY	OBS
JAN	00-02	100.0	100.0	100.0	100.0	99,2	90.6	76.7	35.3	4,5	76.6	510
	03-05	100.0	100.0	100.0	100.0	99.0	59.4	74.8	43,5	9,2	77.3	520
	06-08	100.0	100.0	100.0	100.0	97,3	86,5	66.4	45,6	11.1	76.3	524
	09-11	100.0	100.0	100.0	90.0	67.5	47.7	25.9	5,3	.6	59,6	532
	12-14	100.0	100.0	97.7	85,7	63.3	39,4	9,6	1.5	.4	55.6	523
	15-17	100.0	100.0	99.2	91.6	70.0	42.0	13.4	1.7	.2	57.9	524
	18-20	100.0	100.0	99.8	99.0	88.0	66,9	42.1	6.9	.2	66.1	523
	21-23	100.0	100.0	100.0	100.C	97.0	88,4	65,9	23,8	1,5	73,3	534
	ļ											
τo	TALS	100.0	100.0	99,6	95,8	85.2	68,9	46.9	20.5	3,5	67.8	4190

USAFETAC 108M 0-87-5 (OL 1)

DATA PROCESSING RRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41928 U-TAPAD AB THAILAND

STATION

I HALLANI.

67-72

FEP

PERIOD

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS			PERCENTAC	SE FREQUENC	Y OF RELATIVE	HUMIDITY G	EATER THAN			MEAN . RELATIVE	TOTAL NO OF
MONTH	4L S T ·	. 10	20	30	40°-	50"	60	70	801	90%	HUMIDITY	OBS
E & A	00-02	100.0	100.0	100.0	100.0	100.0	99,6	93,4	48.2	4,2	80.4	473
	03=0>	100.0	100.0	100.0	100.0	100.0	99,1	94.0	55.3	8,8	81.5	468
	0 <b>0=0</b> 8	100.0	100.0	100.0	100.0	100.0	97.8	67,5	51.6	7,7	80.7	465
	04-11	100.0	100.0	100.0	98.1	88.9	78,7	42.3	8.6	1.9	68.2	478
	12-1-	100.0	100.0	100.0	97,9	86.7	71.0	19,9	4,0	,6	64,1	473
	15-17	100.0	99,8	99.8	99.1	91.9	76.0	26.6	>,3	,9	66.1	470
	18-20	100.0	100.0	100.0	100.0	78,9	91,5	60.6	11.7	1.7	72.6	469
•	21-23	100.0	100.0	100.0	100.0	100.0	99,4	84.0	32.0	3.6	77.7	475
	•	•	•		<del> </del>		]	-				
	•	• •	!									
i merasir .		100.0	100.0	100.0	99,4	95.0	89.1	63.5	27.1	4.0	73.9	3771

USAFETAC ROBM 0-87-5 (OL 1)

----

-- A ...

DATA PRUCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

U-TAPAN AB THAILAND 41028

67.72

' AR

STATION

STATION NAME

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS	•		PERCENTAC	SE FREQUENCY	OF RELATIVE	HUMIDITY G	EATER THAN			MEAN . RELATIVE	TOTAL NO. OF
MONTH.	(LST)	10%	20	30°	40°	50°.	60	70°-	80°.	90	HUMIDITY	OBS
™ <b>≜R</b>	00-02	100.0	100.0	100.0	99.8	99,4	97,9	90.5	37.2	3.0	78.8	527
•	03-05	100.0	100.0	100.0	99.6	99.2	97,9	91.3	45.4	6.8	79.9	531
•	106=08	100.0	100.0	100.0	99,8	18,5	96,3	86.8	39,3	6.2	78.5	517
•	09-11	100.0	100.0	99,4	97.3	93.2	87.8	40.1	5.1	1.1	68.5	526
•	12-14	100.0	100.0	99,2	95.8	90.4	78.1	24,6	4,5	1.3	65.4	529
•	15-17	100.0	100.0	99,8	98.7	93.2	83.6	29,1	4.5	.8	67.1	532
•	18-20	100.0	100.0	100.0	99.6	97.9	93.0	62,5	9,9	.4	72.8	517
	21-23	100.0	100.0	100.0	100.0	99,6	78,1	83,2	23.1	1.0	76.6	523
	· •				-	1						
r				ļ						· · · · · · · · · · · · · · · · · · ·	<del> </del>	
•	•				<del> </del>					<del>-</del>		
to	TALS	100.0	100.0	99,8	96,8	96.4	91.6	63.5	21.1	2.6	73.5	4202

USAFETAC | PORM | 0-87-5 (OL 1)

DATA PRICESSING BRANCH FTAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028

U-TAPAN AB THAILAND

67-72

APR

STATION

STATION NAME

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	SE FREQUENC	Y OF RELATIV	E HUMIDITY GI	EATER THAN			MEAN . RELATIVE	TOTAL NO OF
MONTH	(L.S.T.)	10%	20%	30%	40%	50°.	60°	70 %	80°:	90	HUMIDITY	OBS
APR	00-02	100.0	100.0	100.0	100.0	100.0	100.0	92.0	34,3	2.7	79.3	513
	03-05	100.0	100.0	100.0	100.0	100.0	100.0	95.7	51.6	7.3	81.5	510
	06-08	100.0	100,0	100.0	100.0	100.0	99,2	89,4	47,6	7.2	80,6	511
=	09-11	100.0	100.0	100.0	100.0	98.4	90.1	37.1	8,5	.6	69.6	507
	12-14	100.0	100.0	100.0	100.0	98.4	81.7	29,9	7,9	1.0	67,8	509
	15-17	100.0	100.0	100.0	100.0	99.4	89,3	33,7	5.1	. 8	68.9	513
	18-20	100.0	100.0	100.0	100.0	100.0	97,9	64,3	14.4	1.0	74.0	515
	21-23	100.0	100.0	100.0	100.0	100.0	99,8	85.0	21.0	1.4	77.0	514
	ļ		-									
	,					-						
10	TALS	100.0	100.0	100.0	100.0	99.5	94.8	65.9	23.8	2.0	74.8	4092

USAFETAC PORM 0-87-5 (OL 1)

DATA PROCESSING BRANCH FTAC/USAF AIR EATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

U-TAPAD AB THAILAND 41028

67-72

~ A ¥

STATION NAME

### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	•		PERCENTAC	E FREQUENC	Y OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN	TOTAL
MONTH	(LST)	10	20	30°	40°	50%	60	70	80°-	90%	RELATIVE	NO. OF OBS.
· A4	00=02	100.0	100,0	100.0	100.0	100.0	97.9	86.3	37.5	7.1	78.7	534
	03-0:	100.0	100.0	100.0	100.0	100.0	97.7	88.5	43.0	13.0	80.4	532
	06-08	100.0	100.0	100.0	100.0	100.0	99,1	81.6	42.7	10.3	79.5	532
•	09-11	100.0	100.0	100.0	99.6	98.1	68,5	45,1	18.7	3,4	71.4	530
	12-14	100.0	100.0	100.0	99.6	96.6	79.2	30,9	11.4	2.1	67.9	528
,	15-17	100.0	100.0	100.0	99,4	90.1	89,9	35,6	8.6	.2	69.1	534
•	16-20	100.0	100.0	100.0	100.0	99.8	98,1	56,2	16.0	.8	74.3	532
	21-23	100.0	100.0	100.0	100.0	100.0	99,1	81.9	27.9	3,2	77.3	535
		•	•			-	ļ					
	•	<u>.</u>	-			ļ <u>-</u>						
	•	<u>*</u>	t -									
to	TALS	100.0	100,0	100.0	99,9	99.1	93.7	64.5	25.7	5.0	74.8	4257

USAFETAC 0-87-5 (OL 1)

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028 U-TAPAR AB THAILAND STATION STATION NAME 67272

JUN MONTH

PERIOD

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH:	HOURS			PERCENTAC	GE FREQUENC	Y OF RELATIV	E HUMIDITY GR	EATER THAN			MEAN RELATIVE	TOTAL NO. OF
MONTH	(L.\$.T.)	10%	20%	30%	40%	50%	60%	70%	80°。	90°.	HUMIDITY	OBS.
JUN	00-02	100.0	100,0	100.0	100.0	100.0	98.2	73.0	29.4	3.2	76.6	503
	03-05	100.0	100.0	100.0	100.0	100.0	100.0	78.9	30.2	4.8	77.6	503
	06-08	100.0	100.0	100.0	100.0	100.0	99,6	73.6	25.2	3.1	76.4	508
	09-11	100.0	100.0	100.0	100.0	99.8	69.8	30.3	7.2	1.2	68.6	498
	12-14	100.0	100,0	100.0	100.0	99.6	77.4	21.4	4.0	.4	65.8	500
	15-17	100.0	100.0	100.0	100.0	100.0	87.7	34,8	5.4	, 2	68.6	497
	18-20	100.0	100.0	100.0	99.8	99.8	96.6	66.5	11.6	. 8	73,5	498
	21-23	100,0	100,0	100.0	100.0	100.0	99,4	72,8	18.9	2.0	75,2	506
	ļ					-						
τo	TALS	100.0	100,0	100.0	100.0	99.9	93.6	56.4	16.5	2.0	72.8	401

USAFETAC PORM 101 64 0-87-5 (OL 1)

DATA PRUCESSING BRANCH ETAC/USAF AIR MEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028 CHAILANT BE CAPATED STATION

66-72

JUL

STATION NAME

PERIOD

MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	GE FREQUENC	Y OF RELATIV	E HUMIDITY G	EATER THAN			MEAN RELATIVE	TOTAL NO. OF
MONTH	(L S.T.)	10°.	20°°	30°c	40°.	50°	60°•	70%	80°	90°∘	HUMIDITY	OBS.
JUL	00-02	100.0	100.0	100.0	100.0	100.0	99.6	76.3	20.2	3.0	76.0	531
	03-05	100.0	100.0	100.0	100.0	100.0	100.0	83.8	24.7	3.7	77,5	562
	06=08	100.0	99,8	99.8	99.8	99.8	99,8	80.4	24.1	4.4	77.0	617
	09-11	100.0	100.0	100.0	100.0	100.0	90.4	27.8	5.9	1.0	68.7	615
	12-14	100.0	100.0	100.0	100.0	98.5	71.0	16.5	2.8		64.7	618
	15-17	100.0	100,0	100.0	100.0	98.7	84.2	29.7	5.7	. 5	67.9	619
	18-20	100.0	100.0	100.0	100.0	100.0	98.0	67.8	14.0	, 9	74.2	543
	21-23	100.0	100.0	100.0	100.0	100.0	99.0	73,7	20,2	1.5	75.8	521
			-									
то	TALS	100.0	100.0	100.0	100.0	99.6	92.8	57.0	14.7	1.9	72.7	4626

USAFETAC FORM 0-87-5 (OL 1)

DATA PROCESSING BRANCH ETAC/USAF AIR WEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028

U-TAPAD AB THAILAND

66-71

AUG

STATION

STATION NAME

PERIOD

HTHOM

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS	· · · · · · · · · · · · · · · · · · ·		PERCENTAC	GE FREQUENC	Y OF RELATIV	E HUMIDITY GR	EATER THAN			MEAN RELATIVE	TOTAL NO. OF
MUNIN	(L.S.T.)	10%	20°.	30%	40%	50%	60%	70%	80°-	90∘∘	HUMIDITY	OBS.
ΔŲG	00-02	100.0	100.0	100.0	100.0	100.0	100.0	84.9	41.9	9.6	79.6	548
	03-05	100.0	100.0	100.0	100.0	100.0	100.0	89.5	46,5	11.2	80.7	544
	06-08	100.0	100.0	100.0	100.C	100.0	100.0	89,5	42.2	13.8	80.3	545
	09-11	100.0	100.0	100.0	100.0	99.8	91.7	43.1	9.6	.5	70.7	554
	12-14	100.0	100.0	100.0	100.0	99,5	74.8	22,9	4,5	. 9	66,2	551
	15-17	100.0	100.0	100.0	99,8	98.4	86.5	33.0	5,3	.5	68.7	548
	18-20	100.0	100.0	100.0	100.0	100.0	98,3	80.1	16,5	.7	75.8	539
	21-23	100,0	100.0	100.0	100.0	100.0	99.8	79,2	34.3	4,9	78.0	534
TO	TALS	100.0	100,0	100.0	100.0	99.7	93,9	65.3	25.1	5,3	75.0	435

USAFETAC PORM 0-87-5 (OL 1)

DATA PROCESSING BRANCH ETAC/USAF AIR REATHER SERVICE/DAC

# **RELATIVE HUMIDITY**

41028	U-TAPA"	AB	THATLAND	66=71	SEP
STATION			STATION NAME	PERIOD	MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	GE FREQUENC	Y OF RELATIV	E HUMIDITY GI	REATER THAN		MEAN RELATIVE	TOTAL NO. OF	
HTMOM	(L. S. T.)	10%	20°0	30°-	40%	50°.	60°a	70°s	80°-	90%	HUMIDITY	OBS.
SEP	00-02	100.0	100.0	100.0	100.0	100.0	99.8	92.0	51.0	14.2	81.7	535
	03=05	100.0	100.0	100.0	100.0	100.0	99.8	94.0	56.7	18.4	83.0	534
-	06-05	100.0	100.0	100.0	100.0	100.0	99.A	90.4	52,6	16.8	82.0	530
	09-11	100.0	100.0	100.0	100.0	99,4	89.7	46.0	14.4	2.1	71.1	533
	12-14	100.0	100.0	100.0	100.0	96.5	75.9	33.6	12.3	1.7	67.8	536
	15-17	100.0	100.0	100.0	100.0	96.4	83.5	40.4	9.1	.6	69.0	521
	18-20	100.0	100.0	100.0	100.0	99.8	98,3	79.1	22,1	2,5	76.1	530
= .	21-23	100.0	100.0	100.0	100.C	100.0	100.0	89.2	42.3	6.1	80.0	531
	• -· <del></del>											
<del></del> то	TALS	100.0	100.0	100.0	100.0	99.0	93.4	70.6	32.6	7.8	76.3	426

USAFETAC ROTM JUL 64 0-87-5 (OL 1)

DATA PRIICESSING BRANCH FTAC/USAF AIR MEATHER SERVICE/MAC

# RELATIVE HUMIDITY

41028	U-TAPAR AB THAILAND	66-71	net
STATION	STATION NAME	PERIOD	MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC		MEAN	TOTAL NO: OF					
MONTH	(L.S.T.)	10%	20%	30°c	40°	50%	60%	70°	80*	90"	HUMIDITY	OBS.
BCT	00-07	100,0	100.0	100.0	100.0	100.0	100.0	98.4	80,4	22.3	86.0	552
	03-07	100.0	100,0	100.0	100.0	100.0	100.0	97.6	83.0	28.1	86.7	552
	06 <b>~0</b> 0	100.0	100.0	100.0	100.0	99.8	98,9	92.3	72.3	17.3	83.9	555
	09-11	100.0	100.0	100.0	100.0	97.6	82.4	48.3	14,8	2.0	70.3	547
	12-14	100.0	100.0	100.0	99.5	95.5	74.4	31.6	9.9	2,9	67.2	554
	15-17	100.0	100.0	100.0	100.0	98.5	86.0	47.3	17.6	4.0	71.4	550
	18-20	100.0	100.0	100.0	100.C	100.0	97.6	83.5	43.7	6.4	79.3	551
-	21-23	100.0	100.0	100.0	100.0	100.0	100.0	97.5	68.9	11.5	83.7	550
	·											
	!	ļ										
TO TO	TALS	100.0	100.0	100.0	99.9	98.9	92.4	74.6	49.8	11.8	78.6	4411

USAFETAC FORM 0-87-5 (OL 1)

DATA PRUCESSING ARANCH FTAC/USAF AIR MEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028

U-TAPAC AB THATLAND

66-71

 $\mathcal{H}_{k}(\boldsymbol{V})$ 

STATION

STATION NAME

PERIOD

MONTH - -

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAC	SE FREQUENC	Y OF RELATIVE	HUMIDITY GR	REATER THAN			MEAN	TOTAL NO OF
MONTH	(L.S.T.)	10°∘	20°∘	30°-	40°。	50%	60°.	70°√	80°.	90°-	HUMIDITY	OBS.
<b>י</b> םע	00-02	100.0	100.0	100.0	100.0	99.6	96.6	84.5	56.9	6.9	80.1	524
	03-05	100.0	100.0	100.0	100.0	100.0	96,6	86,3	56.6	9.5	80.3	529
	06-05	100.0	100.0	100.0	99.8	97.5	93,2	75.8	39.1	6.6	76.6	530
	09-11	100.0	100.0	100.0	96.8	80.6	44.1	12.7	4.0	1.9	59.7	526
	12-14	100.0	100.0	100.0	91.7	67.0	25,4	5,7	2.5	. 8	55.2	528
	15-17	100.0	100.0	100.0	94,9	84.4	47,5	12.4	4.0		60.1	531
	18-20	100.0	99,8	99.8	99.6	95.0	83,4	48,2	17.0	2.1	70.2	523
	21-23	100.0	100.0	100.0	100.0	99.6	95.6	78,2	44,7	4,4	77,9	521
	<b></b>											
10	TALS	100.0	100.0	100.0	97.9	90.5	72.8	50.5	28.1	4.0	70.0	421

USAFETAC FORM 0-87-5 (OL 1)

DATA PROCESSING BRANCH FTAC/USAF AIR MEATHER SERVICE/MAC

# **RELATIVE HUMIDITY**

41028	U-TAPAD AB THAILAND	66 <u>-</u> 71	LEC
STATION	STATION NAME	PERIOD	MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

			PERCENTAC	SE LKEGUENCI	OF RELATIVE	HUMIDITY GR	MEAN RELATIVE	TOTAL NO. OF			
(L.S.T.)	10°∘	20%	30°∘	40°	50°。	60°∘	70°₀	80°-	90°-	HUMIDITY	OBS.
00-02	100.0	100.0	100.0	100.0	99.3	93,9	73.1	43.0	12.4	77.8	540
03-05	100.0	100.0	100.0	100.0	99.4	93,3	68,3	45.6	13.2	77.7	537
06 <b>=0</b> 8	100.0	100.0	100.0	100.0	99.2	89.1	62,5	36.2	8.5	75.5	530
09=11	100.0	100.0	100.0	94.8	68.3	38,4	17.2	5,4	.9	58.2	536
12-14	100.0	99,8	99.8	89.2	57,5	23,7	7,3	2.2	.6	53.6	536
15-17	100.0	100.0	100.0	96.3	80.6	37.3	10.8	3,2	.7	58.5	536
18-20	100.0	100,0	100.0	100.0	96.1	71.2	35,1	12.2	.7	67.6	548
21-23	100.0	100.0	100.0	100.0	99.3	89.2	65,5	29.4	4,4	74.4	544
·											
	1.2									4.	430
	03-05 06-08 09-11 12-14 15-17 18-20	03-05 100.0 06-08 100.0 09-11 100.0 12-14 100.0 15-17 100.0 18-20 100.0 21-23 100.0	03-05 100.0 100.0 06-08 100.0 100.0 09-11 100.0 100.0 12-14 100.0 99.8 15-17 100.0 100.0 18-20 100.0 100.0 21-23 100.0 100.0	03-05 100.0 100.0 100.0 06-08 100.0 100.0 100.0 09-11 100.0 100.0 100.0 12-14 100.0 99.8 99.8 15-17 100.0 100.0 100.0 18-20 100.0 100.0 100.0 21-23 100.0 100.0 100.0	03-05 100.0 100.0 100.0 100.0 06-08 100.0 100.0 100.0 100.0 09-11 100.0 100.0 100.0 94.8 12-14 100.0 99.8 99.8 89.2 15-17 100.0 100.0 100.0 96.3 18-20 100.0 100.0 100.0 100.0 21-23 100.0 100.0 100.0 100.0	03-05 100.0 100.0 100.0 100.0 99.4 06-08 100.0 100.0 100.0 100.0 99.2 09-11 100.0 100.0 100.0 94.8 68.3 12-14 100.0 99.8 99.8 89.2 57.5 15-17 100.0 100.0 100.0 96.3 80.6 18-20 100.0 100.0 100.0 100.0 96.1 21-23 100.0 100.0 100.0 100.0 99.3	03-05 100.0 100.0 100.0 100.0 99.4 93.3 06-08 100.0 100.0 100.0 99.2 89.1 09-11 100.0 100.0 100.0 94.8 68.3 38.4 12-14 100.0 99.8 99.8 89.2 57.5 23.7 15-17 100.0 100.0 100.0 96.3 80.6 37.3 18-20 100.0 100.0 100.0 100.0 96.1 71.2 21-23 100.0 100.0 100.0 100.0 99.3 89.2	03-05 100.0 100.0 100.0 100.0 99.4 93.3 68.3 06-08 100.0 100.0 100.0 100.0 99.2 89.1 62.5 09-11 100.0 100.0 100.0 94.8 68.3 38.4 17.2 12-14 100.0 99.8 99.8 89.2 57.5 23.7 7.3 15-17 100.0 100.0 100.0 96.3 80.6 37.3 10.8 18-20 100.0 100.0 100.0 96.1 71.2 35.1 21-23 100.0 100.0 100.0 100.0 99.3 89.2 65.5	03-05 100.0 100.0 100.0 100.0 99.4 93.3 68.3 45.6 06-08 100.0 100.0 100.0 99.2 89.1 62.5 36.2 09-11 100.0 100.0 100.0 94.8 68.3 38.4 17.2 5.4 12-14 100.0 99.8 99.8 89.2 57.5 23.7 7.3 2.2 15-17 100.0 100.0 100.0 96.3 80.6 37.3 10.8 3.2 18-20 100.0 100.0 100.0 100.0 96.1 71.2 35.1 12.2 21-23 100.0 100.0 100.0 100.0 99.3 89.2 65.5 29.4	03-05 100.0 100.0 100.0 100.0 99.4 93.3 68.3 45.6 13.2 06-08 100.0 100.0 100.0 99.2 89.1 62.5 36.2 8.5 09-11 100.0 100.0 100.0 94.8 68.3 38.4 17.2 5.4 .9 12-14 100.0 99.8 99.8 89.2 57.5 23.7 7.3 2.2 .6 15-17 100.0 100.0 100.0 96.3 80.6 37.3 10.8 3.2 .7 18-20 100.0 100.0 100.0 96.1 71.2 35.1 12.2 .7 21-23 100.0 100.0 100.0 100.0 99.3 89.2 65.5 29.4 4.4	03-05 100.0 100.0 100.0 100.0 99.4 93.3 68.3 45.6 13.2 77.7 06-08 100.0 100.0 100.0 99.2 89.1 62.5 36.2 8.5 75.5 09-11 100.0 100.0 100.0 94.8 68.3 38.4 17.2 5.4 .9 58.2 12-14 100.0 99.8 99.8 89.2 57.5 23.7 7.3 2.2 .6 53.6 15-17 100.0 100.0 96.3 80.6 37.3 10.8 3.2 .7 58.5 18-20 100.0 100.0 100.0 96.1 71.2 35.1 12.2 .7 67.6 21-23 100.0 100.0 100.0 100.0 99.3 89.2 65.5 29.4 4.4 74.4

USAFETAC FORM 0-87-5 (OL 1)

DATA PROCESSING DIVISION ETAC/USAF AIR WEATHER SERVICE (MAC) ASHEVILLE, NORTH CAROLINA


### PART F

# PRESSURE SUMMARY

Presented in this part are two tables giving the means, standard deviations, and total number of observations of station pressure and sea-level pressure by month and annual for the local hourly observations corresponding to the eight 3-hourly synoptic times GCT. The same computations are also provided at the bottom of the page for all hours combined. All years of data available are combined in both of these tables, although the overall period is limited to January 1946 through December 1963 because of changes in reporting practices before and after those dates.

- 1. Station pressure in inches of mercury.
- 2. Sea-level pressure in millibars.

Provided below is a scale to convert station pressure values in inches of mercury or millibars to pressure altitude in 1000's of feet. This scale is an enlarged model of the pressure altitude scale in the Smithsonian Meteorological Tables.



DATA PRUCESSING BRANCH USAF ETAC AIR WEATHER SERVICE/MAC

# MEANS AND STANDARD DEVIATIONS

STATION PRESSURE IN INCHES HG FROM HOURLY OBSERVATIONS

41028

U-TAPAN AS THAILAND

STATION NAME

66-72

PS LST		MAL	FEB	MAR	APR.	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
	MEAN	29.825	9.8122	9.7812	9.761	29.7012	9.691	9,6942	9.6972	9.7142	9.764	29.8082	9.820	29.7
00	5 D	.159	.057	.060	.052	.043	.042	.045	.085	.054	.046	.055	.061	• 0
	TOTAL OBS	161.	151	171	170	176	168	173	180	179	182	173	178.	20
	MEAN	29.302	9.7762	9.7482	9.725	29.6652	9.6572	9.6572	9.6602	9.6762	9.7312	29.7762	9.784	29.7
0.3	5 D	.063		.057	048	.044	.041	048	.116	.055	045	.057	.061	• 0
	TOTAL OBS	162	151	173	171	179	167	177	179	175	184	174	178.	20
	MEAN	29.830	29.8082	9.785	9.774	29.6992	9.680	29.6732	9.6872	9.7032	9.762	29.8102	9.617	29.7
00	S D	061	062	053	159	044	043			056	045	054	061	.0
	TOTAL OBS	• -	150	171	171	178	169		179	178	186	178	178	21
	MEAN	29.884	29.8672	9.8412	9.819	29.7402	9.714	9.7102	9.7252	9.7452	9.807	29.8522	9.864	29.7
09	S D	059	056	054	049	043	043		.044	.035	044	053	061	. 0
	TOTAL OBS	•	152	170	167	182	167	205	182	177	180	174	180	Žį
	MEAN	29.828	9.8202	9.794	9.778	29.7035	9.485	9.6812	9.6902	9.4942	9.746	99.7875	9.800	29.1
12	S D	060	052	057	050		043		.044	056	045	.055	.059	
	TOTAL OBS	• •	150	170	172	173	162		184	178	184	176	180	21
	MEAN	29.767	29.7512	9.720	9.702	29.6322	9.623	9.6262	9.6282	9.6332	9.486	79.7282	9.747	29.6
15	5 D	052	055	057	.051	.047	042	047	043	.056	046	.077	.057	
-	TOTAL OBS		149	170	171	180	164	205	180	177	183	176	179	<u> </u>
	MEAN	29.796	29.7692	9.7342	29.716	29.6502	9.636	29.633	9.649	9.6562	9.727	29.7752	9.788	29.7
18	S D	.059	062	.054	.053	.046	.042	.066	.043	.121	.043	051	.060	.0
	TOTAL OBS	166	150	171	173	178	164	177	177	176	184	174	176	20
	MEAN	29.841	29.6192	9.7852	29.771	29.7092	9.694	29.6952	9.7122	9.7302	9.786	29.8262	9.836	29.7
21	5 D	.061	.061	055	052		-042		.044	.054	043	054	.062	.0
	TOTAL OBS	169	151	163	172		167	176	176	180	185	175	185	<u> 20</u>
	MEAN	29.822	29.6032	9.774	29.756	29.6872	9.673	29.6712	9.6812	9.6942	9.751	29.7952	9.807	29.7
ALL HOURS	S D	085	.067	066	.082		.051		.070		.057	067	.069	. 0
	TOTAL OBS		1204	1359	1367	1424	1328			1420	1468	1400	1434	166
		•	*:	+ 15	. 1	115	. 🗥 🧎	1	. 1	70	15.	2.271		. =
		•9	• 1	29.06	<b>∌</b> 9.⊶9	*9 :	77 1	÷1.9	27 14	29 2	70	<b>2</b> 1		

USAFETAC - 100 A4 0 89 5 (OL1)

TATA PROCESSING ARANCH USAF ETAC AIR REATHER SERVICE/MAC

# MEANS AND STANDARD DEVIATIONS

SEA LEVEL PRESSURE IN MOS FROM HOURLY URSERVATIONS

41029 U-TAPAN AB THATLAND 66-67

IRS LST		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
	MEAN	1013.31	1011.9	1011.1	1009.6	1008.2	1006.8	1007.4	1007.7	1008.9	1010.3	1010.9	1012.0	1009.9
OO	5 D	1.804	1.379	1.709	1.940	1.382	1.312	1.687	1.230	1.750	1.501	1.350	2.514	2.507
	TOTAL OBS												62	515
	MFAN	1015.01	1010 7	ากเกล้า	1008 B	1004 9	1005.8	1006.8	1004.4	1007.7	1008 7	1009 7	1010 8	1008.7
03	5 D			1.694										2,487
V	TOTAL OBS			31.			30		39			60		515
		•					1004 8	1004 4		1000 0		1010 0		1000
		1013.11												1009
06	5 D			1.584	1,793	1,344								2,717
	TOTAL OBS	. 21.	28	31.	30	31	30	60	62	60	62		62	541
-	MEAN	1014.7												1011,1
09	5 D	1,695	1.244	1,555	1.469	1,363	1.415	1.522	1.271	1,869	1.529	1.327	2.666	. 2.824
	TOTAL OBS	31.	28	31,	30	31	30	60	62	60	62		62	547
	MEAN	1012.51	011.9	1011.3	1010.0	1008.1	1006.5	1006.4	1007.3	1008.3	1009.7	1010.1	1011.2	1009.2
12	S D	1.302	1.066	1,461	1.515	1.193	1.444	1.590	1.341	1.846	1.423	1.310	2.466	2,482
	TOTAL OBS		28		30		30				62		62	54
	MEAN	1010.51	1009.5	1008.9	1007-4	1005-6	1004.6	1004.4	1005.3	1006.3	1007.8	1008.4	1009.6	1007.
15	S D			1.454										2.520
_ ,	TOTAL OBS		28								62			546
	MEAN	1012.0	1010 4	1000 8	1008.2	1006.8	1005.2	1005.5	1006-2	1007.5	1000.1	1009.8	1011.0	1008.
18	S D	1.882	1.367	1,579	1.411	1.292	1.443	1.844	1.101	1.812	1.428	1.301	2.978	2.63
	TOTAL OBS		28							60	62		62	517
		t <del></del>												1010
<b>_</b> .	MEAN													1010.
5.7	S D		1,449	1,848	1,721					1.837	1.431	1,323	62	2.511 519
	•	· · · · · · · · · · · · · · · · · · ·		·			<u>=</u>							
ALL		1012.7	1011,6	1010.8	1009.5	1007.8	1006.3	1006.4	1007.1	1008.4	1009.9	1010.5	1011.6	1009.3
HOURS	5 D												2,798	
	TOTAL OBS	248	224	248	240	248	240	367	484	480	<u>496</u>	480	496	4251

USAFETAC FORM 0 89 5 (OL.I)

# END DATE FILMED 4-8

DTIC